


面地略図

街区番号

5

備考

N
↑



記入者



点検者



画地地積集計表

No.

画地番号	画地地積	画地地積	摘 要
5- 2	4.486439 ³	4.48	
5- 3	210.693467 ⁷	210.69	
5- 4	54.296342 ²	54.29	
5- 5	127.695827 ⁷	127.69	
5- 6	23.886070 ³	23.88	
5- 7	83.231195 ²	83.23	
5- 8	134.475557 ³	134.47	
5- 9	72.184794 ¹	72.18	
5- 10	148.237859 ¹	148.23	
5- 11	77.673836 ¹	77.67	
5- 12	104.710426 ¹	104.71	
5- 13	33.672611 ¹	33.67	
5- 14	81.598287 ¹	81.59	
5- 15	81.603104 ¹	81.60	
5- 16	81.582657 ¹	81.58	
5- 17	81.585726 ¹	81.58	
5- 18	160.540737 ¹	160.54	
5- 19	162.443539 ¹	162.44	
5- 20	48.642100 ¹	48.64	
5- 21	72.963175 ¹	72.96	
5- 22	343.113440 ¹	343.11	
5- 23	83.006091 ¹	83.00	
5- 24	120.547182 ¹	120.54	
5- 25	136.889236 ¹	136.88	
GOKEI	2529.759700	2529.65	

画地地積集計表

No

画地番号	画地地積	画地地積	摘 要
5- 26	116.291570、	116.29	
5- 27	80.105165、	80.10	
5- 28	211.507484、	211.50	
5- 29	102.728848、	102.72	
5- 30	34.289742、	34.28	
5- 31	52.452414、	52.45	
5- 32	385.199895、	385.19	
5- 33	110.470687、	110.47	
5- 34	124.800483、	124.80	
5- 35	152.192436、	152.19	
5- 36	79.159572、	79.15	
5- 37	86.035259、	86.03	
5- 38	136.614998、	136.61	
5- 39	103.477726、	103.47	
5- 40	166.737004、	166.73	
5- 41	127.303080、	127.30	
5- 42	142.280144、	142.28	
5- 43	104.822397、	104.82	
5- 44	95.561667、	95.56	
5- 45	170.716056、	170.71	
5- 46	1012.102030、	1012.10	
GOKEI	3594.848659	3594.75	
SOGOKEI	6124.608359		
5- 1	6124.613119、	6124.61	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6- 5 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I°	-149348.448 ✓	13.022	-37647.857 ✓	153.904	-490250.393854	-22985323.540992
交, II°	-149347.830 ✓	-43.049	-37500.762 ✓	143.840	1614370.303338	-21482191.867200
交, III°	-149391.497 ✓	-44.227	-37504.017 ✓	-123.205	1658690.159859	18405779.387885
交, IV°	-149392.057 ✓	30.645	-37623.967 ✓	-150.649	-1152986.468715	22505763.994993
交, V°	-149360.852 ✓	43.609	-37654.666 ✓	-23.890	-1642082.329594	3568230.754280
					-12258.728966	12258.728966
					-6129.364483	6129.364483
						<u>4.751364*</u>
						6124.613119*

弓形面積

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隔切(6- 5 BLOCK) 2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
28	-149388.505	.014	-37503.794	3.000	-525.053116	-448165.515000
交、Ⅱ	-149391.497	-3.006	-37504.017	-3.223	112737.075102	481488.794831
29	-149391.511	2.992	-37507.017	.223	-112220.994864	-33314.306953
					-8.972878	8.972878
					-4.486439	4.486439

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

通路 (6-5 BLOCK) 3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
38	-149392.042 ✓	-18.668	-37620.838 ✓	-1.452	702305.803784	216917.244984
39	-149392.049 ✓	18.654	-37622.338 ✓	-1.548	-701807.093052	231258.891852
83	-149373.388 ✓	18.652	-37622.386 ✓	-1.811	-701732.743672	270515.205668
84	-149373.397 ✓	1.492	-37624.149 ✓	-1.770	-56135.230308	264390.912690
99	-149371.896 ✓	1.782	-37624.156 ✓	57.382	-67046.245992	-8571258.136272
98	-149371.615 ✓	.234	-37566.767 ✓	103.312	-8790.623478	-15431880.288880
71	-149371.662 ✓	-19.967	-37520.844 ✓	44.495	749178.692148	-6646292.100690
30	-149391.582 ✓	-19.927	-37522.272 ✓	-2.933	747706.314144	438165.510006
31	-149391.589 ✓	18.421	-37523.777 ✓	-.184	-691225.496117	27488.052376
75	-149373.161 ✓	18.473	-37522.456 ✓	-42.936	-693152.329688	6413486.040696
81	-149373.116 ✓	-.220	-37566.713 ✓	-98.430	8264.676860	14702795.807880
82	-149373.381 ✓	-18.926	-37620.886 ✓	-54.125	712012.888436	8084834.246625
					-421.386935	421.386935
					-210.693467	210.693467

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 46-3 (6-5 BLOCK) 4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交. 1°	-149348.448	5.515	-37647.857	11.225	-207627.931355	-1676436.328800
1	-149348.411	-5.431	-37639.079	8.766	204417.838049	-1309188.170826
47	-149353.879	-5.515	-37639.091	-11.225	207579.586865	1676497.291775
46	-149353.926	5.431	-37650.304	-8.766	-204478.801024	1309236.515316
					-109.307465	109.307465
					-54.653732	54.653732
						<u>0.357390</u>
						54.296342


弓形面積

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 46-2 / (6-5 BLOCK) 5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
46	-149353.926 ✓	6.973	-37650.304 ✓	15.575	-262535.569792	-2326187.397450
47	-149353.879 ✓	-4.054	-37639.091 ✓	11.205	152588.874914	-1673510.214195
48	-149357.980 ✓	-13.278	-37639.099 ✓	-9.372	499771.956522	1399782.988560
45	-149367.157 ✓	-2.872	-37648.463 ✓	-15.567	108126.385736	2325198.533019
交, Y	-149360.852 ✓	13.231	-37654.666 ✓	-1.841	-498208.885846	274973.328532
					-257.238466	257.238466
					-128.619233	128.619233
					弓形面積	<u>0.923406</u>
						127.695827 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 47 ✓ (6- 5 BLOCK) 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
48	-149357.980 ✓	6.443	-37639.099 ✓	9.358	-242508.714857	-1397691.976840
49	-149360.714 ✓	-10.593	-37639.105 ✓	-7.971	398711.039265	1190554.251294
44	-149368.573 ✓	-6.443	-37647.070 ✓	-9.358	242560.072010	1397791.106134
45	-149367.157 ✓	10.593	-37648.463 ✓	7.971	-398810.168559	-1190605.608447
					-47.772141	47.772141
					-23.886070 ✓	23.886070 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大株 48-2 ✓ (6-5 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
49	-149360.714 ✓	-1.531	-37639.105 ✓	7.945	57625.469755	-1186670.872730
50	-149370.104 ✓	-9.364	-37639.125 ✓	6.250	352452.766500	-933563.150000
51	-149370.078 ✓	-6.450	-37632.855 ✓	-.094	242731.914750	14040.787332
43	-149376.554 ✓	1.505	-37639.219 ✓	-14.215	-56647.024595	2123387.715110
44	-149368.573 ✓	15.840	-37647.070 ✓	.114	-596329.588800	-17028.017322
					-166.462390	166.462390
					-83.231195 ✓	83.231195 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大塚 43 (6- 5 BLOCK) 8

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1	-149348.411	21.719	-37639.079	6.174	-817483.156801	-922077.089514
2	-149348.385	-21.667	-37632.951	6.224	815393.149317	-929544.348240
51	-149370.078	-21.719	-37632.855	-6.174	817347.977745	922210.861572
50	-149370.104	21.667	-37639.125	-6.224	-815526.921375	929679.527296
					-268.951114	268.951114
					-134.475557	134.475557

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大峽 43-3 (6-5 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2	-149348.385 ✓	21.707	-37632.951 ✓	3.232	-816898.467357	-482693.980320
3	-149348.371 ✓	-21.679	-37629.623 ✓	3.423	815772.597017	-511219.473933
52	-149370.064 ✓	-21.707	-37629.528 ✓	-3.232	816824.164296	482764.046848
51	-149370.078 ✓	21.679	-37632.855 ✓	-3.423	-815842.663545	511293.776994
					-144.369589	144.369589
					-72.184794 ✓	72.184794 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大狭 42-1 (6-5 BLOCK) 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149348.371 ✓	23.524	-37629.623 ✓	6.261	-885199.251452	-935070.150831
4	-149348.345 ✓	-23.521	-37623.259 ✓	6.341	884936.674939	-947017.855645
54	-149371.892 ✓	-23.551	-37623.282 ✓	-.897	886065.914382	133986.587124
99	-149371.896 ✓	.023	-37624.156 ✓	-6.238	-865.355588	931781.887248
53	-149371.869 ✓	23.525	-37629.520 ✓	-5.467	-885234.458000	816616.007823
					-296.475719	296.475719
					-148.237859	148.237859

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 又 棟 39-2 (6-5 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
51	-149370.073	6.490	-37632.855	9.691	-244237.228950	-1447545.425898
52	-149370.064	-9.238	-37629.528	3.367	347621.579664	-502929.005488
86	-149379.316	-12.759	-37629.488	-3.524	480114.637392	526412.709584
42	-149382.823	2.762	-37633.052	-9.731	-103942.489624	1453644.250613
43	-149376.554	12.745	-37639.219	.197	-479711.846155	-29427.181138
					-155.347673	155.347673
					-77.673836	77.673836

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 34-1 ✓ (6-5 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
53 °	-149371.869 ✓	7.420	-37629.520 ✓	5.332	-279211.038400	-796450.805508
99 °	-149371.896 ✓	-1.528	-37624.156 ✓	5.371	57489.710368	-802276.453416
84 °	-149373.397 ✓	-1.492	-37624.149 ✓	1.770	56135.230308	-264390.912690
83 °	-149373.388 ✓	-11.764	-37622.386 ✓	1.793	442589.748904	-267826.484684
85 °	-149385.161 ✓	-11.984	-37622.356 ✓	-8.158	450866.314304	1218684.143438
41 °	-149385.372 ✓	2.338	-37630.544 ✓	-10.696	-87980.211872	1597825.938912
42 °	-149382.823 ✓	6.056	-37633.052 ✓	1.056	-227905.762912	-157748.261088
86 °	-149379.316 ✓	10.954	-37629.488 ✓	3.532	-412193.411552	-527607.744112
					-209.420852	209.420852
					-104.710426 ✓	104.710426 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 34-3 (6-5 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
41	-149385.372 ✓	6.896	-37630.544 ✓	1.611	-259500.231424	-240659.834292
85	-149385.161 ✓	-6.677	-37622.356 ✓	8.206	251204.471012	-1225854.631166
39	-149392.049 ✓	-6.896	-37622.338 ✓	-1.611	259443.642848	240670.590939
交IV	-149392.057 ✓	6.677	-37623.967 ✓	-8.206	-251215.227659	1225911.219742
					-67.345223	67.345223
					-33.672611 ✓	33.672611 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俵 39-6 ✓ (6-5 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
4	-149348.345 ✓	23.562	-37623.259 ✓	3.489	-886479.228558	-521076.375705
5	-149348.330 ✓	-23.530	-37619.793 ✓	3.442	885193.729290	-514056.951860
55	-149371.875 ✓	-23.562	-37619.817 ✓	-3.489	886398.128154	521158.471875
54	-149371.892 ✓	23.530	-37623.282 ✓	-3.442	-885275.825460	514138.052264
					-163.196574	163.196574
					-81.598287	81.598287

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 39-5 ✓ (6-5 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149348.330 ✓	23.560	-37619.793 ✓	3.491	-886322.323080	-521375.020030
6	-149348.315 ✓	-23.528	-37616.326 ✓	3.441	885036.918128	-513907.551915
56	-149371.858 ✓	-23.560	-37616.352 ✓	-3.491	886241.253120	521457.156278
55	-149371.875 ✓	23.528	-37619.817 ✓	-3.441	-885119.054376	513988.621875
					-163.206208	163.206208
					-81.603104 ✓	81.603104 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大棟 39-4 / (6-5 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
6	-149348.315 ✓	23.557	-37616.326 ✓	3.492	-886127.791582	-521524.315980
7	-149348.301 ✓	-23.526	-37612.860 ✓	3.439	884880.144360	-513608.807139
57	-149371.841 ✓	-23.557	-37612.887 ✓	-3.492	886046.779059	521606.468772
56	-149371.858 ✓	23.526	-37616.352 ✓	-3.439	-884962.297152	513689.819662
					-163.165315	163.165315
					-81.582657 ✓	81.582657 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋 39-3 (6-5 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149348.301 ✓	23.555	-37612.860 ✓	3.494	-885970.917300	-521822.963694
8	-149348.286 ✓	-23.523	-37609.393 ✓	3.438	884685.751539	-513459.407268
58	-149371.824 ✓	-23.555	-37609.422 ✓	-3.494	885889.935210	521905.153056
57	-149371.841 ✓	23.523	-37612.887 ✓	-3.438	-884767.940901	513540.389358
					-163.171452	163.171452
					-81.585726 ✓	81.585726 ✓



岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋 39 ✓ (6-5 BLOCK) 18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8	-149348.286 ✓	23.555	-37609.393 ✓	4.131	-885889.252115	-616957.769466
9	-149348.269 ✓	-16.849	-37605.291 ✓	4.069	633611.548059	-607698.106561
87	-149365.135 ✓	-16.826	-37605.324 ✓	9.598	632747.181624	-1433606.565730
89	-149365.095 ✓	-6.622	-37595.693 ✓	9.618	248958.679046	-1436593.483710
59	-149371.757 ✓	-6.729	-37595.706 ✓	-13.729	252981.505674	2050724.851853
58	-149371.824 ✓	23.471	-37609.422 ✓	-13.687	-882730.743762	2044452.155088
					-321.081474	321.081474
					-160.540737 ✓	160.540737 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 弟 34 ✓ (6- 5 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
9	-149348.269 ✓	16.906	-37605.291 ✓	9.665	-635755.049646	-1443451.019885
10	-149348.229 ✓	-16.826	-37595.659 ✓	9.598	632584.558334	-1433444.301942
89	-149365.095 ✓	-16.906	-37595.693 ✓	-9.665	635592.785858	1443613.643175
87	-149365.135 ✓	16.826	-37605.324 ✓	-9.598	-632747.181624	1433606.565730
					-324.887078	324.887078
					-162.443539 ✓	162.443539 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大棟 30-7 (6-5 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10	-149348.229	12.410	-37595.659	3.950	-466562.128190	-589925.504550
11	-149348.212	-12.376	-37591.734	3.900	465235.299984	-582458.026800
90	-149360.605	-12.410	-37591.759	-3.950	466513.729190	589974.389750
88	-149360.622	12.376	-37595.684	-3.900	-465284.185184	582506.425800
					-97.284200	97.284200
					-48.642100	48.642100

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 30-2 ✓ (6-5 BLOCK) 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11	-149348.212 ✓	12.418	-37591.734 ✓	5.912	-466814.152812	-882946.629344
12	-149348.187 ✓	-12.368	-37585.847 ✓	5.863	464861.755696	-875628.420381
91	-149360.580 ✓	-12.418	-37585.871 ✓	-5.912	466741.346078	883019.748960
90	-149360.605 ✓	12.368	-37591.759 ✓	-5.863	-464934.875312	875701.227115
					-145.926350	145.926350
					-72.963175 ✓	72.963175 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供³⁰ - 4 ✓ (6-5 BLOCK) 22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
12	-149348.187 ✓	12.422	-37585.847 ✓	6.930	-466891.391434	-1034982.935910
13	-149348.158 ✓	-12.739	-37578.941 ✓	6.955	478718.129399	-1038716.438890
92	-149360.926 ✓	-12.741	-37578.892 ✓	6.550	478792.662972	-978314.065300
93	-149360.899 ✓	-10.716	-37572.391 ✓	6.542	402625.741956	-977119.001258
60	-149371.642 ✓	-10.858	-37572.350 ✓	-23.315	407960.576300	3482599.833230
59	-149371.757 ✓	11.020	-37595.706 ✓	-23.334	-414304.680120	3485440.577838
88	-149360.622 ✓	11.177	-37595.684 ✓	9.835	-420206.960068	-1468961.717370
91	-149360.580 ✓	12.435	-37585.871 ✓	9.837	-467380.305885	-1469260.025460
					-686.226880	686.226880
					-343.113440 ✓	343.113440 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 27- 3 ✓ (6- 5 BLOCK) 23

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13	-149348.158 ✓	12.795	-37578.941 ✓	6.452	-480822.550095	-963594.315416
14	-149348.131 ✓	-12.741	-37572.440 ✓	6.550	478710.458040	-978230.258050
93	-149360.899 ✓	-12.795	-37572.391 ✓	-6.452	480738.742845	963676.520348
92	-149360.926 ✓	12.741	-37578.892 ✓	-6.550	-478792.662972	978314.065300
					-166.012182	166.012182
					-83.006091 ✓	83.006091 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 27-2 ✓ (BLOCK) 6-5-24

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
14	-149348.131	23.533	-37572.440 ✓	5.033	-884192.230520	-751669.143323
15	-149348.109 ✓	-23.486	-37567.317 ↓	5.222	882306.007062	-779895.825198
61	-149371.617 ✓	-23.533	-37567.218 ✓	-5.033	884069.341194	751787.348361
60	-149371.642 ✓	23.486	-37572.350 ✓	-5.222	-882424.212100	780018.714524
					-241.094364	241.094364
					-120.547182	120.547182


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 27-1 ✓ (6-5 BLOCK) 25

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
15°	-149348.109 ✓	23.532	-37567.317 ✓	5.767	-884034.103644	-861290.544603
16°	-149348.085 ✓	-23.511	-37561.451 ✓	5.873	883107.274461	-877121.303205
62°	-149371.620 ✓	-23.530	-37561.444 ✓	-5.316	883820.777320	794059.531920
98°	-149371.615 ✓	.003	-37566.767 ✓	-5.774	-112.700301	862471.705010
61°	-149371.617 ✓	23.506	-37567.218 ✓	-.550	-883055.026308	82154.389350
					-273.778472	273.778472
					-136.889236	136.889236


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 第 27 (6-5 BLOCK) 26

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
16	-149348.085 ✓	23.556	-37561.451 ✓	4.967	-884797.539756	-741811.938195
17	-149348.064 ✓	-23.540	-37556.477 ✓	4.910	884079.468580	-733298.994240
63	-149371.625 ✓	-23.556	-37556.541 ✓	-4.967	884681.879796	741928.861375
62	-149371.620 ✓	23.540	-37561.444 ✓	-4.910	-884196.391760	733414.654200
					-232.583140	232.583140
					-116.291570 ✓	116.291570 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 火供 21-9 (6-5 BLOCK) 27

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
94	-149361.353	10.265	-37556.513	7.826	-385517.605945	-1168901.948578
95	-149361.360	-10.280	-37548.715	7.770	386000.790200	-1160537.767200
64	-149371.633	-10.265	-37548.743	-7.826	385437.846895	1168982.399858
63	-149371.625	10.280	-37556.541	-7.770	-386081.241480	1160617.526250
					-160.210330	160.210330
					-80.105165	80.105165

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大狭²¹⁻⁶₂₇₋₈ ✓ (6-5 BLOCK) 28

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
17	-149348.064 ✓	13.341	-37556.477 ✓	12.369	-501040.959657	-1847286.203616
18	-149348.012 ✓	-23.574	-37544.144 ✓	12.323	885065.650656	-1840415.551876
65	-149371.638 ✓	-23.621	-37544.154 ✓	-4.599	886830.461634	686960.163162
64	-149371.633 ✓	10.278	-37548.743 ✓	-4.561	-385925.980554	681284.018113
95	-149361.360 ✓	10.280	-37548.715 ✓	-7.770	-386000.790200	1160537.767200
94	-149361.353 ✓	13.296	-37556.513 ✓	-7.762	-499351.396848	1159342.821986
					-423.014969	423.014969
					-211.507484 ✓	211.507484 ✓

分筆後の座標なし


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-43 ✓ (6-5 BLOCK) 29

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
18	-149348.012 ✓	23.644	-37544.144 ✓	4.304	-887693.740736	-642793.843648
19	-149347.994 ✓	-23.631	-37539.850 ✓	4.388	887104.195350	-655338.997672
66	-149371.643 ✓	-23.644	-37539.756 ✓	-4.304	887589.990864	642895.551472
65	-149371.638 ✓	23.631	-37544.154 ✓	-4.388	-887205.903174	655442.747544
					-205.457696	205.457696
					-102.728848 ✓	102.728848 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大狭 21-8 ✓ (6-5 BLOCK) 30

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
19	-149347.994	9.306	-37539.850	3.669	-349345.844100	-547957.789986
20	-149347.978	-9.274	-37536.144	3.713	348110.199456	-554529.042314
97	-149357.268	-9.306	-37536.137	-3.669	349311.290922	547991.816292
96	-149357.284	9.274	-37539.813	-3.713	-348144.225762	554563.595492
					-68.579484	68.579484
					-34.289742	34.289742

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-51 ✓ (6-5 BLOCK) 31

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
97	-149357.268 ✓	-14.362	-37536.137 ✓	3.682	539093.999594	-549933.460776
67	-149371.646 ✓	-14.375	-37536.131 ✓	-3.619	539581.883125	540575.986874
66	-149371.643 ✓	14.362	-37539.756 ✓	-3.682	-539145.975672	549986.389526
96	-149357.284 ✓	14.375	-37539.813 ✓	3.619	-539634.811875	-540524.010796
					-104.904828	104.904828
					-52.452414 ✓	52.452414 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大快 ²¹⁻¹/₂₂₋₁₇ ✓ (6-5 BLOCK) 32

測点 STA.NO.	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
20	-149347.978	9.362	-37536.144	17.200	-351413.380128	-2568785.221600
21	-149347.906	-23.684	-37518.937	15.300	888598.503908	-2285022.961800
71	-149371.662	-23.740	-37520.844	-17.194	890744.836560	2568296.356428
67	-149371.646	14.394	-37536.131	-15.293	-540295.069614	2284340.582278
97	-149357.268	23.668	-37536.137	-.013	-888405.290516	1941.644484
					-770.399790	770.399790
					-385.199895	385.199895

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22- 6 ✓ (6- 5 BLOCK) 33

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
21	-149347.906 ✓	5.348	-37518.937 ✓	18.598	-200651.275076	-2777572.355788
交工	-149347.830 ✓	-6.801	-37500.762 ✓	17.662	255042.682362	-2637781.373460
22	-149354.707 ✓	-5.348	-37501.275 ✓	-18.598	200556.818700	2777698.840786
68	-149353.178 ✓	6.801	-37519.360 ✓	-17.662	-255169.167360	2637875.829836
					-220.941374	220.941374
					-110.470687 ✓	110.470687 ✓

分筆後の座標なし

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-31 ✓ (6-5 BLOCK) 34

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
68	-149353.178 ✓	5.362	-37519.360 ✓	18.638	-201178.808320	-2783644.531564
22	-149354.707 ✓	-8.335	-37501.275 ✓	17.578	312573.127125	-2625357.039646
23	-149361.513 ✓	-5.362	-37501.782 ✓	-18.638	201084.555084	2783799.879294
69	-149360.069 ✓	8.335	-37519.913 ✓	-17.578	-312728.474855	2625451.292882
					-249.600966	249.600966
					-124.800483 ✓	124.800483 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-13 ✓ (6-5 BLOCK) 35

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
23	-149361.513 ✓	-9.643	-37501.782 ✓	17.520	361629.683826	-2616813.707760
24	-149369.712 ✓	-7.020	-37502.393 ✓	-18.811	263266.798860	2809793.652432
70	-149368.533 ✓	9.643	-37520.593 ✓	-17.520	-361811.078299	2616936.698160
69	-149360.069 ✓	7.020	-37519.913 ✓	18.811	-263389.789260	-2809612.257959
					-304.384873	304.384873
					-152.192436 ✓	152.192436 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-45 ✓ (6-5 BLOCK) 36

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
24	-149369.712 ✓	-5.561	-37502.393 ✓	17.873	208550.807473	-2669684.862576
25	-149374.094 ✓	-3.090	-37502.720 ✓	-18.533	115883.404800	2768350.084102
72	-149372.802 ✓	2.432	-37520.926 ✓	-18.124	-91250.892032	2707232.663448
71	-149371.662 ✓	4.269	-37520.844 ✓	.333	-160176.483036	-49740.763446
70	-149368.533 ✓	1.950	-37520.593 ✓	18.451	-73165.156350	-2755998.802383
					-158.319145	158.319145
					-79.159572 ✓	79.159572 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 22-46 ✓ (6-5 BLOCK) 37

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
25	-149374.094 ✓	-6.025	-37502.720 ✓	17.853	225953.888000	-2666775.700182
26	-149378.827 ✓	-3.381	-37503.073 ✓	-18.541	126797.889813	2769632.831407
73	-149377.475 ✓	6.025	-37521.261 ✓	-17.853	-226065.597525	2666836.061175
72	-149372.802 ✓	3.381	-37520.926 ✓	18.541	-126858.250806	-2769521.121882
					-172.070518	172.070518
					-86.035259 ✓	86.035259 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-44 ✓ (6-5 BLOCK) 38

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
26	-149378.827 ✓	-8.738	-37503.073 ✓	17.638	327701.851874	-2634743.750626
27	-149386.213 ✓	-6.212	-37503.623 ✓	-18.730	232972.506076	2798003.769490
74	-149385.039 ✓	8.738	-37521.803 ✓	-17.638	-327865.514614	2634853.317882
73	-149377.475 ✓	6.212	-37521.261 ✓	18.730	-233082.073332	-2797840.106750
					-273.229996	273.229996
					-136.614998 ✓	136.614998 ✓

855.5.31 変更

分筆後の座標なし

岡山調査測量株式会社



MENSEKISOKUTEI (ZAHYOU) KEISANBO

(BLOCK) 6-5
 (CHIBAN) DAIKU 22-

TEN	Xm	Ym	Xm-Xl =[X]	Ym+1-Ym-1 =[Y]	[X][Y]
7 A	-149381.877	-37521.576	0.000	18.413	0.000000
1 B	-149382.991	-37503.383	-1.114	17.953	-19.999642
2 27	-149386.213	-37503.623	-4.336	-18.413	79.838768
6 74-2	-149384.939	-37521.796	-3.062	-17.953	54.972086
2A					114.8112120
A					57.4056060

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-14 ✓ (6-5 BLOCK) 39

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
27	-149386.213 ✓	-3.466	-37503.623 ✓	18.009	129987.557318	-2690296.309917
28	-149388.505 ✓	-5.298	-37503.794 ✓	-3.394	198695.100612	507024.585970
29	-149391.511 ✓	-3.077	-37507.017 ✓	-18.478	115409.091309	2760456.340258
30	-149391.582 ✓	6.472	-37522.272 ✓	-14.786	-242844.144384	2208903.931452
74	-149385.039 ✓	5.369	-37521.803 ✓	18.649	-201454.560307	-2785881.592311
					-206.955452	206.955452
					-103.477726 ✓	103.477726 ✓

555.531 監

岡山調査測量株式会社



MENSEKISOKUTEI (ZAHYOU) KEISANBO

(BLOCK) 6-5
(CHIBAN) DAIKU 22-14

TEN	X_m	Y_m	$X_m - X_{m-1}$ = $[X]$	$Y_{m+1} - Y_m - 1$ = $[Y]$	$[X].[Y]$
6 74-2	-149384.939	-37521.796	0.000	18.649	0.000000
2 27	-149386.213	-37503.623	-1.274	18.002	-22.934548
3 28	-149388.505	-37503.794	-3.566	-3.394	12.103004
4 29	-149391.511	-37507.017	-6.572	-18.478	121.437416
5 30	-149391.582	-37522.272	-6.643	-14.779	98.176897
2A					208.7827690
A					104.3913845

地番 2-130, 2-144
土地の所在 大伏町目


昭和五十五年拾陸年十月付修正用筆書、地積測量図

2-144

点	(1) X	(2) X-(次数)	(3) X _{n-1} -X _{n+1}	(4) Y	(5) Y-(次数)	(6) Y _{n-1} -Y _{n+1}
1	382.991	1.991	-4.336	503.383	0.383	+17.953
2	386.213	5.213	-1.948	503.623	0.623	-18.413
6	384.939	3.939	+4.336	521.796	18.796	-17.953
7	381.877	0.877	+1.948	521.576	18.576	+18.413
	(3) x (5)		(2) x (6)			
	+	-	+	-		
1		1660688	35744423			
2		1213604		95986969		
6	81499456			70716867		
7	36186048		16148201			
	117685504	2814292	51892624	166703836		
	114811212			114811212		
	x 1/2 =	57405606				

2-130

点	(1) X	(2) X-(次数)	(3) X _{n-1} -X _{n+1}	(4) Y	(5) Y-(次数)	(6) Y _{n-1} -Y _{n+1}
2	386.213	2.213	-3.568	503.623	0.623	+18.002
3	388.505	4.505	-5.298	503.794	0.794	-3.394
4	391.511	7.511	-3.077	507.017	4.017	-18.478
5	391.582	7.582	+6.572	522.272	19.272	-14.789
6	384.939	0.939	+5.369	521.796	18.796	+18.649
	(3) x (5)		(2) x (6)			
	+	-	+	-		
2		2,221618	39,838426			
3		4,206612		15,289970		
4		12,360309		138,788258		
5	126,655584			112,054378		
6	100,915722		17,511411			
	227,571308	18,788539	57,349837	266,132606		
	208,782769			208,782769		
	x 1/2 =	104,391384				



製者 岡山市建設局区画整理部清算課
技師 古田勝利 (昭和35年9月30日作製)


嘱託人 岡山市長 岡崎平夫

縮尺 1/500

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-28 (6-5 BLOCK) 40

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
75	-149373.161	-18.438	-37522.456	8.415	691839.043728	-1256975.149815
31	-149391.589	-18.467	-37523.777	-9.658	692951.589859	1442823.966562
32	-149391.628	18.438	-37532.114	-8.415	-692017.117932	1257130.549620
76	-149373.151	18.467	-37532.192	9.658	-693106.989664	-1442645.892358
					-333.474009	333.474009
					-166.737004	166.737004

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-29 ✓ (6-5 BLOCK) 41

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
77	-149373.144 ✓	18.509	-37539.070 ✓	6.809	-694810.646630	-1017081.737496
76	-149373.151 ✓	-18.484	-37532.192 ✓	6.956	693745.036928	-1039039.638356
32	-149391.628 ✓	-18.509	-37532.114 ✓	-6.809	694681.898026	1017207.595052
33	-149391.660 ✓	18.484	-37539.001 ✓	-6.956	-693870.894484	1039168.386960
					-254.606160	254.606160
					-127.303080 ✓	127.303080 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大 供 ¹⁹²⁻³/₁₉₂₋₆ ✓ (6-5 BLOCK) 42

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
33	-149391.660 ✓	-18.552	-37539.001 ✓	-7.604	696423.546552	1135974.182640
34	-149391.696 ✓	18.524	-37546.674 ✓	-7.746	-695514.589176	1157188.077216
78	-149373.136 ✓	18.552	-37546.747 ✓	7.604	-696567.250344	-1135833.326144
77	-149373.144 ✓	-18.524	-37539.070 ✓	7.746	695373.732680	-1157044.373424
					-284.560288	284.560288
					-142.280144 ✓	142.280144 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-27 ✓ (6-5 BLOCK) 43

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
34	-149391.696 ✓	-18.586	-37546.674 ✓	-5.562	697842.482964	830916.613152
35	-149391.722 ✓	18.565	-37552.309 ✓	-5.724	-697158.616585	855118.216728
79	-149373.131 ✓	18.586	-37552.398 ✓	5.562	-697948.869228	-830813.354622
78	-149373.136 ✓	-18.565	-37546.747 ✓	5.724	697055.358055	-855011.830464
					-209.644794	209.644794
					-104.822397 ✓	104.822397 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 22-10 ✓ (6-5 BLOCK) 44

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
35°	-149391.722 ✓	-18.615	-37552.309 ✓	-4.997	699036.232035	746510.434834
36°	-149391.746 ✓	18.597	-37557.395 ✓	-5.275	-698454.874815	788041.460150
80°	-149373.125 ✓	18.615	-37557.584 ✓	4.997	-699134.426160	-746417.505625
79°	-149373.131 ✓	-18.597	-37552.398 ✓	5.275	698361.945606	-787943.266025
					-191.123334	191.123334
					-95.561667 ✓	95.561667 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供第31-1 (6-5 BLOCK) 45

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
36	-149391.746	-18.664	-37557.395	-8.992	700971.220280	1343330.580032
37	-149391.789	18.630	-37566.576	-9.318	-699865.310880	1392032.689902
81	-149373.116	18.664	-37566.713	8.992	-701145.131432	-1343163.059072
80	-149373.125	-18.630	-37557.584	9.318	699697.789920	-1391858.778750
					-341.432112	341.432112
					-170.716056	170.716056

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 岡 215 (6-5 BLOCK) 46
 215 - 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
37	-149391.789	-18.926	-37566.576	-54.125	710985.017376	8085830.579625
38	-149392.042	18.408	-37620.838	-54.310	-692524.385904	8113481.801020
82	-149373.381	18.926	-37620.886	54.125	-712012.888436	-8084834.246625
81	-149373.116	-18.408	-37566.713	54.310	691528.052904	-8112453.929960
					-2024.204060	2024.204060
					-1012.102030	1012.102030

岡山調査測量株式会社



MENSEKISOKUTEI (ZAHYOU) KEISANBO

(BLOCK) 6-5
 (CHIBAN) DAIKU 22-14

TEN	Xm	Ym	Xm-Xl =[X]	Ym+1-Ym-1 =[Y]	[X].[Y]
74-1	-149384.691	-37521.778	0.000	18.649	0.000000
27	-149386.213	-37503.623	-1.522	17.984	-27.371648
28	-149388.505	-37503.794	-3.814	-3.394	12.944716
29	-149391.511	-37507.017	-6.820	-18.478	126.019960
30	-149391.582	-37522.272	-6.891	-14.761	101.718051
2A					213.3110790
A					106.6555395

MENSEKISOKUTEI (ZAHYOU) KEISANBO

(BLOCK) 6-5
 (CHIBAN) DAIKU 22-

TEN	Xm	Ym	Xm-Xl =[X]	Ym+1-Ym-1 =[Y]	[X].[Y]
A	-149381.877	-37521.576	0.000	18.395	0.000000
B	-149382.991	-37503.383	-1.114	17.953	-19.999642
27	-149386.213	-37503.623	-4.336	-18.395	79.760720
74-1	-149384.691	-37521.778	-2.814	-17.953	50.519742
2A					110.2808200
A					55.1404100