



图略地画

街区番号

33

備考



記入者 _____

点検者 _____

画地地積集計表

No.

画地番号	画地地積	画地地積	摘要
33- 2	4.442653 ,	4.44	
33- 3	3.758993 ,	3.75	
33- 4	85.967529 ,	85.96	
33- 5	110.344752 ,	110.34	
33- 6	96.367826 ,	96.36	
33- 7	172.059762 ,	172.05	
33- 8	516.706862 ,	516.70	
33- 9	613.935756 ,	613.93	
33- 10	155.010859 ,	155.01	
33- 11	183.057687 ,	183.05	
33- 13	45.439303 ,	45.43	(1)
33- 14	148.830882 ,	148.83	(2)
33- 15	290.646656 ,	290.64	(3)
33- 16	97.812371 ,	97.81	(4)
33- 17	93.296735 ,	93.29	(5)
33- 18	93.516944 ,	93.51	(6)
GOKEI	2711.195573	2711.10	
SOGOKEI	2711.195573		
33- 1	2711.236477 ,	2711.23	
33- 12	769.530577 ,	769.53	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-33 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149445.119 ✓	57.588	-37829.201 ✓	-20.497	-2178508.027188	3063176.604143
交, II	-149402.699 ✓	47.102	-37806.229 ✓	77.395	-1780748.998358	-11563021.889105
交, III	-149398.017 ✓	-57.588	-37751.806 ✓	20.497	2174051.003928	-3062211.154449
交, IV	-149460.287 ✓	-47.102	-37785.732 ✓	-77.395	1779783.548664	11567478.912365
					-5422.472954	5422.472954
					-2711.236477	2711.236477

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓

(

BLOCK)

6-33

2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1	-149442.481 ✓	-.988	-37827.772 ✓	2.833	37373.838736	-423370.548673
19	-149446.107 ✓	-2.638	-37826.368 ✓	-1.429	99785.958784	213558.436903
交: I	-149445.119 ✓	3.626	-37829.201 ✓	-1.404	-137168.682826	209820.947076
					-8.885306	8.885306
					-4.442653	4.442653

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓

(6-33 BLOCK)

3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
6°	-149405.337 ✓	-.257	-37807.657 ✓	-2.989	9716.567849	446572.552293
交, Ⅰ	-149402.699 ✓	2.895	-37806.229 ✓	4.417	-109449.032955	-659911.721483
7°	-149402.442 ✓	-2.638	-37803.240 ✓	-1.428	99724.947120	213346.687176
					-7.517986	7.517986
					-3.758993	3.758993

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

通路 ✓ (

6-33 BLOCK)

4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10 °	-149401.042 ✓	9.654	-37786.962 ✓	.662	-364795.331148	-98903.489804
11 °	-149400.913 ✓	-9.844	-37785.468 ✓	2.365	371960.146992	-353333.159245
29 °	-149410.886 ✓	-51.839	-37784.597 ✓	-21.859	1958715.723883	3265972.557074
16 °	-149452.752 ✓	-41.365	-37807.327 ✓	-24.165	1563900.081355	3611525.752080
17 °	-149452.251 ✓	42.185	-37808.762 ✓	21.197	-1594962.624970	-3167939.364447
28 °	-149410.567 ✓	51.209	-37786.130 ✓	21.800	-1934989.931170	-3257150.360600
					-171.935058	171.935058
					-85.967529	85.967529

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大供
51 - 4
54 - 3
54 - 4
188 - 6
189 - 1

(BLOCK)

6-33

5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
15	-149456.575	-4.577	-37796.369	-15.534	172993.980913	2321658.436050
16	-149452.752	12.245	-37807.327	-6.385	-462950.719115	954255.821520
31	-149444.330	5.860	-37802.754	9.339	-221524.138440	-1395660.597870
32	-149446.892	-0.965	-37797.988	5.635	36475.058420	-842133.236420
33	-149445.295	-1.283	-37797.119	6.195	48493.703677	-925813.602525
35	-149448.175	-11.280	-37791.793	.750	426291.425040	-112086.131250
					-220.689505	220.689505
					-110.344752	110.344752



岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋⁵¹⁻³₁₈₈₋₂ (BLOCK) ⁶⁻³³ 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
14	-149453.462	-12.112	-37782.014	6.061	457615.753568	-905837.433182
交, IV	-149460.287	-3.113	-37785.732	-14.355	117626.983716	2145502.419885
15	-149456.575	12.112	-37796.369	-6.061	-457789.621328	905856.301075
35	-149448.175	3.113	-37791.793	14.355	-117645.851609	-2145328.552125
					-192.735653	192.735653
					-96.367826	96.367826


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供51- 2 (6-33 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
13	-149444.677 ✓	-16.980	-37777.228 ✓	10.308	641457.331440	-1540475.730516
14	-149453.462 ✓	-.618	-37782.014 ✓	-19.891	23349.284652	2972778.812642
33	-149445.295 ✓	16.980	-37797.119 ✓	-10.308	-641795.080620	1540482.100860
34	-149436.482 ✓	.618	-37792.322 ✓	19.891	-23355.654996	-2972441.063462
					-344.119524	344.119524
					-172.059762	172.059762 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋第 51 (6-33 BLOCK) 3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
12	-149427.092	-28.350	-37767.647	10.323	1070712.792450	-1542535.870716
13	-149444.677	-9.390	-37777.228	-24.675	354728.170920	3687547.404975
34	-149436.482	-2.215	-37792.322	-20.760	83709.993230	3102301.366320
32	-149446.892	-7.848	-37797.988	-10.432	296638.609824	1559029.977344
31	-149444.330	30.565	-37802.754	10.437	-1155441.176010	-1559750.472210
30	-149416.327	17.238	-37787.551	35.107	-651381.804138	-5245558.991989
					-1033.413724	1033.413724
					-516.706862	516.706862

岡山調査測量株式会社


座標法面積計算 (DESCRIPTION OF APPLICATION)

52 - 1
52 - 6
53 - 1
53 - 2

(6-33 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
11	-149400.913	12.869	-37785.468	32.791	-486261.187692	-4899005.338183
交, III	-149398.017	-26.179	-37751.806	17.821	988304.529274	-2662422.060957
12	-149427.092	-18.310	-37767.647	-35.745	691525.616570	5341271.403540
30	-149416.327	16.206	-37787.551	-16.950	-612385.051506	2532606.742650
29	-149410.886	15.414	-37784.597	2.083	-582411.778158	-311222.875538
					-1227.871512	1227.871512
					-613.935756	613.935756

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大鉄54-10 (6-33 BLOCK) 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
24	-149437.848 ✓	-18.753	-37800.942 ✓	.161	708881.065326	-24059.493528
17	-149452.251 ✓	-11.397	-37808.762 ✓	-16.434	430906.460514	2456098.292934
18	-149449.245 ✓	18.753	-37817.376 ✓	-.161	-709189.252128	24061.328445
21	-149433.498 ✓	11.397	-37808.923 ✓	16.434	-430908.295431	-2455790.106132
					-310.021719	310.021719
					-155.010859	155.010859

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵54-9 (6-33 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
18	-149449.245	-9.405	-37817.376	-15.725	355672.421280	2350089.377625
19	-149446.107	6.764	-37826.368	-10.396	-255857.553152	1553641.728372
1	-149442.481	15.196	-37827.772	4.861	-574830.823312	-726439.900141
2	-149430.911	5.779	-37821.507	17.129	-218570.488953	-2559602.074519
20	-149436.702	-18.334	-37810.643	4.131	693220.328762	-617323.015962
					-366.115375	366.115375
					-183.057687	183.057687

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供⁵³⁻³/₅₄₋₇ (6-33 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149402.442	4.295	-37803.240	20.695	-162364.915800	-3091883.537190
10	-149401.042	-8.125	-37786.962	17.110	307019.066250	-2556251.828620
28	-149410.567	-36.806	-37786.130	-13.980	1390756.300780	2088759.726660
24	-149437.848	-22.931	-37800.942	-22.793	866813.401002	3406136.869464
21	-149433.498	1.146	-37808.923	-9.701	-43329.025758	1449654.364098
20	-149436.702	2.587	-37810.643	-12.584	-97816.133441	1880511.457968
2	-149430.911	31.365	-37821.507	2.986	-1186271.567055	-446200.700246
6	-149405.337	28.469	-37807.657	18.267	-1076346.187133	-2729187.290979
					-1539.061155	1539.061155
					-769.530577	769.530577

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(1) - (6-33 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
20	-149436.702	2.587	-37810.643	-12.584	-97816.133441	1880511.457968
2	-149430.911	9.088	-37821.507	-9.078	-343721.855616	1356533.810058
3	-149427.614	-2.587	-37819.721	12.584	97839.618227	-1880397.094576
21	-149433.498	-9.088	-37808.923	9.078	343607.492224	-1356557.294844
					-90.878606	90.878606
					-45.439303	45.439303

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(2)

BLOCK

6-33

14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149427.614	16.323	-37819.721	-15.482	-617331.305883	2313438.319948
4	-149421.525	-4.090	-37816.424	22.115	154669.174160	-3304457.025375
25	-149431.704	-16.323	-37797.606	15.482	616970.322738	-2313501.641328
24	-149437.848	4.090	-37800.942	-22.115	-154605.852780	3304818.008520
					-297.661765	297.661765
					-148.830882	148.830882

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(3) (

6-33 BLOCK)

15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
25	-149431.704 ✓	-1.768	-37797.606 ✓	-25.304	66826.167408	3781219.838016
4	-149421.525 ✓	22.109	-37816.424 ✓	-12.357	-836083.318216	1846401.784425
5	-149409.595 ✓	1.768	-37809.963 ✓	25.304	-66848.014584	-3780660.391880
26	-149419.757 ✓	-22.109	-37791.120 ✓	12.357	835523.872080	-1846379.937249
					-581.293312	581.293312
					-290.646656	290.646656

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(4) (6-33 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149409.595	10.666	-37809.963	-9.576	-403281.065358	1430746.281720
6	-149405.337	7.153	-37807.657	6.723	-270438.170521	-1004452.080651
7	-149402.442	3.236	-37803.240	8.374	-122331.284640	-1251096.049308
8	-149402.101	-13.561	-37799.283	5.159	512596.076763	-770765.439059
22	-149416.003	-7.494	-37798.081	-10.680	283258.819014	1595762.912040
					-195.624742	195.624742
					-97.812371	97.812371

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(5) (6-33 BLOCK)17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8 °	-149402.101 ✓	14.387	-37799.283 ✓	4.436	-543818.284521	-662747.720036
9 °	-149401.616 ✓	-14.825	-37793.645 ✓	7.011	560290.787125	-1047454.729776
23 °	-149416.926 ✓	-16.438	-37792.272 ✓	3.450	621229.367136	-515488.394700
27 °	-149418.054 ✓	-2.831	-37790.195 ✓	1.152	106984.042045	-172129.598208
26 °	-149419.757 ✓	2.051	-37791.120 ✓	-7.886	-77509.587120	1178324.203702
22 °	-149416.003 ✓	17.656	-37798.081 ✓	-3.163	-667362.918136	1219682.832489
					-186.593471	186.593471
					-93.296735	93.296735

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6)

6-33 BLOCK 18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
9	-149401.616	15.884	-37793.645	5.310	-600314.257180	-793322.580960
10	-149401.042	-8.951	-37786.962	7.515	338231.096862	-1122748.830630
28	-149410.567	-17.012	-37786.130	-3.233	642817.643560	483044.363111
27	-149418.054	-6.359	-37790.195	-6.142	240307.850005	917725.687668
23	-149416.926	16.438	-37792.272	-3.450	-621229.367136	515488.394700
					-187.033889	187.033889
					-93.516944	93.516944

岡山調査測量株式会社

