


面地略図

街区番号

34

備考



記入者



点検者

画地地積集計表

No.

画地番号	画地地積	画地地積	摘 要
34- 2	36.070715	36.07	
34- 3	1.995281	1.99	
34- 4	1.999914	1.99	
34- 5	105.315308	105.31	
34- 6	89.379993	89.37	
34- 7	113.533987	113.53	
34- 8	71.688834	71.68	
34- 9	106.007380	106.00	
34- 10	151.471910	151.47	
34- 11	78.850881	78.85	
34- 12	63.436143	63.43	
34- 13	127.263324	127.26	
34- 14	67.609710	67.60	
34- 15	67.168505	67.16	
34- 16	46.995676	46.99	
34- 17	19.511610	19.51	
34- 18	23.387613	23.38	
34- 19	280.324863	280.32	(A)
34- 20	88.275583	88.27	
34- 21	92.055327	92.05	(B)
34- 22	387.530695	387.53	
34- 23	95.525315	95.52	
34- 24	92.126146	92.12	
34- 25	105.499447	105.49	
GOKEI	2313.024165	2312.89	

画地地積集計表

No.

画地番号	画地地積	画地地積	摘 要
34- 26	26.493380	26.49	
34- 27	95.466457	95.46	
34- 28	50.029724	50.02	
34- 29	88.528642	88.52	
34- 30	93.944953	93.94	
34- 31	9.905456	9.90	
34- 32	68.407930	68.40	
34- 33	43.243517	43.24	
34- 34	41.950546	41.95	
34- 35	38.485664	38.48	
34- 37	36.041060	36.04	
34- 38	30.896182	30.89	
34- 40	27.270810	27.27	(2)
34- 41	27.291022	27.29	(1)
34- 42	90.526557	90.52	
34- 43	10.691275	10.69	
GOKEI	779.173177	779.10	
SOGOKEI	3092.197342		
34- 1	3092.147270	3092.14	
34- 36	157.457407	157.45	
34- 39	65.248409	65.24	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-34 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149352.390 ✓	50.420	-37880.435 ✓	63.850	-1909931.532700	-9536182.026500
交, II	-149351.402 ✓	-43.458	-37813.413 ✓	67.622	1643295.302154	-10099440.506044
交, III	-149396.348 ✓	-50.420	-37812.813 ✓	-63.850	1906522.031460	9538956.819800
交, IV	-149401.822 ✓	43.458	-37877.263 ✓	-67.622	-1646070.095454	10102850.007284
					-6184.294540	6184.294540
					-3092.147270	3092.147270

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 隅切

(6-34 BLOCK) 2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交 I	-149352.890 ✓	9.599	-37880.435 ✓	7.029	-363614.295565	-1049801.463810
1	-149352.720 ✓	-9.429	-37872.795 ✓	.611	357102.584055	-91254.511920
31	-149362.319 ✓	-.170	-37879.824 ✓	-7.640	6439.570080	1141128.117160
					-72.141430	72.141430
					-36.070715	36.070715

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 隅切 (6-34 BLOCK) 3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
15	-149394.348 ✓	.169	-37812.840 ✓	1.993	-6390.369960	-297742.935564
交点	-149396.348 ✓	-2.169	-37812.813 ✓	-1.966	82015.991397	293713.220168
16	-149396.517 ✓	2.000	-37814.806 ✓	-.027	-75629.612000	4033.705959
					-3.990563	3.990563
					-1.995281	1.995281

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 隅切 (6-34 BLOCK) 4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
22	-149401.653 ✓	-1.996	-37875.270 ✓	.129	75599.038920	-19272.813237
交点	-149401.822 ✓	1.827	-37877.263 ✓	-2.122	-69201.759501	317030.666284
23	-149399.826 ✓	.169	-37877.392 ✓	1.993	-6401.279248	-297753.853218
					-3.999829	3.999829
					-1.999914	1.999914

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 通路 (6-34 BLOCK) 5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13.	-149379.330 ✓	-.945	-37813.040 ✓	51.088	35733.322800	-7631491.211040
14.	-149380.829 ✓	-2.036	-37813.020 ✓	-49.475	76987.308720	7390616.514775
73.	-149381.366 ✓	-19.642	-37862.515 ✓	-48.334	743695.519630	7220198.944244
20.	-149400.471 ✓	-19.232	-37861.354 ✓	-.335	728149.560128	50049.157785
21.	-149400.598 ✓	20.587	-37862.850 ✓	-2.754	-779482.492950	411449.246892
49.	-149379.884 ✓	21.268	-37864.108 ✓	49.810	-805293.848944	-7440612.022040
					-210.630616	210.630616
					-105.315308	105.315308

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大坂 133-1 (6-34 BLOCK) 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1	-149352.720 ✓	7.107	-37872.795 ✓	15.544	-269161.954065	-2321538.679680
2	-149352.487 ✓	-6.651	-37862.285 ✓	10.606	251822.057535	-1584032.477122
33	-149359.371 ✓	-7.107	-37862.189 ✓	-15.544	269086.577223	2321642.062824
32	-149359.594 ✓	6.651	-37877.829 ✓	-10.606	-251925.440679	1584107.853964
					-178.759986	178.759986
					-89.379993	89.379993

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-24-
133-7- (6-34 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2'	-149352.487 ✓	7.048	-37862.285 ✓	7.300	-266853.384680	-1090273.155100
3'	-149352.323 ✓	-17.993	-37854.889 ✓	7.721	681123.017777	-1153149.285883
43'	-149370.480 ✓	-18.354	-37854.564 ✓	-5.168	694782.667656	771946.640640
45'	-149370.677 ✓	11.136	-37860.057 ✓	-5.753	-421609.594752	859329.504781
34'	-149359.344 ✓	11.306	-37860.317 ✓	-2.132	-428048.744002	318434.121408
33'	-149359.371 ✓	6.857	-37862.189 ✓	-1.968	-259621.029973	293939.242128
					-227.067974	227.067974
					-113.533987	113.533987
分筆後の座標なし						

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大供 55-20 (55-25

6-34 BLOCK 8

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149352.323 ✓	18.245	-37854.889 ✓	3.628	-690662.449805	-541850.227844
4	-149352.235 ✓	-18.016	-37850.936 ✓	4.276	681922.462976	-638630.156860
41	-149370.339 ✓	-18.245	-37850.613 ✓	-3.628	690584.434185	541915.589892
43	-149370.480 ✓	18.016	-37854.564 ✓	-4.276	-681987.825024	638708.172480
					-143.377668	143.377668
					-71.688834	71.688834 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大橋 55-23 (C)
55-29

6-34

BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
4	-149352.235 ✓	18.240	-37850.936 ✓	5.785	-690401.072640	-864002.679475
5	-149352.099 ✓	-16.445	-37844.828 ✓	6.488	622358.196460	-968996.418312
38	-149368.680 ✓	-16.618	-37844.448 ✓	-3.121	628899.036864	466179.650280
39	-149368.717 ✓	-1.562	-37847.949 ✓	-3.466	59118.496338	517711.973122
40	-149370.242 ✓	-1.622	-37847.914 ✓	-2.664	61389.316508	397922.324688
41	-149370.339 ✓	18.007	-37850.613 ✓	-3.022	-681575.988291	451397.164458
					-212.014761	212.014761
					-106.007380	106.007380

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大磯才56-1 (

6-34

BLOCK)

10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149352.099	27.691	-37844.828	4.872	-1047961.132148	-727643.426328
6	-149351.977	-27.510	-37839.324	6.100	1040959.803240	-911047.059700
57	-149379.609	-27.691	-37838.728	-4.872	1047792.217048	727777.455048
56	-149379.668	27.510	-37844.196	-6.100	-1041093.831960	911215.974800
					-302.943820	302.943820
					-151.471910	151.471910

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 57-5 (6-34 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
6.	-149351.977 ✓	16.739	-37839.324 ✓	4.376	-633392.444436	-653564.251352
7.	-149351.872 ✓	-16.583	-37834.589 ✓	5.086	627410.989387	-759603.620992
81.	-149368.560 ✓	-16.739	-37834.238 ✓	-4.376	633307.309882	653636.818560
82.	-149368.611 ✓	16.583	-37838.965 ✓	-5.086	-627483.556595	759688.755546
					-157.701762	157.701762
					-78.850881	78.850881 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大快 57-13 (6-34 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149351.872 ✓	16.794	-37834.589 ✓	4.411	-635394.087666	-658791.107392
8	-149351.766 ✓	-10.074	-37829.827 ✓	4.982	381097.677198	-744070.498212
77	-149361.946 ✓	-10.589	-37829.607 ✓	-2.292	400577.708523	342337.580232
78	-149362.355 ✓	-6.590	-37832.119 ✓	-2.449	249313.664210	365788.407395
79	-149368.536 ✓	-6.205	-37832.056 ✓	-2.119	234747.907480	316511.927784
81	-149368.560 ✓	16.664	-37834.238 ✓	-2.533	-630469.742032	378350.562480
					-126.872287	126.872287
					-63.436143	63.436143 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵57-b. (6-34 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
9.	-149351.685 ✓	27.884	-37826.145 ✓	4.026	-1054744.227180	-601289.883810
10.	-149351.582 ✓	-27.732	-37821.543 ✓	5.124	1048867.030476	-765277.506168
64.	-149379.417 ✓	-27.884	-37821.021 ✓	-4.026	1054601.349564	601401.532842
63.	-149379.466 ✓	27.732	-37825.569 ✓	-5.124	-1048978.679508	765420.383784
					-254.526648	254.526648
					-127.263324	127.263324 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大伎57-2 (6-34 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10	-149351.582 ✓	16.952	-37821.543 ✓	3.749	-641150.796936	-559919.080918
11	-149351.492 ✓	-16.801	-37817.478 ✓	4.261	635371.447878	-636386.707412
68	-149368.383 ✓	-16.952	-37817.282 ✓	-3.749	641078.564464	559982.067867
66	-149368.444 ✓	16.801	-37821.227 ✓	-4.261	-635434.434827	636458.939884
					-135.219421	135.219421
					-67.609710	67.609710 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵60-#1 (6-34 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11	-149351.492 ✓	16.536	-37817.478 ✓	3.875	-625349.816208	-578737.031500
交Ⅱ	-149351.402 ✓	-16.382	-37813.413 ✓	4.285	619459.331766	-639970.757570
12	-149367.874 ✓	-16.536	-37813.193 ✓	-3.875	625278.959448	578800.511750
67	-149367.938 ✓	16.382	-37817.288 ✓	-4.285	-619522.812016	640041.614330
					-134.337010	134.337010
					-67.168505	67.168505 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 57-11 (6-34 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
67	-149367.938 ✓	11.501	-37817.288 ✓	3.962	-434936.629288	-591795.770356
12	-149367.874 ✓	-11.392	-37813.193 ✓	4.248	430767.894656	-634514.728752
13	-149379.330 ✓	-11.501	-37813.040 ✓	-3.962	434887.773040	591840.905460
76	-149379.375 ✓	11.392	-37817.155 ✓	-4.248	-430813.029760	634563.585000
					-93.991352	93.991352
					-46.995676	46.995676 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 57-12 (6-34 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
66	-149368.444 ✓	5.024	-37821.227 ✓	3.852	-190013.844448	-575367.246288
68	-149368.383 ✓	-4.911	-37817.282 ✓	4.002	185720.671902	-597772.268766
69	-149373.355 ✓	-5.024	-37817.225 ✓	-3.852	189993.738400	575386.163460
65	-149373.407 ✓	4.911	-37821.134 ✓	-4.002	-185739.589074	597792.374814
					-39.023220	39.023220
					-19.511610	19.511610 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供57-10 (6-34 BLOCK) 18


測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
65	-149373.407 ✓	6.062	-37821.134 ✓	3.796	-229271.714308	-567021.452972
69	-149373.355 ✓	-5.968	-37817.225 ✓	3.979	225693.198800	-594356.579545
76	-149379.375 ✓	-6.062	-37817.155 ✓	-3.796	229247.593610	567044.107500
64	-149379.417 ✓	5.968	-37821.021 ✓	-3.979	-225715.853328	594380.700243
					-46.775226	46.775226
					-23.387613	23.387613

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵才 54, (A) (6-34 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
70	-149381.071 ✓	7.684	-37835.338 ✓	21.677	-290726.737192	-3238133.476067
14	-149380.829 ✓	-13.277	-37813.020 ✓	22.498	502043.466540	-3360769.890842
15	-149394.348 ✓	-15.688	-37812.840 ✓	-1.786	593207.833920	266818.305528
16	-149396.517 ✓	-3.155	-37814.806 ✓	-13.574	119305.712930	2027908.321758
17	-149397.503 ✓	8.159	-37826.414 ✓	-12.088	-308625.711826	1805917.016264
75	-149388.358 ✓	8.990	-37826.894 ✓	-8.283	-340063.777060	1237383.769314
74	-149388.513 ✓	7.287	-37834.697 ✓	-8.444	-275701.437039	1261436.603772
					-560.649727	560.649727
					-280.324863	280.324863

岡山調査測量株式会社




座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 54 : 301 (6-34 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
71	-149381.082 ✓	17.146	-37836.298 ✓	-0.516	-648741.165508	77080.638312
70	-149381.071 ✓	-7.431	-37835.338 ✓	1.601	281154.396678	-239159.094671
74	-149388.513 ✓	-7.287	-37834.697 ✓	8.444	275701.437039	-1261436.603772
75	-149388.358 ✓	-8.990	-37826.894 ✓	8.283	340063.777060	-1237383.769314
17	-149397.503 ✓	-9.859	-37826.414 ✓	-7.928	372930.615626	1184423.403784
18	-149398.217 ✓	16.421	-37834.822 ✓	-9.884	-621285.612062	1476651.976828
					-176.551167	176.551167
					-88.275583	88.275583

大供 54 301
 $88.27 + 92.05 = 180.32$ m²

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供才54, (6-34 BLOCK) 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
72	-149381.139 ✓	17.583	-37841.605 ✓	3.797	-665368.940715	-567200.184783
71	-149381.082 ✓	-17.078	-37836.298 ✓	6.783	646168.297244	-1013251.879206
18	-149398.217 ✓	-17.583	-37834.822 ✓	-3.797	665249.675226	567265.029949
19	-149398.665 ✓	17.078	-37840.095 ✓	-6.783	-646233.142410	1013371.144695
					-184.110655	184.110655
					-92.055327	92.055327

大供才54 302
 $88.7 + 92.05 = 180.75$

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 263-6
263-7
263-9 (6-34 BLOCK) 22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
73	-149381.366 ✓	19.332	-37862.515 ✓	19.749	-731958.139980	-2950132.597134
72	-149381.139 ✓	-17.299	-37841.605 ✓	22.420	654621.924895	-3349125.136380
19	-149398.665 ✓	-19.332	-37840.095 ✓	-19.749	731524.716540	2950474.235085
20	-149400.471 ✓	17.299	-37861.354 ✓	-22.420	-654963.562846	3349558.559820
					-775.061391	775.061391
					-387.530695	387.530695 ✓
						分筆後の座標なし

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俵 55-4 (6-34 BLOCK) 23

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
24	-149394.933 ✓	5.787	-37877.710 ✓	14.144	-219198.307770	-2113041.932352
52	-149394.039 ✓	-5.665	-37863.248 ✓	14.860	214495.299920	-2219995.419540
21	-149400.598 ✓	-7.614	-37862.850 ✓	-12.022	288287.739900	1796093.989156
22	-149401.653 ✓	.772	-37875.270 ✓	-14.542	-29239.708440	2172598.837926
23	-149399.826 ✓	6.720	-37877.392 ✓	-2.440	-254536.074240	364535.575440
					-191.050630	191.050630
					-95.525315	95.525315 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 55-12 (6-34 BLOCK) 24

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
25	-149388.606 ✓	7.247	-37878.120 ✓	14.076	-274502.735640	-2102794.018056
51	-149387.686 ✓	-5.433	-37863.634 ✓	14.872	205713.123522	-2221693.666192
52	-149394.039 ✓	-7.247	-37863.248 ✓	-14.076	274394.958256	2102870.492964
24	-149394.933 ✓	5.433	-37877.710 ✓	-14.872	-205789.598430	2221801.443576
					-184.252292	184.252292
					-92.126146	92.126146 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-8

(6-34 BLOCK) 25

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
26	-149381.374 ✓	8.181	-37878.589 ✓	14.045	-309884.736609	-2098061.397830
50	-149380.425 ✓	-6.312	-37864.075 ✓	14.955	238998.041400	-2233984.255875
51	-149387.686 ✓	-8.181	-37863.634 ✓	-14.045	309762.389754	2098150.049870
25	-149388.606 ✓	6.312	-37878.120 ✓	-14.955	-239086.693440	2234106.602730
					-210.998895	210.998895
					-105.499447	105.499447 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大做 55-31 (6-34 BLOCK) 26

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
27	-149379.553 ✓	2.763	-37878.707 ✓	14.402	-104658.867441	-2151364.322306
48	-149378.611 ✓	-.872	-37864.187 ✓	14.632	33017.571064	-2185707.836152
50	-149380.425 ✓	-2.763	-37864.075 ✓	-14.402	104618.439225	2151376.880850
26	-149381.374 ✓	.872	-37878.589 ✓	-14.632	-33030.129608	2185748.264368
					-52.986760	52.986760
					-26.493380	26.493380 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-7 (6-34 BLOCK) 27
 55-9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
28	-149372.723 ✓	7.201	-37879.149 ✓	14.129	-272767.751949	-2110487.203267
47	-149372.352 ✓	-5.888	-37864.578 ✓	14.962	222946.635264	-2234909.130624
48	-149378.611 ✓	-7.201	-37864.187 ✓	-14.129	272660.010587	2110570.394819
27	-149379.553 ✓	5.888	-37878.707 ✓	-14.962	-223029.826816	2235016.871986
					-190.932914	190.932914
					-95.466457	95.466457 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供才55-1 (6-34 BLOCK) 28

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
29	-149369.858 ✓	3.564	-37879.335 ✓	19.057	-135001.949940	-2846541.383906
37	-149369.159 ✓	-.819	-37860.092 ✓	19.278	31007.415348	-2879538.647202
45	-149370.677 ✓	-1.683	-37860.057 ✓	-4.580	63718.475931	684117.700660
46	-149370.842 ✓	-1.675	-37864.672 ✓	-4.521	63423.325600	675305.576682
47	-149372.352 ✓	-1.881	-37864.578 ✓	-14.477	71223.271218	2162463.539904
28	-149372.723 ✓	2.494	-37879.149 ✓	-14.757	-94470.597606	2204293.273311
					-100.059449	100.059449
					-50.029724	50.029724 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 55-17 (6-34 BLOCK) 29

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
30	-149365.261 ✓	5.243	-37879.633 ✓	19.139	-198602.915819	-2858701.730279
35	-149364.615 ✓	-3.898	-37860.195 ✓	19.541	147579.044008	-2918733.941715
37	-149369.159 ✓	-5.243	-37860.092 ✓	-19.139	198500.462356	2858776.334101
29	-149369.858 ✓	3.898	-37879.335 ✓	-19.541	-147653.647830	2918836.395178
					-177.057285	177.057285
					-88.528642	88.528642 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-5 (6-34 BLOCK) 30
55-22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
32.	-149359.594 ✓	2.948	-37877.829 ✓	17.635	-111663.839892	-2633956.440190
33.	-149359.371 ✓	-5.083	-37862.189 ✓	15.761	192453.506687	-2354053.046331
36.	-149364.677 ✓	-5.890	-37862.068 ✓	-17.444	223007.580520	2605517.425588
30.	-149365.261 ✓	2.358	-37879.633 ✓	-17.756	-89320.174614	2652129.574316
31.	-149362.319 ✓	5.667	-37879.824 ✓	1.804	-214664.962608	-269449.623476
					-187.889907	187.889907
					-93.944953	93.944953 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大伎 55-30 (6-34 BLOCK) 31

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
33.	-149359.371 ✓	5.333	-37862.189 ✓	1.751	-201919.053937	-261528.258621
34.	-149359.344 ✓	-5.244	-37860.317 ✓	1.993	198539.502348	-297673.172592
35.	-149364.615 ✓	-5.333	-37860.196 ✓	-1.751	201908.425268	261537.440865
36.	-149364.677 ✓	5.244	-37862.068 ✓	-1.993	-198548.684592	297683.801261
					-19.810913	19.810913
					-9.905456	9.905456 ✓

岡山調査測量株式会社




座標法面積計算 (DESCRIPTION OF APPLICATION)

本図 55-14 (

6-34 BLOCK) 32

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
49	-149379.884 ✓	8.962	-37864.108 ✓	-7.969	-339338.135896	1190408.295596
46	-149370.842 ✓	9.312	-37864.672 ✓	6.986	-352595.825664	-1043504.702212
44	-149370.572 ✓	-8.962	-37857.122 ✓	7.969	339275.527364	-1190334.088268
53	-149379.804 ✓	-9.312	-37856.703 ✓	-6.986	352521.618336	1043567.310744
					-136.815860	136.815860
					-68.407930	68.407930

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-26 (6-34 BLOCK) 33

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
44	-149370.572 ✓	9.399	-37857.122 ✓	4.237	-355819.089678	-632883.113564
42	-149370.405 ✓	-9.181	-37852.466 ✓	5.063	347523.490346	-756262.360515
54	-149379.753 ✓	-9.399	-37852.059 ✓	-4.237	355771.502541	632922.013461
53	-149379.804 ✓	9.181	-37856.703 ✓	-5.063	-347562.390243	756309.947652
					-86.487034	86.487034
					-43.243517	43.243517 ✓


岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-21

(6-34 BLOCK)

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
42	-149370.405 ✓	9.511	-37852.466 ✓	4.145	-360014.804126	-619140.328725
40	-149370.242 ✓	-9.301	-37847.914 ✓	4.768	352023.448114	-712197.313856
55	-149379.706 ✓	-9.511	-37847.698 ✓	-4.145	359969.455678	619178.881370
54	-149379.753 ✓	9.301	-37852.059 ✓	-4.768	-352062.000759	712242.662304
					-83.901093	83.901093
					-41.950546	41.950546 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 55-27 / 55-28 (6-34 BLOCK) 35

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
39	-149368.717 ✓	11.026	-37847.949 ✓	3.250	-417311.485674	-485448.330250
38	-149368.680 ✓	-10.951	-37844.448 ✓	3.753	414434.550048	-560580.656040
56	-149379.668 ✓	-11.026	-37844.196 ✓	-3.250	417270.105096	485483.921000
55	-149379.706 ✓	10.951	-37847.698 ✓	-3.753	-414470.140798	560622.036618
					-76.971328	76.971328
					-38.485664	38.485664 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供57-1

(6-34 BLOCK) 36

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8	-149351.766 ✓	10.261	-37829.827 ✓	3.462	-388171.854847	-517055.813892
9	-149351.685 ✓	-27.700	-37826.145 ✓	4.258	1047784.216500	-635939.474730
63	-149379.466 ✓	-27.859	-37825.569 ✓	-6.629	1053782.526771	990236.480114
60	-149379.544 ✓	10.919	-37832.774 ✓	-7.487	-413096.059306	1118404.645928
80	-149368.547 ✓	11.008	-37833.056 ✓	.718	-416466.280448	-107246.616746
79	-149368.536 ✓	6.192	-37832.056 ✓	.937	-234256.090752	-139958.318232
78	-149362.355 ✓	6.590	-37832.119 ✓	2.449	-249313.664210	-365788.407395
77	-149361.946 ✓	10.589	-37829.607 ✓	2.292	-400577.708523	-342337.580232
					-314.914815	314.914815
					-157.457407	157.457407

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(2) : (

6-34 BLOCK

37

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
87	-149369.507	10.037	-37829.385	3.392	-379693.537245	-506661.367744
88	-149369.468	-9.959	-37825.776	3.816	376706.903184	-569993.889888
63	-149379.466	-10.037	-37825.569	-3.392	379655.236053	506695.148672
62	-149379.505	9.959	-37829.168	-3.816	-376740.684112	570032.191080
					-72.082120	72.082120
					-36.041060	36.041060

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(1) : (

6-34 BLOCK)

38

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
86	-149369.541 ✓	10.032	-37832.474 ✓	2.873	-379535.379168	-429138.691293
87	-149369.507 ✓	-9.964	-37829.385 ✓	3.306	376931.992140	-493815.590142
62	-149379.505 ✓	-10.032	-37829.168 ✓	-2.873	379502.213376	429167.317865
61	-149379.539 ✓	9.964	-37832.258 ✓	-3.306	-376960.618712	493848.755934
					-61.792364	61.792364
					-30.896182	30.896182

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大俣 57-4 (6-34 BLOCK) 39

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
82	-149368.611 ✓	11.062	-37838.965 ✓	5.672	-418574.630830	-847218.761592
80	-149368.547 ✓	-10.933	-37833.056 ✓	6.191	413628.801248	-924740.674477
60	-149379.544 ✓	-11.062	-37832.774 ✓	-5.672	418506.145988	847280.773568
57	-149379.609 ✓	10.933	-37838.728 ✓	-6.191	-413690.813224	924809.159319
					-130.496818	130.496818
					-65.248409	65.248409 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(2) : (6-34 BLOCK) 40

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
84	-149369.581 ✓	10.027	-37836.215 ✓	2.511	-379383.727805	-375067.017891
85	-149369.552 ✓	-9.969	-37833.488 ✓	2.943	377162.041872	-439594.591536
59	-149379.550 ✓	-10.027	-37833.272 ✓	-2.511	379354.218344	375092.050050
58	-149379.579 ✓	9.969	-37835.999 ✓	-2.943	-377187.074031	439624.100997
					-54.541620	54.541620
					-27.270810	27.270810

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

(1) (6-34 BLOCK) 41

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
83	-149369.611 ✓	10.028	-37838.944 ✓	2.513	-379448.930432	-375365.832443
84	-149369.581 ✓	-9.968	-37836.215 ✓	2.945	377151.391120	-439893.416045
58	-149379.579 ✓	-10.028	-37835.999 ✓	-2.513	379419.397972	375390.882027
57	-149379.609 ✓	9.968	-37838.728 ✓	-2.945	-377176.440704	439922.948505
					-54.582044	54.582044
					-27.291022	27.291022


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 57-1 (6-34 BLOCK) 42

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
8	-149351.766 ✓	10.261	-37829.827 ✓	3.462	-388171.854847	-517055.813892
9	-149351.685 ✓	-17.702	-37826.145 ✓	4.051	669598.418790	-605023.675935
88	-149369.468 ✓	-17.856	-37825.776 ✓	-6.329	675417.056256	945359.362972
86	-149369.541 ✓	-10.071	-37832.474 ✓	-6.482	381010.845654	968213.364762
61	-149379.539 ✓	-10.003	-37832.258 ✓	-.300	378436.076774	44813.861700
60	-149379.544 ✓	10.992	-37832.774 ✓	-.798	-415857.851808	119204.876112
80	-149368.547 ✓	11.008	-37833.056 ✓	.718	-416466.280448	-107246.616746
79	-149368.536 ✓	6.192	-37832.056 ✓	.937	-234256.090752	-139958.318232
78	-149362.355 ✓	6.590	-37832.119 ✓	2.449	-249313.664210	-365788.407395
77	-149361.946 ✓	10.589	-37829.607 ✓	2.292	-400577.708523	-342337.580232
					-181.053114	181.053114
					-90.526557	90.526557

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 57-4 (6-34 BLOCK) 43

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
59	-149379.550 ✓	-9.992	-37833.272 ✓	.714	378030.053824	-106656.998700
60	-149379.544 ✓	11.003	-37832.774 ✓	.216	-416274.012322	-32265.981504
80	-149368.547 ✓	10.933	-37833.056 ✓	-6.191	-413628.801248	924740.674477
82	-149368.611 ✓	-1.064	-37838.965 ✓	-5.888	40260.658760	879482.381568
83	-149369.611 ✓	-.941	-37838.944 ✓	5.477	35606.446304	-818097.359447
85	-149369.552 ✓	-9.939	-37833.488 ✓	5.672	376027.037232	-847224.098944
					21.382550	-21.382550
					10.691275	-10.691275

岡山調査測量株式会社

