


面地略図

街区番号

38

備考



記入者



点検者



画地地積集計表

No. ✓


画地番号	画地地積	画地地積	摘 要
38- 2	4.471228	4.47	
38- 3	4.444840	4.44	
38- 4	100.937642	100.93	
38- 5	101.615948	101.61	
38- 6	163.761200	163.76	
38- 7	54.860458	54.86	
38- 8	1457.175979	1457.17	
38- 9	59.228700	59.22	
38- 10	154.298279	154.29	
38- 11	50.764875	50.76	
38- 12	451.244575	451.24	
38- 13	838.236365	838.23	
38- 14	235.779926	235.77	
38- 15	346.961421	346.96	
38- 16	153.646384	153.64	
38- 17	66.430010	66.43	
38- 18	169.191339	169.19	
38- 19	93.065498	93.06	
38- 20	66.377031	66.37	
38- 21	53.414468	53.41	
GOKEI	4625.906170	4625.81	
38- 1	4625.925929	4625.92	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-38 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I°	-149630.479°✓	95.693	-37946.761°✓	11.976	-3631239.400373	-1791974.616504
交, II°	-149560.269°✓	48.110	-37892.630°✓	94.721	-1823014.429300	-14166498.239949
交, III°	-149582.369°✓	-85.869	-37852.040°✓	6.103	3250316.822760	-912901.198007
16°	-149646.138°✓	-73.593	-37886.527°✓	-52.566	2788183.181511	7866298.890108
18°	-149655.962°✓	15.659	-37904.606°✓	-60.234	-593548.225354	9014377.215108
					-9302.050756	9302.050756
					-4651.025378	4651.025378
					弓形面積	- 25.099449°
						<u>4625.925929°</u>

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 (

6-33 BLOCK)

2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
23	-149632.031 ✓	-2.376	-37944.194 ✓	-1.832	90155.404944	274125.880792
交, I	-149630.479 ✓	3.923	-37946.761 ✓	-.735	-149054.877208	109978.402065
1	-149628.103 ✓	-1.552	-37944.929 ✓	2.567	58890.529808	-384095.340401
					-8.942456	8.942456
					-4.471228	4.471228

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切

(

6-38

BLOCK)

3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
9	-149562.645 ✓	1.435	-37894.462 ✓	-2.635	-54378.552970	394097.569575
交, Ⅱ	-149560.269 ✓	.941	-37892.630 ✓	4.467	-35656.964830	-668085.721623
10	-149561.704 ✓	-2.376	-37889.995 ✓	-1.832	90026.628120	273997.041728
					-8.889680	8.889680
					-4.444840	4.444840

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大供 255-1 (

6-38 BLOCK) 4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
8	-149570.771	12.527	-37900.727	-1.719	-474782.407129	257112.155349
9	-149562.645	9.067	-37894.462	10.732	-343589.086954	-1605106.306140
10	-149561.704	-.945	-37889.995	7.932	35806.045275	-1186323.436128
11	-149563.590	-13.468	-37886.530	-2.748	510255.786040	411000.745320
35	-149575.172	-7.181	-37892.743	-14.197	272107.787483	2123518.716884
					-201.875285	201.875285
					-100.937642	100.937642

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

大供2101✓(

6-38 BLOCK)

5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11	-149563.590✓	7.897	-37886.530✓	12.980	-299189.927410	-1941335.398200
12	-149567.275✓	-15.316	-37879.763✓	.561	580166.450108	-83907.241275
36	-149578.906✓	-7.897	-37885.969✓	-12.980	299185.497193	1941534.199880
35	-149575.172✓	15.316	-37892.743✓	-.561	-580365.251788	83911.671492
					-203.231897	203.231897
					-101.615948	101.615948

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内附 52-6 (6-38 BLOCK) 6


測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
12	-149567.275	5.651	-37879.763	17.190	-214058.540713	-2571061.457250
13	-149573.255	-17.503	-37868.779	4.834	662817.238837	-723037.114670
38	-149584.773	-8.873	-37874.929	-11.018	336064.245017	1648125.084004
37	-149582.128	5.872	-37879.797	-11.040	-222430.167984	1651386.693120
36	-149578.906	14.853	-37885.969	.034	-562720.297557	-5085.682804
					-327.522400	327.522400
					-163.761200	163.761200

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内証52-18⁰⁰ (6-38 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13 ⁰	-149573.255 ✓	9.515	-37868.779 ✓	9.838	-360321.432185	-1471501.682690
14 ⁰	-149575.263 ✓	-13.532	-37865.091 ✓	-2.460	512390.411412	367955.146980
39 ⁰	-149586.787 ✓	-9.515	-37871.239 ✓	-9.838	360344.839085	1471634.810506
38 ⁰	-149584.778 ✓	13.532	-37874.929 ✓	2.460	-512523.539228	-367978.553880
					-109.720916	109.720916
					-54.860458	54.860458 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供202-5 (6-33 BLOCK) 8

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
14°	-149575.263 ✓	4.418	-37865.091 ✓	19.199	-167287.972038	-2871695.474337
交, Ⅲ°	-149582.369 ✓	-63.810	-37852.040 ✓	-17.615	2415338.672400	2634893.429935
15°	-149639.073 ✓	-44.720	-37882.706 ✓	-52.239	1694114.612320	7816995.534447
31°	-149627.089 ✓	30.846	-37904.279 ✓	-11.366	-1169195.390034	1700661.493574
32°	-149608.227 ✓	44.961	-37894.072 ✓	24.482	-1703755.371192	-3662708.613414
37°	-149582.128 ✓	21.440	-37879.797 ✓	22.833	-812142.847680	-3415408.728624
39°	-149586.787 ✓	6.865	-37871.239 ✓	14.706	-259986.055735	-2199823.289622
					-2914.351959	2914.351959
					-1457.175979	1457.175979 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

2-11-5
大供225 (

6-38 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
36	-149578.906 ✓	4.367	-37885.969 ✓	10.173	-165448.026623	-1521666.210738
37	-149582.128 ✓	-10.766	-37879.797 ✓	2.046	407813.894502	-306045.033888
34	-149589.672 ✓	-4.367	-37883.923 ✓	-10.173	165439.091741	1521775.733256
40	-149586.495 ✓	10.766	-37889.970 ✓	-2.046	-407923.417020	306053.968770
					-118.457400	118.457400
					-59.228700	59.228700

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

211-1
大供 22-1

6-38 BLOCK 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149577.941 ✓	15.724	-37906.255 ✓	-10.757	-596037.953620	1609009.911337
8	-149570.771 ✓	-.965	-37900.727 ✓	20.286	36574.201555	-3034192.660506
36	-149578.906 ✓	-15.724	-37885.969 ✓	10.757	595718.976556	-1609020.291842
40	-149586.495 ✓	.965	-37889.970 ✓	-20.286	-36563.821050	3034511.637570
					-308.596559	308.596559
					-154.298279	154.298279

岡山調査測量株式会社




座標法面積計算 (DESCRIPTION OF APPLICATION)

211-6
大供22-6 (

6-38 BLOCK 11

測点 STA.NO.	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
6	-149579.549 ✓	13.486	-37907.494 ✓	-21.372	-511220.464084	3196814.121228
7	-149577.941 ✗	-10.123	-37906.255 ✓	23.571	383725.019365	-3525701.647311
34	-149589.672 ✓	-13.486	-37883.923 ✓	21.372	510902.585578	-3197030.469984
33	-149591.427 ✓	10.123	-37884.883 ✓	-23.571	-383508.670609	3526019.525817
					-101.529750	101.529750
					-50.764875	50.764875 ✓

岡山調査測量株式会社




座標法面積計算 (DESCRIPTION OF APPLICATION)

21-7
天供 22-7 of (

6-38 BLOCK 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
5	-149591.185	28.678	-37916.466	-13.422	-1087368.411948	2007812.885070
6	-149579.549	-.242	-37907.494	31.583	9173.613548	-4724170.896067
33	-149591.427	-28.678	-37884.883	13.422	1086462.674674	-2007816.133194
32	-149608.227	.242	-37894.072	-31.583	-9170.365424	4725076.633341
					-902.489150	902.489150
					-451.244575	451.244575

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供263-1; (6-38 BLOCK) 13


観点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
4	-149613.231 ✓	39.605	-37933.463 ✓	-6.131	-1502354.802115	917278.719261
5	-149591.185 ✓	5.004	-37916.466 ✓	39.391	-189733.995864	-5892546.368335
32	-149608.227 ✓	-38.191	-37894.072 ✓	10.949	1447212.503752	-1638060.477423
30	-149629.376 ✓	-22.563	-37905.517 ✓	-16.263	355262.180071	2433422.541888
29	-149630.790 ✓	16.145	-37910.335 ✓	-27.946	-612062.358575	4181582.057340
					-1676.472731	1676.472731
					-838.236365	838.236365 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供202-27 (6-38 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
15	-149639.073 ✓	-19.049	-37882.706 ✓	17.752	721627.666594	-2656392.823896
16	-149646.138 ✓	-10.092	-37886.527 ✓	-13.190	382350.830484	1973832.560220
17	-149649.165 ✓	16.762	-37895.896 ✓	-18.990	-635211.008752	2841837.643350
30	-149629.376 ✓	22.076	-37905.517 ✓	-8.383	-836802.193292	1254343.059008
31	-149627.089 ✓	-9.697	-37904.279 ✓	22.811	367557.793463	-3413143.527179
					-476.911503	476.911503
					-238.455751	238.455751
					弓形面積	- 2.675825
						<u>235.779926</u> ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供²⁵⁶-1² (6-38 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
17	-149649.165 ✓	-26.586	-37895.896 ✓	.911	1007500.291056	-136330.389315
18	-149655.962 ✓	2.513	-37904.606 ✓	-24.112	-95254.274878	3608504.555744
19	-149646.652 ✓	25.172	-37920.008 ✓	-5.729	-954522.441376	857325.669308
29	-149630.790 ✓	17.276	-37910.335 ✓	14.491	-654938.947460	-2168299.777890
30	-149629.376 ✓	-18.375	-37905.517 ✓	14.439	696513.874875	-2160498.560064
					-701.497783	701.497783
					-350.748891	350.748891
						- 3.787470
					弓形面積	<u>346.961421</u> ✓

分筆後の座標なし

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

大供 254-6

6-38 BLOCK

16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
29	-149630.790 ✓	-20.825	-37910.335 ✓	-3.136	789482.726375	469242.157440
19	-149646.652 ✓	-11.721	-37920.008 ✓	-16.521	444460.413768	2472312.337692
20	-149642.511 ✓	20.825	-37926.856 ✓	3.136	-789826.776200	-469278.914496
28	-149625.827 ✓	11.721	-37916.872 ✓	16.521	-444423.656712	-2471968.287867
					-307.292769	307.292769
					-153.646384	153.646384 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 254-5 (6-38 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
20	-149642.511 ✓	-6.886	-37926.856 ✓	-10.745	261164.330416	1607908.780695
21	-149639.571 ✓	13.246	-37931.721 ✓	1.375	-502443.576366	-205754.410125
26	-149629.265 ✓	6.886	-37925.481 ✓	10.745	-261154.862166	-1607766.452425
27	-149632.685 ✓	-13.246	-37920.976 ✓	-1.375	502301.248096	205744.941875
					-132.860020	132.860020
					-66.430010	66.430010

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大供 254-1 (

6-38

BLOCK)

18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149619.522 ✓	19.454	-37938.313 ✓	-12.487	-738051.941102	1868298.971214
4	-149613.231 ✓	-6.305	-37933.463 ✓	21.441	239170.484215	-3207857.285871
28	-149625.827 ✓	-19.454	-37916.872 ✓	12.487	737634.827888	-1868377.701749
27	-149632.685 ✓	6.305	-37920.976 ✓	-21.441	-239091.753680	3208274.399085
					-338.382679	338.382679
					-169.191339	169.191339

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)


大狭 2544

6-38 BLOCK

19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) X (3)	(1) X (4)
25	-149624.741 ✓	6.417	-37931.439 ✓	12.673	-243406.044063	-1896194.342693
26	-149629.265 ✓	-14.830	-37925.481 ✓	-.282	562434.883230	42195.452730
21	-149639.571 ✓	-6.417	-37931.721 ✓	-12.673	243407.853657	1896382.283283
22	-149635.682 ✓	14.830	-37938.154 ✓	-.282	-562622.823820	-42197.262324
					-186.130996	186.130996
					-93.065498	93.065498 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大拱 248-8** (

6-38 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2	-149625.814 ✓	11.018	-37943.165 ✓	-3.315	-418057.791970	496009.573410
3	-149619.522 ✓	1.073	-37938.313 ✓	11.726	-40707.809849	-1754438.514972
25	-149624.741 ✓	-11.018	-37931.439 ✓	3.315	417928.594902	-496006.016415
24	-149630.540 ✓	-1.073	-37934.998 ✓	-11.726	40704.252854	1754567.712040
					-132.754063	132.754063
					-66.377031	66.377031 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

大洪248-4

6-38 BLOCK 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
22	-149635.682 ✓	-1.491	-37938.154 ✓	-9.196	56565.787614	1376049.731672
23	-149632.031 ✓	7.579	-37944.194 ✓	-6.775	-287579.046326	1013757.010025
1	-149628.103 ✓	6.217	-37944.929 ✓	1.029	-235903.623593	-153967.317987
2	-149625.814 ✓	-2.437	-37943.165 ✓	9.931	92467.493105	-1485933.958834
24	-149630.540 ✓	-9.868	-37934.998 ✓	5.011	374342.560264	-749798.635940
					-106.828936	106.828936
					-53.414468	53.414468 ✓

岡山調査測量株式会社