

画地略图


街区番号

19

備考

N
4
↑

553, 3, 28 変更あり



記入者



点検者



S52.1.21

BNo.19



32

81

10

五ノ四 肉

五ノ四 肉

五ノ四 肉

131.06

111.02

242.08

13

80

12

11

画地地積集計表

No


画地番号	画地地積	画地地積	摘 要
19- 2	4.492359	4.49	
19- 3	4.497640	4.49	
19- 4	1.997175	1.99	
19- 5	1.991190	1.99	
19- 6	84.220742	84.22	
19- 7	91.342388	91.34	
19- 8	76.996216	76.99	
19- 9	70.888318	70.88	
19- 10	64.355464	64.35	
19- 11	64.390527	64.39	
19- 12	51.237770	51.23	
19- 13	174.367969	174.36	
19- 14	309.432379	309.43	
19- 15	116.732482	116.73	
19- 16	137.548986	137.54	
19- 17	242.088946	242.08	
19- 18	33.370514	33.37	
19- 19	215.639444	215.63	
GOKEI	1745.590512	1745.50	
19- 1	1745.582543	1745.58	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-19 BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149603.857 ✓	22.457	-37628.421 ✓	72.853	-845021.450397	-10899089.794021
交, II	-149607.223 ✓	-26.873	-37558.432 ✓	68.281	1009307.743136	-10215330.793663
交, III	-149630.730 ✓	-22.457	-37560.140 ✓	-72.853	843488.063980	10901047.572690
交, IV	-149629.680 ✓	26.873	-37631.285 ✓	-68.281	-1011265.521805	10216864.180080
					-3491.165086	3491.165086
					-1745.582543	1745.582543

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 / (


BLOCK)

6-19

2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, 1	-149603.857	2.838	-37628.421	3.328	-106789.458798	-497881.636096
1	-149604.001	-2.982	-37625.424	-.331	112199.014368	49518.924331
22	-149606.839	.144	-37628.752	-2.997	-5418.540288	448371.696483
					-8.984718	8.984718
					-4.492359	4.492359

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓

(6-19

BLOCK) 3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8	-149607.079 ✓	2.992	-37561.428 ✓	.217	-112383.792576	-32464.736143
交, 工	-149607.223 ✓	-3.136	-37558.432 ✓	2.779	117783.242752	-415758.472717
9	-149610.215 ✓	.144	-37558.649 ✓	-2.996	-5408.445456	448232.204140
					-8.995280	8.995280
					-4.497640	4.497640

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)


隅切 ✓

(6-19

BLOCK) 4

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11	-149628.735	-.030	-37559.995	2.000	1126.799850	-299257.470000
交 Ⅲ	-149630.730	-1.965	-37560.140	-2.145	73805.675100	320957.915850
12	-149630.700	1.995	-37562.140	.145	-74936.469300	-21696.451500
					-3.994350	3.994350
					-1.997175	1.997175

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓ (6-19 BLOCK) 5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
19	-149629.709 ✓	-1.988	-37629.285 ✓	-.220	74807.018580	32918.535980
交 Ⅳ	-149629.680 ✓	2.017	-37631.285 ✓	-1.780	-75902.301845	266340.830400
20	-149627.692 ✓	-.029	-37631.065 ✓	2.000	1091.300885	-299255.384000
					-3.982380	3.982380
					-1.991190	1.991190

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-5 (6-19 BLOCK) 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1	-149604.001	2.707	-37625.424	6.045	-101852.022768	-904356.186045
2	-149604.132	-14.519	-37622.707	2.005	546244.082933	-299956.284660
23	-149618.520	-14.059	-37623.419	-7.304	528947.647721	1092813.670080
21	-149618.191	11.681	-37630.011	-5.333	-439556.158491	797913.812603
22	-149606.839	14.190	-37628.752	4.587	-533951.990880	-686246.570493
					-168.441485	168.441485
					-84.220742	84.220742

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 才 55-1 (BLOCK)

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	6-19 (1) × (4)
2	-149604.132 ✓	14.083	-37622.707 ✓	7.053	-529840.582681	-1055157.942996
3	-149604.437 ✓	-14.704	-37616.366 ✓	5.608	553111.045664	-838981.682696
25	-149618.836 ✓	-14.083	-37617.099 ✓	-7.053	529761.605217	1055261.650308
23	-149618.520 ✓	14.704	-37623.419 ✓	-5.608	-553214.752976	839060.660160
					-182.684776	182.684776
					-91.342388 ✓	91.342388 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-1-1 (6-19 BLOCK) 8

測点 STA.NO.	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
21	-149618.191 ✓	9.172	-37630.011 ✓	7.646	-345142.460892	-1143980.688386
23	-149618.520 ✓	-11.596	-37623.419 ✓	5.982	436281.166724	-895017.986640
18	-149629.787 ✓	-11.189	-37624.029 ✓	-5.866	420975.260481	877728.330542
19	-149629.709 ✓	2.095	-37629.285 ✓	-7.036	-78833.352075	1052794.632524
20	-149627.692 ✓	11.518	-37631.065 ✓	-.726	-433434.606670	108629.704392
					-153.992432	153.992432
					-76.996216 ✓	76.996216 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-6-1 (6-19 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
23	-149618.520 ✓	10.951	-37623.419 ✓	6.930	-412014.061469	-1036856.343600
25	-149618.836 ✓	-11.361	-37617.099 ✓	5.757	427367.861739	-861355.638852
17	-149629.881 ✓	-10.951	-37617.662 ✓	-6.930	411951.016562	1036935.075330
18	-149629.787 ✓	11.361	-37624.029 ✓	-5.757	-427446.593469	861418.683759
					-141.776637	141.776637
					-70.888318 ✓	70.888318 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55- 8 / (6-19 BLOCK) 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
26	-149620.477 ✓	9.074	-37617.183 ✓	7.305	-341338.318542	-1092977.584485
27	-149620.807 ✓	-9.507	-37610.357 ✓	6.531	357561.663999	-977173.490517
16	-149629.984 ✓	-9.074	-37610.652 ✓	-7.305	341279.056248	1093047.033120
17	-149629.881 ✓	9.507	-37617.662 ✓	-6.531	-357631.112634	977232.752811
					-128.710929	128.710929
					-64.355464	64.355464

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-4 (6-19 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
15	-149630.088 ✓	-8.829	-37603.638 ✓	-7.484	332002.519902	1119831.578592
16	-149629.984 ✓	9.281	-37610.652 ✓	-6.719	-349064.461212	1005363.862496
27	-149620.807 ✓	8.829	-37610.357 ✓	7.484	-332061.841953	-1119762.119588
29	-149621.155 ✓	-9.281	-37603.168 ✓	6.719	348995.002208	-1005304.540445
					-128.781055	128.781055
					-64.390527	64.390527

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-9 (6-19 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
29	-149621.155	-2.968	-37603.168	-14.207	111606.202624	2125667.749085
26	-149620.477	4.324	-37617.183	-13.829	-162656.699292	2069101.576433
24	-149616.831	2.968	-37616.997	14.207	-111647.247096	-2125606.318017
28	-149617.509	-4.324	-37602.976	13.829	162595.268224	-2069060.531961
					-102.475540	102.475540
					-51.237770	51.237770
						変更後の資料なし

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 55-2-1 (6-19 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149604.437 ✓	11.719	-37616.366 ✓	14.674	-440826.193154	-2195295.508538
4	-149605.112 ✓	-13.072	-37602.323 ✓	13.390	491537.566256	-2003212.449680
28	-149617.509 ✓	-11.719	-37602.976 ✓	-14.674	440669.275744	2195487.327066
24	-149616.831 ✓	13.072	-37616.997 ✓	-13.390	-491729.384784	2003369.367090
					-348.735938	348.735938
					-174.367969 ✓	174.367969 ✓
<div style="border: 1px solid black; padding: 5px; display: inline-block;">変更後の資料なし</div>						

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内 55-3 (6-19 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
4	-149605.112 ✓	24.379	-37602.323 ✓	13.722	-916707.032417	-2052881.346864
5	-149605.709 ✓	-25.161	-37589.916 ✓	11.223	945799.876476	-1679024.872107
14	-149630.273 ✓	-24.379	-37591.100 ✓	-13.722	916433.426900	2053226.606106
15	-149630.088 ✓	25.161	-37603.638 ✓	-11.223	-946145.135718	1679298.477624
					-618.864759	618.864759
					-309.432379	309.432379



岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 192-5 ✓ (6-19 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149605.709 ✓	11.312	-37589.916 ✓	10.497	-425217.129792	-1570411.127373
6	-149606.186 ✓	-12.260	-37579.987 ✓	9.262	460730.640620	-1385652.494732
31	-149617.969 ✓	-11.312	-37580.654 ✓	-10.497	425112.358048	1570539.820593
30	-149617.498 ✓	12.260	-37590.484 ✓	-9.262	-460859.333840	1385757.266476
					-233.464964	233.464964
					-116.732482 ✓	116.732482 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 第58-7 (6-19 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
30	-149617.498 ✓	12.255	-37590.484 ✓	11.479	-460671.381420	-1717459.259542
32	-149618.018 ✓	-12.937	-37579.621 ✓	10.330	486167.556877	-1545554.125940
13	-149630.435 ✓	-12.255	-37580.154 ✓	-11.479	460544.787270	1717607.763365
14	-149630.273 ✓	12.937	-37591.100 ✓	-10.330	-486316.060700	1545680.720090
					-275.097973	275.097973
					-137.548986 ✓	137.548986 ✓


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 58-4 (6-19 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10	-149618.992 ✓	-10.717	-37559.287 ✓	19.626	402522.878779	-2936422.336992
11	-149628.735 ✓	-11.708	-37559.995 ✓	-2.853	439752.421460	426890.780955
12	-149630.700 ✓	-1.700	-37562.140 ✓	-20.159	63855.638000	3016405.281300
13	-149630.435 ✓	12.682	-37580.154 ✓	-17.481	-476591.513028	2615689.634235
32	-149618.018 ✓	11.443	-37579.621 ✓	20.867	-430023.603103	-3122079.181606
					-484.177892	484.177892
					-242.088946 ✓	242.088946 ✓

岡山調査測量株式会社



面積計算書

工区

6

ブロック

19

計算者

精算者

備考

58-10


58-4

点	①	②	③	④	⑤	⑥	③ × ⑤		② × ⑥	
	X	X - (定数)	X _{n-1} - X _{n+1}	Y	Y - (定数)	Y _{n-1} - Y _{n+1}	+	-	+	-
		-149,610.000			-37,550.000					
32	-149,618.018	8.018'	-11.905	-37,577.621	19.621'	-11.221	233.528005		89.969978	
81	-149,618.530	8.530'	+12.575	-37,568.933	8.933'	-10.166		112.332475	86.715980	
80	-149,630.593	20.593'	+11.905	-37,569.455	9.455'	+11.221		112.561775		231.074053
13	-149,630.435	20.435'	-12.575	-37,580.154	20.154'	+10.166	253.436550			207.742210
							487.026555	224.894250	176.635958	439.816263
							262.130305			262.130305
							$\frac{1}{2} = 131.0651525'$			
		-149,610.000			-37,550.000					
81	-149,618.530	8.530'	-11.601	-37,568.933	18.933'	-10.168	219.641733		86.733040	
10	-149,618.992	8.992'	+10.205	-37,559.287	9.287'	-8.938		94.773835	80.370496	
11	-149,628.735	18.735'	+11.708	-37,559.995	9.995'	+2.853		117.021460		53.450955
12	-149,630.700	20.700'	+1.858	-37,562.140	12.140'	+9.460		22.556120		195.822000
80	-149,630.593	20.593'	-12.170	-37,569.455	19.455'	+6.793	236.767350			139.888249
							456.409083	234.351415	167.103536	389.161204
							222.057668			222.057668
							$\frac{1}{2} = 111.028834'$			

座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 58-9 (6-19 BLOCK) 18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
6	-149606.186 ✓	6.153	-37579.987 ✓	5.560	-231229.660011	-831810.394160
7	-149606.436 ✓	-6.652	-37574.789 ✓	4.836	249947.496428	-723496.724496
34	-149612.838 ✓	-6.153	-37575.151 ✓	-5.560	231199.904103	831847.379280
33	-149612.589 ✓	6.652	-37580.349 ✓	-4.836	-249984.481548	723526.480404
					-66.741028	66.741028
					-33.370514	33.370514

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 58-5 (6-19 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149606.436 ✓	5.759	-37574.789 ✓	13.723	-216393.209851	-2053049.121228
8	-149607.079 ✓	-3.779	-37561.428 ✓	16.140	141944.636412	-2414658.255060
9	-149610.215 ✓	-11.913	-37558.649 ✓	2.141	447436.185537	-320315.470315
10	-149618.992 ✓	-7.754	-37559.287 ✓	-22.005	291234.711398	3292365.918960
31	-149617.969 ✓	6.403	-37580.654 ✓	-21.062	-240628.927562	3151253.663078
33	-149612.589 ✓	5.131	-37580.349 ✓	5.503	-192824.770719	-823318.077267
34	-149612.838 ✓	6.153	-37575.151 ✓	5.560	-231199.904103	-831847.379280
					-431.278888	431.278888
					-215.639444 ✓	215.639444 ✓

分筆後の座標なし

岡山調査測量株式会社

