

画地地積集計表

No.

画地番号	画地地積	画地地積	摘 要
23- 2	4.500506'	4.50	
23- 3	4.500621'	4.50	
23- 4	75.461366'	75.46	
23- 5	95.344651'	95.34	
23- 6	91.665228'	91.66	
23- 7	106.838367'	106.83	
23- 8	103.744222'	103.74	
23- 9	66.897501'	66.89	
23- 10	66.683012'	66.68	
23- 11	66.639398'	66.63	
23- 12	315.361679'	315.36	
23- 13	429.696111'	429.69	
23- 14	241.737609'	241.73	
23- 15	146.926760'	146.92	
23- 16	99.852710'	99.85	
23- 17	75.227368'	75.22	
23- 18	135.019709'	135.01	
23- 19	200.335095'	200.33	
23- 20	25.030753'	25.03	
23- 21	85.642639'	85.64	
23- 22	100.482230'	100.48	
23- 23	100.778189'	100.77	
23- 24	70.632065'	70.63	
23- 25	88.207271'	88.20	
GOKEI	2797.205066	2797.09	

座標法面積計算 (DESCRIPTION OF APPLICATION)

(BLOCK)

6-23 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149510.029	-130.623	-37714.400	-13.769	4926368.071200	2058603.589301
交, II	-149616.580	-32.425	-37772.318	-102.105	3113383.311150	15276600.900900
交, III	-149592.454	130.623	-37816.505	13.769	-4939705.332615	-2059738.499126
交, IV	-149485.957	32.425	-37758.549	102.105	-3112248.401325	-15263263.639485
					-12202.351590	12202.351590
					-6101.175795	6101.175795

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 隅切 (6-23 BLOCK) 2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, 1	-149510.029	-4.072	-37714.400	1.201	153573.036800	-179561.544829
1	-149512.665	1.436	-37715.833	-2.634	-54159.936188	393816.359610
34	-149508.593	2.636	-37717.034	1.433	-99422.101624	-214245.813769
					-9.001012	9.001012
					-4.500506	4.500506


岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

陽切 / (6-23 BLOCK) 3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
17	-149613.944 ✓	-1.438	-37770.885 ✓	2.633	54314.532630	-393933.514552
交, Ⅱ	-149616.580 ✓	-1.198	-37772.318 ✓	-4.066	45251.236964	608341.014280
18	-149615.142 ✓	2.636	-37774.951 ✓	1.433	-99574.770836	-214398.498486
					-9.001242	9.001242
					-4.500621	4.500621

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

通路 (

6-23

BLOCK)

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149526.106	-25.484	-37723.139	43.391	961336.474276	-6488087.265446
4	-149527.424	22.848	-37723.856	-44.825	-861914.661888	6702566.780800
26	-149503.258	25.484	-37767.964	-43.391	-962478.794576	6487095.867878
27	-149501.940	-22.848	-37767.247	44.825	862906.059456	-6701424.460500
					-150.922732	150.922732
					-75.461366	75.461366

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋 190-8. / (BLOCK) 5-23

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
33	-149505.057	4.809	-37723.518	11.123	-181412.398062	-1662944.749011
34	-149508.593	-7.608	-37717.034	7.685	286951.194672	-1148973.537205
1	-149512.665	-9.868	-37715.833	-1.949	372179.840044	291400.184085
2	-149518.461	-.737	-37718.983	-12.324	27798.890471	1842665.513364
35	-149513.402	13.404	-37728.157	-4.535	-505708.216428	678043.278070
					-190.689303	190.689303
					-95.344651	95.344651

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 52 - 8 . / (6-23 BLOCK) 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
2 .	-149518.461 . ✓	-12.704	-37718.983 . ✓	5.018	479181.960032	-750283.637298
3 .	-149526.106 . ✓	-2.572	-37723.139 . ✓	-13.415	97023.913508	2005892.711990
36 .	-149521.033 . ✓	12.704	-37732.398 . ✓	-5.018	-479352.384192	750296.543594
35 .	-149513.402 . ✓	2.572	-37728.157 . ✓	13.415	-97036.819804	-2005722.287330
					-183.330456	183.330456
					-91.665228	91.665228 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供¹⁹⁰-12⁰ / (6-23 BLOCK) 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
33°	-149505.057 ✓	-18.769	-37723.518 ✓	-3.757	708032.709342	561690.499149
36°	-149521.033 ✓	-13.161	-37732.398 ✓	-14.019	496596.090078	2096135.361627
37°	-149518.218 ✓	18.769	-37737.537 ✓	3.757	-708295.831953	-561739.945026
32°	-149502.264 ✓	13.161	-37728.641 ✓	14.019	-496546.644201	-2095872.239016
					-213.676734	213.676734
					-106.838367	106.838367 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供(90-5) (6-23 BLOCK) 8

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
32 .	-149502.264 . ✓	-18.695	-37728.641 . ✓	-3.868	705336.943495	578274.757152
37 .	-149518.218 . ✓	-13.245	-37737.537 . ✓	-13.839	499833.677565	2069182.618902
38 .	-149515.509 . ✓	18.695	-37742.480 . ✓	3.868	-705595.663600	-578325.988812
31 .	-149499.523 . ✓	13.245	-37733.669 . ✓	13.839	-499782.445905	-2068923.898797
					-207.488445	207.488445
					-103.744222	103.744222 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供190-19 (6-23 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
31	-149499.523 ✓	-17.755	-37733.669 ✓	-5.568	669961.293095	832413.344064
38	-149515.509 ✓	-14.239	-37742.480 ✓	-12.001	537415.172720	1794335.623509
39	-149513.762 ✓	17.755	-37745.670 ✓	5.568	-670174.370850	-832492.626816
30	-149497.754 ✓	14.239	-37736.912 ✓	12.001	-537335.889968	-1794122.545754
					-133.795003	133.795003
					-66.897501	66.897501 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大旗才 190 (6-23 BLOCK) 10

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
39	-149513.762	-14.245	-37745.670	-11.975	537687.069150	1790427.299950
40	-149511.999	17.751	-37748.887	5.560	-670080.493137	-831286.714440
29	-149496.011	14.245	-37740.110	11.975	-537607.866950	-1790214.731725
30	-149497.754	-17.751	-37736.912	-5.560	669867.924912	831207.512240
					-133.366025	133.366025
					-66.683012	66.683012

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供51-1 (6-23 BLOCK) 11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
40	-149511.999 ✓	-14.226	-37748.887 ✓	-11.993	537015.666462	1793097.404007
41	-149510.237 ✓	17.732	-37752.103 ✓	5.580	-669420.290396	-834267.122460
28	-149494.267 ✓	14.226	-37743.307 ✓	11.993	-536936.285382	-1792884.744131
29	-149496.011 ✓	-17.732	-37740.110 ✓	-5.580	669207.630520	834187.741380
					-133.278796	133.278796
					-66.639393	66.639393 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内田 54-2° 大俣 52-5° 205-2° 206-1° (6-23 BLOCK) 12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
41°	-149510.237 ✓	-7.673	-37752.103 ° ✓	-23.940	289671.886319	3579275.073780
27°	-149501.940 ° ✓	24.280	-37767.247 ° ✓	-6.446	-916988.757160	963689.505240
交, IV.	-149485.957 ° ✓	7.673	-37758.549 ° ✓	23.940	-289721.346477	-3578693.810580
28°	-149494.267 ° ✓	-24.280	-37743.307 ° ✓	6.446	916407.493960	-963640.045082
					-630.723358	630.723358
					-315.361679	315.361679 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供^{第192-1。}_{190-15。} (6-23 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
4	-149527.424	-26.911	-37723.856	15.556	1015186.688816	-2326048.607744
5	-149541.593	-1.558	-37731.557	-31.034	58785.765806	4640873.797162
44	-149528.982	26.911	-37754.890	-15.556	-1016021.844790	2326072.843992
42	-149514.682	1.558	-37747.113	31.034	-58810.002054	-4640038.641188
					-859.392222	859.392222
					-429.696111	429.696111

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供39-12. ✓ (6-23 BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
42	-149514.682 ✓	-20.322	-37747.113 ✓	16.012	767096.830386	-2394029.088184
43	-149523.580 ✓	2.460	-37751.952 ✓	-25.729	-92869.801920	3847092.189820
25	-149512.222 ✓	20.322	-37772.842 ✓	-16.012	-767619.695124	2393989.698664
26	-149503.258 ✓	-2.460	-37767.964 ✓	25.729	92909.191440	-3846569.325082
					-483.475218	483.475218
					-241.737609	241.737609 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 内附 54-3. / (6-23 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
43	-149523.580 ✓	-16.760	-37751.952 ✓	17.952	632722.715520	-2684247.308160
44	-149528.982 ✓	5.905	-37754.890 ✓	-23.858	-222942.625450	3567462.452556
24	-149517.675 ✓	16.760	-37775.810 ✓	-17.952	-633122.575600	2684141.301600
25	-149512.222 ✓	-5.905	-37772.842 ✓	23.858	223048.632010	-3567062.592476
					-293.853520	293.853520
					-146.926760	146.926760 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵192-12. / (6-23 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149541.593 ✓	-12.905	-37731.557 ✓	8.599	486925.743085	-1285908.158207
6	-149547.975 ✓	.126	-37735.027 ✓	-15.559	-4754.613402	2326816.943025
46	-149541.467 ✓	12.905	-37747.116 ✓	-8.599	-487126.531980	1285907.074733
45	-149535.070 ✓	-.126	-37743.626 ✓	15.559	4755.696876	-2326616.154130
					-199.705421	199.705421
					-99.852710	99.852710 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供!90-14. / (6-23 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
6	-149547.975 ✓	-11.331	-37735.027 ✓	9.468	427575.590937	-1415920.227300
7	-149552.798 ✓	1.710	-37737.648 ✓	-14.707	-64531.378080	2199473.000186
47	-149546.265 ✓	11.331	-37749.734 ✓	-9.468	-427742.235954	1415904.037020
46	-149541.467 ✓	-1.710	-37747.116 ✓	14.707	64547.568360	-2199306.355169
					-150.454737	150.454737
					-75.227368	75.227368

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大拱190-23- (6-23 BLOCK) 18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149552.798	-15.148	-37737.648	7.403	571649.891904	-1107139.363594
8	-149561.413	-2.105	-37742.331	-16.798	79447.606755	2512332.615574
48	-149554.903	15.148	-37754.446	-7.403	-571904.348008	1107154.946909
47	-149546.265	2.105	-37749.734	16.798	-79463.190070	-2512078.159470
					-270.039419	270.039419
					-135.019709	135.019709

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 $\frac{190}{90} - \frac{3}{22}$ (6-23 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
8 °	-149561.413 ° ✓	-19.280	-37742.331 ° ✓	5.174	727672.141680	-773830.750862
9 °	-149574.183 ° ✓	-6.285	-37749.272 ° ✓	-19.095	237254.174520	2856119.024385
50 °	-149567.698 ° ✓	19.280	-37761.426 ° ✓	-5.174	-728040.293280	773863.269452
48 °	-149554.903 ° ✓	6.285	-37754.446 ° ✓	19.095	-237286.693110	-2855750.872785
					-400.670190	400.670190
					-200.335095	200.335095 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋10 - 6 . / (6-23 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
9	-149574.183	-8.241	-37749.272	11.199	311091.750552	-1675081.275417
10	-149575.939	1.454	-37750.227	-6.970	-54888.830058	1042544.294830
62	-149572.729	3.526	-37756.242	-5.843	-133128.509292	873953.455547
61	-149572.413	3.592	-37756.070	-5.969	-135619.803440	892797.733197
51	-149569.137	4.715	-37762.211	-5.356	-178048.824865	801092.297772
50	-149567.698	-5.046	-37761.426	12.939	190544.155596	-1935256.444422
					-50.061507	50.061507
					-25.030753	25.030753

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵 198-4- (6-23 BLOCK) 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
10°	-149575.939 ✓	-8.522	-37750.227 ✓	3.128	321707.434494	-467873.537192
11°	-149581.251 ✓	1.203	-37753.114 ✓	-15.038	-45416.996142	2249402.852538
53°	-149574.736 ✓	12.114	-37765.265 ✓	-9.097	-457488.420210	1360681.373392
51°	-149569.137 ✓	2.323	-37762.211 ✓	9.195	-87721.616153	-1375288.214715
61°	-149572.413 ✓	-3.592	-37756.070 ✓	5.969	135619.803440	-892797.733197
62°	-149572.729 ✓	-3.526	-37756.242 ✓	5.843	133128.509292	-873953.455547
					-171.285279	171.285279
					-85.642639	85.642639 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供198-3. (6-23 BLOCK) 22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
11 °	-149581.251 ✓	-12.914	-37753.114 ✓	8.673	487543.714196	-1297318.189923
12 °	-149587.650 ✓	.118	-37756.592 ✓	-15.641	-4455.277856	2339700.433650
54 °	-149581.133 ✓	12.914	-37768.755 ✓	-8.673	-487745.702070	1297317.166509
53 °	-149574.736 ✓	-.118	-37765.265 ✓	15.641	4456.301270	-2339498.445776
					-200.964460	200.964460
					-100.482230	100.482230 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵199-2. (6-23 BLOCK) 23

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
12	-149587.650	-12.943	-37756.592	8.670	488683.570256	-1296924.925500
13	-149594.076	.120	-37760.085	-15.653	-4531.210200	2341596.071628
55	-149587.530	12.943	-37772.245	-8.670	-488886.167035	1296923.885100
54	-149581.133	-.120	-37768.755	15.653	4532.250600	-2341393.474849
					-201.556379	201.556379
					-100.778189	100.778189

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大機 98-8 ✓ (6-23 BLOCK) 24

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13	-149594.076 ✓	-11.049	-37760.085 ✓	9.712	417211.179165	-1452857.666112
14	-149598.579 ✓	2.068	-37762.533 ✓	-14.603	-78092.918244	2184588.049137
56	-149592.008 ✓	11.049	-37774.688 ✓	-9.712	-417372.527712	1452837.581696
55	-149587.530 ✓	-2.068	-37772.245 ✓	14.603	78113.002660	-2184426.700590
					-141.264131	141.264131
					-70.632065	70.632065 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大拱 198- 9. / (6-23 BLOCK) 25

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
14°	-149598.579 ✓	-13.687	-37762.533 ✓	16.427	516855.789171	-2457455.857233
15°	-149602.294 ✓	6.293	-37764.553 ✓	-20.442	-237652.332029	3058170.093948
58°	-149592.286 ✓	13.687	-37782.975 ✓	-16.427	-517135.578825	2457352.482122
57°	-149588.607 ✓	-6.293	-37780.980 ✓	20.442	237755.707140	-3057890.304294
					-176.414543	176.414543
					-88.207271	88.207271

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大抵198-10. (6-23 BLOCK) 26

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
15	-149602.294	-13.686	-37764.553	16.423	516845.672358	-2456918.474362
16	-149605.972	6.324	-37766.552	-20.421	-238835.674848	3055103.554212
59	-149595.970	13.686	-37784.974	-16.423	-517125.154164	2456814.615310
58	-149592.286	-6.324	-37782.975	20.421	238939.533900	-3054824.072406
					-175.622754	175.622754
					-87.811377	87.811377


岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供 198 - 1. (6-23 BLOCK) 27

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
16°	-149605.972 ✓	-17.974	-37766.552 ✓	14.089	678816.005648	-2107798.539508
17°	-149613.944 ✓	-9.170	-37770.885 ✓	-8.399	346359.015450	1256607.515656
18°	-149615.142 ✓	7.411	-37774.951 ✓	-19.835	-279950.161861	2967616.341570
19°	-149606.533 ✓	18.357	-37790.720 ✓	-10.465	-693724.247040	1565632.367845
60°	-149596.785 ✓	10.563	-37785.416 ✓	5.746	-399127.349208	-859583.126610
59°	-149595.970 ✓	-9.187	-37784.974 ✓	18.864	347130.556138	-2821978.378080
					-496.180873	496.180873
					-248.090436	248.090436 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大供50-1 (6-23 BLOCK) 28

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
19	-149606.533 ✓	4.331	-37790.720 ✓	-31.089	-163671.608320	4651117.504437
交, Ⅲ	-149592.454 ✓	23.732	-37816.505 ✓	-20.532	-897461.296660	3071432.265528
20	-149582.801 ✓	-4.331	-37811.252 ✓	31.089	163760.532412	-4650379.700289
60	-149596.785 ✓	-23.732	-37785.416 ✓	20.532	896723.492512	-3071521.189620
					-648.880056	648.880056
					-324.440028	324.440028 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大供50-5 ✓ (6-23 BLOCK) 29

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
20	-149582.801 ✓	22.143	-37811.252 ✓	-21.396	-837254.553036	3200473.610196
21	-149574.642 ✓	-5.806	-37806.812 ✓	30.272	219506.350472	-4527923.562624
57	-149588.607 ✓	-22.143	-37780.980 ✓	21.396	836584.240140	-3200597.835372
60	-149596.785 ✓	5.806	-37785.416 ✓	-30.272	-219382.125296	4528593.875520
					-546.087720	546.087720
					-273.043860	273.043860 ✓

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大根201-2 (6-23 BLOCK) 30

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
21	-149574.642	35.417	-37806.812	-22.300	-1339003.860604	3335514.516600
22	-149556.591	.768	-37796.988	42.017	-29028.086784	-6283919.284047
52	-149573.874	-35.417	-37764.795	22.300	1337515.744515	-3335497.390200
56	-149592.008	-.768	-37774.688	-42.017	29010.960384	6285407.400136
					-1505.242489	1505.242489
					-752.621244	752.621244

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 大隈 201 - 3. / (6-23 BLOCK) 31

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
22	-149556.591 ✓	25.271	-37796.988 ✓	-27.846	-955167.683748	4164552.832986
23	-149548.603 ✓	-9.282	-37792.641 ✓	36.558	350791.293762	-5467197.828474
49	-149565.873 ✓	-25.271	-37760.430 ✓	27.846	954243.826530	-4164811.299558
52	-149573.874 ✓	9.282	-37764.795 ✓	-36.558	-350532.827190	5468121.685692
					-665.390646	665.390646
					-332.695323	332.695323 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 大橋 才 189- / (BLOCK) 6-23 32

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
23	-149548.603	48.198	-37792.641	-15.380	-1821529.710918	2300057.514140
24	-149517.675	13.533	-37775.810	49.015	-511220.036730	-7328608.840125
45	-149535.070	-48.198	-37743.626	15.380	1819167.285948	-2299849.376600
49	-149565.873	-13.533	-37760.430	-49.015	511011.899190	7330971.265095
					-2570.562510	2570.562510
					-1285.281255	1285.281255

岡山調査測量株式会社

