


21



(8) 工区 (2 /) BLOCK 面積集計表

計測者

積算者

備考

196 . . .

従前の土地			仮換地			
町名	地番	地積	符号	計画地積	確定地積	
	21-1	m ²		2172	432399 20822	隅切を引いた面積
	21-2			2926	069841 076388	"
	21-3			465	343829	"
		小計		5563	846069 857040	
	道路			529	477932 474913	
		合計		6093	324001 325953	
				6093	336772	6095.336419 - (21-1-II 隅切)
		差			009 007800 0.012771	

(確定測量用)

(8) Ⅱ区 (2/-/) BLOCK 面積集計表

計測者

調査者

備考

196 . . .

従前の土地		仮換地				
町名	地番	地積 ㎡	符号	計画地積 ㎡	確定地積 ㎡	
	3-81	/			14,255.81	/
	3-87	/			23,273.16	/
	3-90	/			94,702.08	/
	3-73	/			4,509.64	/
	3-74	/			7,858.31	/
	3-80	/			11,004.52	/
	3-84	/			7,606.45	/
	3-85	/			9,182.58	/
	3-86	/			12,647.69	/
	3-88	/			14,472.97	/
	3-106	/			4,783.26	/
	3-105	/			65,229.26	/
	3-102	/			17,286.85	/
	3-103	/			15,274.25	/
	17-1	/			106,194.29	/
	17-28	/			43,182.07	/
	3-76	/			54,370.33	/

(確定測量用)

(8) Ⅱ区 (2/-/) BLOCK 面積集計表

計集者

清集者

備考

196 . . .

従前の土地

仮

換

地

町名	地番	地積	符号	計画地積	確定地積		
		m ²		m ²	m ²		
	3-98	合			37,100.750	/	
256-4	3-97	/			18,498.398	/	
	3-99	合			23,366.871	/	
	286-4	10等			31,845.537	/	
	3-104	/			128,152.701	/	
	3-100	/			15,405.970	/	
	3-101	/			24,058.178	/	
	3-108	合			851.511	/	
	3-109	合			25,224.753	/	
+	3-134	/			3,369.828	/	
	3-83	合			6,628.671	/	
	3-134	/			7,177.363	/	
	3-135	/			3,967.464	/	
	3-83	合			69,556.372	/	
	3-134	/			55,431.526	/	
	3-135	/			7,921.111	/	
	3-83	合			187.897	/	
			小計		2103,927.52	/	

(8) 工区 (2/-/) BLOCK 面積集計表

計
算
者

直
算
者

備
考 196 . . .

従前の土地			仮換地			
町名	地番	地積	符号	計画地積	確定地積	
	通路	3.25 / m ²		m ²	69,396.47 /	✓
	隔切 I				1,999.647 /	
	" II				1,999.498 /	
	" III				1,999.591 /	
	" IV				1,998.721 /	
			小計		7,998.608 /	
					2180,431,007	2172,432,399
			合計		428,162 2180,787,437 /	428,162 2172,860,561 /
			差		2180,486,885 /	2172,488,278 /
					587,244 225,465 0.055879	

座標法面積計算 (2/7214) 全体

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
2 1 I	147 940.743		37 853.165			
2 1 IV	148 017.515	-76.772	37 868.577	-1721.742	12181.57624	
3 1 V	148 017.274	+0.241	37 798.906	-1667.483		401.863403
3 1 VI	148 002.849	+14.425	37 787.496	-1586.402		22893.848850
3 1 VII	147 995.050	+0.099	37 779.249	-1566.745		12219.044255
3 1 VIII	147 984.177	+10.873	37 779.544	-1558.793		16948.756289
3 1 IX	147 980.176	+4.001	37 777.615	-1559.159		6238.195159
1 1 II	147 937.787	+42.378	37 780.395	-1560.010		66111.663790
2 1 I	147 940.743	-2.946	37 853.165	-1633.560	4812.467760	
$\bar{Z} =$					126994.044584	124803.371746
F = (F ₁) ~ (F ₂) =					12190.672838	
計算者				F / 2 =	6095.336419	
点検者				× 0.3025 =		

座標法面積計算 (2-170.7)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
I	147 ^K - 939.898		37 ^K - 832.295			
II		+ 2.101		- 1612.690		3388,261690
	- 937.797		- 780.395			
III		- 42.379		- 1560,010	66111,663790	
	- 980.176		- 779.615			
IV		- 2.129		- 1610,004	3508,198716	
	- 982.355		- 830.389			
I		+ 42,457		- 1662,684		70592,574588
	- 939.898		- 832.295			
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
	-					
$\bar{Z} =$						
$F = [F_1] \sim [F_2] =$						4360.973772
$F / 2 =$						2180.486886
$\times 0.3025 =$						
計算者						
点検者						

座標法面積計算 (通路 40m)

No.1

21プロット

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
21-2 I II	147 -940.060		37 -836.291			
21-2 I III	147 -986.522	-46.462	37 -834.206	-270.497	12567.831614	
21-2 I 43	147 -985.363	+1.159	37 -807.187	-241.393		279.774487
21-2 I 44	147 -987.276	-1.913	37 -805.144	-212.331	406.189203	
21-2 I V	148 -017.293	-30.017	37 -804.455	-209.599	6291.533183	
21-3 I VI	148 -017.279	+10.014	37 -800.454	-204.909		2.868726
21-3 I 58	147 -987.106	+30.173	37 -801.147	-201.601		6082.906973
21-3 I 59	147 -985.020	+2.086	37 -799.195	-200.342		417.913412
21-3 I 61	147 -984.263	+10.757	37 -781.542	-180.737		136.817909
21-3 I 62	147 -986.176	-1.913	37 -779.490	-161.032	308.054216	
21-3 I II	147 -984.177	+1.999	37 -779.544	-159.034		317.908966
$\bar{z} =$						
F = (F ₁) ~ (F ₂) =						
計算者	F / 2 =					
点検者	× 0.3025 =					

座標法面積計算 (通路4.0m)

No2

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
24-1 147	980.176	+4.001	-37	-159.159		636.795159
24-1 106	978.176	+2.000	37	-159.267		318.534000
21-1 104	980.262	-2.086	37	-161.265	336.398790	
21-1 103	982.269	-2.007	37	-210.004	421.478028	
21-1 101	980.357	+1.912	37	-258.870		494.959440
21-1 168	941.896	+38.461	37	-262.684		10103.089724
21-1 3A	939.817	+2.079	37	-262.502		545.741658
2-2 147	940.060	-0.243	37	-266.588	64.780884	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					20396.265918	19337.310054
$F = (F_1) \sim (F_2) =$					1058.955864	
計算者					$F / 2 =$	529.477932
点検者					$\times 0.3025 =$	

座標法面積計算 (3-101)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2	
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$	
145	147 -952.329		37 -801.517				
144	147 -955.972	-3.643	37 -801.427	-1602.944	5839.524992		
143	147 679 -955.692	0.293 +0.280	37 354 -794.658	1595.781 -1596.685		467.563833 446.903802	
140	147 -952.051 951.951	+3.728 +3.641	37 -794.761 591	-1577.419 1588.945		5946.780579 5787.074579 5923.586960	
145	147 -952.329	-0.378 -0.278	37 -801.517	-1596.2781	603.228824 443.7652841		
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
				$\bar{Z} =$	1442.883816	6391.150793 6782.284309	
				$F = (F_1) \sim (F_2) =$	50.569507 49.311897	51.700023	
計算者					$F / 2 =$	25.284753 24.655948	25.851511
点検者					$\times 0.3025 =$		

3-83
3-109 3-108) 合併換地可
(10"±3)

座標法面積計算

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂	
					Δx · Δy	Δx · Δy	
140	147 952.051 951.951	-3.728 3.741 -3.641	37 794.761 591				
143	147 679 955.692		37 354 794.658	1588.419 1588.945	5946.28069 5787.074579	5923.586960	
142	147 955.609	+0.070 4.073	37 792.650	-1587.004 708		111.090280 701.746564	
141	147 851 951.968	+3.758 +3.641	37 761 792.757	-1585.411 407		5957.996538 5772.46887	
140	147 952.051 951.951	-0.100 4.073	37 794.761 591	-1587.352 518	158.775200 131.760994		
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
計算者					Σ =	6082.322160 6104.115909	6068.064818 6089.721102
点検者					F = [F ₁] ~ [F ₂] =	14.794609 14.825122	13.257342
					F / 2 =	7.180303 7.212561	6.628671
					× 0.3025 =		

座標法面積計算 (3-82 3-108) 合併換地時
 (79.53)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
138	147 061 950.147		37 813 792.811			
		-5.548 -5.462		-1585.461	8786.148724 463 787982 8659.787	
142	147 -955.609		37 792.650			
		+0.521		-1572.727		819.390767
107	147 -955.088		37 780.077			
		+5.479		-1560.255		8548.637145
125	147 -949.609		37 780.178			
		-0.452 -0.538		-1572.979	891 710.991932 846.268082	
138	147 061 950.147		37 813 792.811			
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					8507.140656	8368.027912
$F = (F_1) \sim (F_2) =$					138.112704 138.028152	
計算者					$F/2 =$	18.656372 69.014076
点検者					$\times 0.3025 =$	

座標法面積計算 ($\begin{matrix} 3-82 \\ -134 \\ -135 \end{matrix}$)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
	(147900.000)		(37780.000)			
164	147 -944.783		37 -795.320			
162	-5.360	-5.360	-30.416	-30.416	163.029760	
	-950.143		-795.096			
125	10.534	+10.534	-15.274	-15.274		8.156316
	-949.609		-780.178			
124	13.129	+13.129	-0.413	-0.413		1.292277
	-946.480		-780.235			
133	0.428	-0.428	-11.042	-11.042	4.725976	
	-946.908		-790.807			
134	11.808	+11.808	-21.667	-21.667		39.173936
	-945.100		-790.860			
136	0.132	-0.132	-23.815	-23.815	3.143580	
	-945.232		-792.915			
135	0.525	+0.525	-25.926	-25.926		14.129670
	-944.687		-792.971			
164	0.096	-0.096	-28.291	-28.291	2.715936	
	-944.783		-795.320			
	-	-	-	-	-	-
	-	-	-	-	-	-
				$\bar{Z} =$	173.615252	62.752199
				$F = (F_1) \sim (F_2) =$	110.863053	
計算者				$F / 2 =$	55.431526	
点検者				$\times 0.3025 =$		

座標法面積計算 (閉切 I)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
I	147 -939.898		37 -832.295			
108	147 -941.896	-1.998	37 -832.205	-1664.500	3325.671000	
3A	147 -939.817	+2.079	37 -830.297	-1662.502		3456.341658
I	147 -939.898	-0.081	37 -832.295	-1662.592	134.669952	
				$\bar{Z} =$		
				$F = (F_1) \sim (F_2) =$	3.999294	
計算者					$F / 2 =$	1.999647
点検者					$\times 0.3025 =$	

座標法面積計算 (隅切 I)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
5	147 -937.878		37 -782.393			
6	147 -939.797	-1.919	37 -780.358	-1562.751	2998.919169	
II	147 -937.797	+2.000	37 -780.395	-1560.753		3121.506000
5	147 -937.878	-0.081	37 -782.393	-1562.788	126.585828	
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
				$\bar{z} =$		
				F = (F ₁) ~ (F ₂) =	3.998997	
計算者				F / 2 =	1.999498	
点検者				× 0.3025 =		

座標法面積計算 (隅切皿)

測点	X	△x	Y	△y	(+) F ₁	(-) F ₂
					△x · △y	△x · △y
104	147 -980.262		37 -781.613			
		+0.086		-1561.228		124.265608
Ⅲ	147 -980.176		37 -779.615			
		+2.000		-1559.267		3118.534
106	147 -978.176		37 -779.652			
		-2.076		-1561.265	3256.799790	
104	147 -980.262		37 -781.613			
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
				Σ =		
				F = (F ₁) ~ (F ₂) =	3.999182	
計算者				F / 2 =	1.999591	
点検者				× 0.3025 =		

座標法面積計算 (陽切取)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
101	147 -980.357		37 -830.479			
IV	147 -982.355	-1.998	37	-1660.868	3318.414264	
			-830.389			
103	147 -982.269	+0.086	37	-1658.780		142.655080
			-828.391			
101	147 -980.357	+1.912	37	-1658.870		3171.759440
			-830.479			
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
				$\bar{Z} =$		
				$F = (F_1) \sim (F_2) =$	3.999744	
計算者				$F / 2 =$	1.999872	
点検者				$\times 0.3025 =$		

座標法面積計算 (上石井)

✓ 236-6 ✓ 237-5
 ✓ 286-4 ✓ 292-7
 ✓ 287-4 ✓ 292-10
 ✓ 292-21 ✓ 288-2 (計)
~~238-5 (計)~~ ✓ 286-12
~~237-1 (計)~~ ✓ 287-5
~~236-1 (計)~~

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					Δx · Δy	Δx · Δy
100	147 -957.218		37 -831.518			
		-23.137		-1661.997	38456.948583	
101	147 -980.357		37 -830.479			
		-1.912		-1658.876	3171.7594402	
103	147 -982.269		37 -828.391			
		+2.007		-1610.004		3231.278028
104	147 -980.262		37 -781.613			
		+2.086		-1561.265		3256.798790
106	147 -978.176		37 -779.652			
		+23.088		-1559.729		36011.023152
107	147 -955.088		37 -780.077			
		-2.130		-1611.595	3432.6973501	
100	147 -957.218		37 -831.518			
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
		-		-		
Σ =						
F = (F ₁) ~ (F ₂) =					2562.305403	
計算者				F / 2 =	1281.152701	
点検者				× 0.3025 =		

座標法面積計算 (3-73)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
5	147 -937.878		37 -782.393			
		-3.263 -3.284			71.5 5105.665045	
26	147 141 -941.159		37 322 -782.324		5133.726634	
		+0.079 +0.077				123.449803
21	147 -941.062		37 -780.335			157.577632
		+1.265				1974.276645
6	147 -939.797		37 -780.358			
		+1.918				2998.919169
5	147 -937.878		37 -782.393			
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
	-	-	-	-		
$\bar{Z} =$					5105.665045	5098.645717
F = [F ₁] ~ [F ₂] =					9.019328	
F / 2 =					7.053188	
計算者					4.509664	
点検者					6.526594	
				× 0.3025 =		

座標法面積計算 (3-74)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
127	147 234 -941.273		37 651 -784.650			
		-1.813 -1.814		-1569.263	2845.073819	
128	147 047 -943.107		37 612 -784.611			
		+0.157 +0.227		-1564.913		245.681341 355.235024
122	147 890 -942.880		37 -780.301			
		+1.838 +1.818		-1560.636		2852.842608 2837.206249
121	147 -941.062		37 -780.335			
		-0.172 -0.211		-1564.986	269.177592	
127	147 234 -941.273		37 651 -784.650		320.211725	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					3114.251411	2098.533949
$F = (F_1) \sim (F_2) =$					15.777482	
$F / 2 =$					7.888741	
計算者					7.888741	
点検者					$\times 0.3025 =$	

座標法面積計算 (3-80)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					Δx · Δy	Δx · Δy
129	147.112 943.202		37.416 786.415			
		-1.808 -1.841		-1572.787 ²⁸⁰	2843.604320	
130	147 945.043 944.920	+0.240 +0.263	37 786.372 374	-1566.642 ⁶⁴²		375.884080 568.690320
123	147 944.680		37 780.268			
		-1.280 +1.805		-1560.569		2783.418510 2807.024200
122	147.890 942.880		37 780.301			
		0.222 -0.322		-1566.776 ⁷⁷⁶	347.811174	534.482552
129	147.112 943.202		37.416 786.415			
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
Σ =					3181.415484	3168.412590
F = (F ₁) ~ (F ₂) =					22.002904	
F / 2 =					11.001452	
計算者					11.128549	
点検者					× 0.3025 =	

座標法面積計算 (3-84)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
120	147 -937.972		37 720 -784.8			
127	147 234 -941.273	3.262 -3.201	37 051 -784.650	371 -1519.370	5119.288202 5180.490370	
126	147 141 -941.159	+4.093 +0.114	37 322 -782.321	173 -1566.971		145.728489 178.634694
5	147 -937.878	+3.263 +3.271	37 -782.393	115 -1564.714		5105.665045 5133.826634
120	147 -937.972	-0.094	37 -784.720	113 -1567.113	147.308622	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					5266.596824	5251.383534
$F = [F_1] \sim [F_2] =$					15.203290 15.227664	
計算者					$F / 2 =$	7.601645 7.668832
点検者					$\times 0.3025 =$	

座標法面積計算 (3-86)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
118	147 938.122		37 788.410			
		-6.863 -7.028		-1576.582 ⁵⁸⁶	10829.569234	11080.218296
131	147 945.150 944.991		37 788.176 788.172			
		+0.071 +0.767		-1574.544 ⁵⁴⁰		111.793050 168.476208
130	147 945.043 944.920		37 786.374 786.372			
		+6.874 +6.997		-1572.907 ⁹⁰⁹		10812.176466 11005.630279
119	147 938.046		37 786.535			
		-0.076		-1574.945	1119.695820	
118	147 938.122		37 788.410			
-						
-						
-						
-						
-						
-						
-						
-						
$\bar{Z} =$					10949.265054	10823.869516
$F = (F_1) \sim (F_2) =$					25.295538 25.707629	
計算者				$F / 2 =$	12.647769 12.703814	
点検者				$\times 0.3025 =$		

座標法面積計算 (3-88)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
116	147 -938.314		37 -793.159			
136	147 -945.232	-6.918	37 -792.955	-1586.114	10972.736652	
134	147 -945.258	+0.132 -0.026	37 -790.855	-1583.870	209.063580 41.179060	209.063580
117	147 -938.229	+6.877 +7.029	37 -791.062	-1581.917		10969.386062 1119.294593
116	147 -938.314	-0.085	37 -793.159	-1584.221	134.658785	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	11107.395437	111078.449642
				$F = (F_1) \sim (F_2) =$	28.945795 29.279904	
計算者				$F / 2 =$	14.472897 14.639952	
点検者				$\times 0.3025 =$		

座標法面積計算 (17-28)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
153	147 -949.047		37 -831.884			
152	147 -952.622	-3.575	37 -831.724	-1663.608	5947.398600	
155	147 -952.172	+0.450	37 -819.861	-1651.585		743.213250
154	147 479 -948.529	+3.683 +3.642	37 027 -820.025	⁸⁸⁸ -1639.884		6056.106384 5974.104617
153	147 -949.047	-0.568 -0.518	37 -831.884	⁵¹¹ -1651.909	538.285448 715.688762	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	6886.684048	6799.318634
				$F = (F_1) \sim (F_2) =$	6799.31 85.78751486	76444
計算者				$F / 2 =$	43.182207	42.884757
点検者				$\times 0.3025 =$		

座標法面積計算 (3-81)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
131	147 - 945.150 944.991	-1.800 -1.849	37 - 788.172 176	-1576.282	2849.834128 2914.545418	
132	147.799 - 946.994		37.115 - 788.110	-1568.345		500.303650 500.302055
124	147.480 - 946.680	+0.319	37 - 780.235	-1560.503		2808.905400 3121.000000
123	147 - 944.680	+1.800 +2.080	37 - 780.268	-1568.440	489.786084 737.166800	
131	147 - 945.150 944.991	0.311 -2.470	37 - 788.172 176			
-						
-						
-						
-						
-						
-						
-						
-						
-						
-						
-						
-						
-						
$\bar{Z} =$					3237.720212	3309.209050
$F = [F_1] \sim [F_2] =$					28.511162 30.604163	
計算者				$F / 2 =$	14.255581 15.202081	
点検者				$\times 0.3025 =$		

座標法面積計算 (3-87)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
117	147 - 938.229		37 - 791.062			
133	147 - 947.108 946.908	-8.679 -8.877	37 - 790.801 807	181.868 -1571.763	1579.441051 140.45-361577	
132	147.799 - 946.999	+0.109	37.115 - 788.110	178.922 -1578.911		19.502498 172.101-299
118	147 - 938.122	+8.679 +8.877	37 - 788.410	176.525 -1576.520		1531.207425 13994.768040
117	147 - 938.229	-0.107	37 - 791.062	-1579.472	19.203504 169.003504	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\Sigma =$	1597.604555	1551.209923
				$F = (F_1) \sim (F_2) =$	46.434632 47.695742	
計算者				$F / 2 =$	23.217316 23.747871	
点検者				$\times 0.3025 =$		

座標法面積計算 (~~3-75~~ 道路)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
113	147 -938.828		37 -805.853			
149	147 -956.137	-17.309	37 -805.423	-1611.276	27889.576284	
144	147 -955.972	+0.165	37 -801.427	-1606.850		265.130250
114	147 -938.666	+17.306	37 -801.856	-1603.283		27746.415598
113	147 -938.828	-0.162	37 -805.853	-1607.709	260.448858	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$						
$F = \{F_1\} \sim \{F_2\} =$					128.479294	
計算者					$F / 2 =$	64.239647
点検者					$\times 0.3025 =$	

座標法面積計算 (3-97)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
115	147 -938.431		37 -796.054			
148	147 -944.805	-6.374	37 -795.874	-1591.928	10146.949072	
135	147 -944.687	+0.118	37 -792.971	-1588.845		187.483710
116	147 -938.314	+6.373	37 -793.159	-1586.130		10108.406490
115	147 -938.431	-0.117	37 -796.054	-1589.213	185.937921	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$		
				$F = [F_1] - [F_2] =$	36.996793	
計算者				$F / 2 =$	18.498396	
点検者				$\times 0.3025 =$		

座標法面積計算 (3-104)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
110	147 197 - 939.177		37 984 - 814.485			
158	147 479 - 944.465	-5.282 -6.288	37 739 - 814.393	28.723 -1628.878	156.886886 7513.506864	
159	147 361 - 944.347	+0.118	37 838 - 811.502	26.577 -1625.895		3.136086 191.855610
111	147 - 939.078	+5.283 +5.269	37 - 812.047	23.885 -1623.549		126.184455 7554.479681
110	147 194 - 939.177	-0.116 -0.099	37 984 - 814.485	27.031 -1626.532	3.135586 161.026668	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	160.32482	129.220541
				$F = (F_1) \sim (F_2) =$	30811841 28.198241	
計算者				$F / 2 =$	15.405870 14.099120	
点検者				$\times 0.3025 =$		

座標法面積計算 (3-105)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
159	147 479 944.465		37 739 814.393			
156	147 765 951.759	-2.286 -2.294	37 401 814.265	1629.1401 -1628.657	11869.914040 11879.431452	
157	147 951.400	0.365 0.359	37 805.941	-1619.942 -1619.806		591.278830 591.510356
161	147 944.112	4.288	37 805.722	-1611.263		11742.884744
158	147 479 944.465	0.362 0.353	37 739 814.393	-1620.461 -1620.115	594.709187 571.900695	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					12464.623227	12374.163574
$F = (F_1) - (F_2) =$					130.4596531 126.936747	
計算者					$F / 2 =$	65.2298265 63.4683735
点検者					$\times 0.3025 =$	

座標法面積計算 (3-102)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
112	147 -938.961		37 -809.141			
160	147 294 -944.230	-5.283 -5.289	37 970 -808.612	1618.111 -1617.753	8548.480413 8525.940557	
161	147 -944.112	+0.132 +0.118	37 -805.722	1614.324		213.139344 190.491412
113	147 -938.828	+5.284	37 -805.853	-1611.575		7515.562300
112	147 -938.961	-0.133	37 -809.141	-1614.994	214.794202	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					8013.274615	8029.201844
$F = (F_1) - (F_2) =$					34.502371	32.681067
計算者					$F / 2 =$	17.251185
点検者					$\times 0.3025 =$	5.2180533

座標法面積計算 (3-103)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
111	147 - 939.078		37 - 812.047			
159	147 361 - 944.347	-5.283 -5.269	37 838 - 811.502	-1623.549	8508.884 455 8554.479 681	
160	147 244 - 944.230	+0.117	37 970 - 808.612	-1620.114		189.634 576 189.553 338
112	147 - 938.961	+5.283 +5.269	37 - 809.141	-1618.111 -1617.753		8548.480 413 8523.940 557
111	147 - 939.078	-0.117	37 - 812.047	-1621.188	189.678 996	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					8768.663 451	8738.114 949
$F = \{F_1\} \sim \{F_2\} =$					30.548 502 30.664 782	
計算者					$F / 2 =$	15.274 251 15.332 391
点検者					$\times 0.3025 =$	

座標法面積計算 (3-106)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
156	147 765 951.759		37 401 814.265			
150	147 956.500	4.735 -4.741	37 814.182	-1628.583 447	2711.340 505	7720.467 227
149	147 956.137	+0.363	37 805.423	-1619.605		587.916 615
157	147 951.400	+4.737	37 805.541	-1610.564		7631.136 468
156	147 765 951.759	-0.365 -0.359	37 401 814.265	-1619.806 842	581.278 8830	581.510 354
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	820.619335	829.053089
				$F = (F_1) \sim (F_2) =$	83.5662521	82.924498
計算者				$F / 2 =$	41.783126	41.462249
点検者				$\times 0.3025 =$		

座標法面積計算 (3-90)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
109	147 - 939.418		37 - 820.433			
		-17.209		-1640.090	28388.317810	
151	147 - 956.727		37 - 819.657			
		+0.227		-1633.839		370.881453
150	147 - 956.500		37 - 814.182			
		+17.323		-1629.166		28189.459288
110	147 197 - 939.177		37 984 - 814.485			28213.328441
		-0.221 -0.247		-1635.417 -1634.918	361.427157 394.015238	
109	147 - 939.418		37 - 820.433			
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					28749.744987	28560.740751
$F = (F_1) - (F_2) =$					188.404216	178.053184
計算者					$F / 2 =$	94.202108 89.026577
点検者					$\times 0.3025 =$	

(8) 工区 (2/2) BLOCK 面積集計表

計算者

精算者

備考

196 . . .

従前の土地			仮換地			
町名	地番	地積 ㎡	符号	計画地積 ㎡	確定地積 ㎡	
	260-72	/			60,645.314	/
	260-11	/			60,583.091	/
	253-45	/			69,790.191	/
	253-50	/			62,516.289	/
	243-5	/			96,318.490	/
	260-6	/			179,025.810	/
	253-49	/			171,565.80	/
	253-36	/			132,058.899	/
	253-51	/			221,312.074	/
	253-37	/			67,669.26	/
	289-1	/			68,976.989	/
	253-48	/			94,324.723	/
	4-323	/			3,171.771	/
	253-40	/			292,610.077	/
	253-38	/			141,546.336	/
	271	/			93,411.685	/
	3-64	/			560,345.160	/
	241	/			158,703.609	/
	242-1	/			157,661.69	/
	15-22	/				/

(8) 工区 (2-2) BLOCK 面積集計表

計算者

精算者

備考

196 . . .

従前の土地

仮

換

地

町名	地番	地積	符号	計画地積	確定地積	
	17-15	㎡		㎡	29,113,905.25	/
	17-16				31,561,950	/
	17-20				39,842,670	/
	243-19				40,606,03	/
			小計		244,039,287	/
					007,287	
					879,112,288	
					2,879,001,346	
	通路				47,062,560	/
	隅切				1,997,979	/
			合計		067,820	
					2,928,974,767	2,260,698,411
					2,928,706,885	
					2,928,042,127	2,928,042,127
					002,564,3	
					0,222,40	
					0,019,758	

21-2 7'014

座標法面積計算 (260-12)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2	
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$	
I	147 - 940.743		37 - 853.165				
7	147 - 945.773	- 5.030	37 - 854.175	- 107.340	539.920200		
22	147 - 945.201	+ 0.572	37 - 841.338	- 95.513		54.633436	
1	147 - 940.273	+ 4.928	37 - 841.559	- 82.897		408.516416	
I	147 - 940.743	- 0.470	37 - 853.165	- 94.724	44.520280		
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
					$\bar{Z} =$	584.440480	463.149852
					$F = (F_1) \sim (F_2) =$	121.290628	
計算者					$F / 2 =$	60.645314	
点検者					$\times 0.3025 =$		

座標法面積計算 (260-11)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
7	147 - 945.773		37 - 854.175			
8	147 - 950.287	- 4.514	37 - 855.081	- 109.256	493.181584	
23	147 - 949.763	+ 0.524	37 - 841.133	- 96.214		50.416136
22	-147 - 945.201	+ 4.562	37 - 841.338	- 82.471		376.232702
7	147 - 945.773	- 0.572	37 - 854.175	- 85.513	54.673436	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{F} =$					547.815020	426.848938
$F = (F_1) \sim (F_2) =$					121.166182	
計算者					$F / 2 =$	60.583091
点検者					$\times 0.3025 =$	

座標法面積計算 (253-45)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
8	147 - 950.287		37 - 855.081			
9	147 - 955.169	- 4.882	37 - 856.061	- 111.142	542.595244	
24	147 - 954.509	+ 0.660	37 - 840.920	- 96.981		64.007460
23	147 - 949.763	+ 4.746	37 - 841.133	- 82.053		389.423538
8	147 - 950.287	- 0.524	37 - 855.081	- 96.214	50.416136	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					593.011380	453.430998
$F = (F_1) \sim (F_2) =$					129.580382	
計算者					$F / 2 =$	64.790191
点検者					$\times 0.3025 =$	

座標法面積計算 (25-50)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
9	147 - 955.169		37 - 856.061			
10	147 - 959.178	- 4.009	37 - 856.866	- 112.927	452.724343	
25	147 - 958.524	+ 0.654	37 - 840.740	- 97.606		62.834324
24	147 - 954.509	+ 4.015	37 - 840.920	- 81.660		327.864900
9	147 - 955.169	- 0.660	37 - 856.061	- 96.981	64.007460	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\Sigma =$					576.731803	391.639224
F = (F ₁) - (F ₂) =					125.032579	
計算者					F / 2 =	62.516289
点検者					× 0.3025 =	

上石井
座標法面積計算 (243-5)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
I	147 - 940.273		37 - 841.559			
25	147 - 958.524	- 18.251	37 - 840.740	- 82.299	150.039049	
26	147 - 958.310	+ 0.214	37 - 835.472	- 96.212		16.209368
II	147 - 940.060	+ 18.250	37 - 836.291	- 71.763		1309.674750
I	147 - 940.273	- 0.213	37 - 841.559	- 77.85	16.582050	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	1518.621099	1325.984118
				$F = (F_1) - (F_2) =$	192.636981	
計算者				$F / 2 =$	96.318490	
点検者				$\times 0.3025 =$		

座標法面積計算 (260-6)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
10	147 - 959.178		37 - 856.866			
11	147 - 967.236	- 8.058	37 - 858.483	- 115.749	929.482242	
27	147 - 966.300	+ 0.936	37 - 835.113	- 93.596		87.645856
26	147 - 958.710	+ 7.990	37 - 835.472	- 179.585		563.974150
10	147 - 959.178	- 0.868	37 - 856.866	- 92.338	80.149384	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					1009.631626	580006 / 651.5000
$F = [F_1] - [F_2] =$					358.051620	
計算者					$F / 2 =$	179.25810
点検者					$\times 0.3025 =$	

座標法面積計算 (253-4P)

(253-36)

測点	X	Δx	Y	Δy	(+)	F ₁	(-)	F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$		
11	147 - 967.236		37 - 858.483					
11	147 - 974.338	- 7.102	37 - 859.909	- 118.392	840.819	984		
27	147 - 973.363	+ 0.975	37 - 834.787	- 94.706			92.338	350
27	147 - 966.300	+ 7.063	37 - 835.113	- 69.910			493.774	330
11	147 - 967.236	- 0.936	37 - 858.483	- 93.596	87.605	856		
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
$\bar{Z} =$					228.425	840	586.112	680
$F = (F_1) \sim (F_2) =$					342.313	3160		
計算者					$F / 2 =$			
点検者					$\times 0.3025 =$			

座標法面積計算 (253-5)

測点	X	Δx	Y	Δy	(+)	F ₁	(-)	F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$		
11	147 - 974.338		37 - 859.909					
12	147 - 979.524	- 5.186	37 - 860.950	- 120.859	626.774774			
28	147 - 978.467	+ 1.057	37 - 834.567	- 95.577			100.961469	
27	147 - 973.363	+ 5.104	37 - 834.797	- 69.364			354.033856	
11	147 - 974.338	- 0.975	37 - 859.909	- 74.906	92.388250			
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
-	-	-	-	-				
$\Sigma =$					719.113124		454.995325	
F = [F ₁] - [F ₂] =					264.117799			
計算者				F / 2 =	132.058899			
点検者				× 0.3025 =				

座標法面積計算 (253-37)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
12	147 - 979.524		37 - 860.950			
13	147 - 987.685	- 8.161	37 - 862.589	- 127.539	1008.201779	
III	147 - 986.522	+ 1.163	37 - 834.206	- 96.785		112.572585
28	147 - 978.467	+ 8.055	37 - 834.567	- 68.773		553.966515
12	147 - 979.524	- 1.057	37 - 860.950	- 85.517	100.961469	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	1109.163248	666.539106
				$F = (F_1) \sim (F_2) =$	442.624148	
計算者				$F / 2 =$	221.312074	
点検者				$\times 0.3025 =$	分筆後の座標なし	

座標法面積計算 (289-1)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
13	147 -987.685		37 -862.589			
39	147 -991.718	-4.033	37 -863.398	-125.987	508.105571	
40	147 -991.067	+0.651	37 -846.151	-109.549		71.716399
33	147 -987.015	+4.052	37 -846.239	-92.390		774.784280
13	147 -987.685	-0.670	37 -862.589	-108.828	72.914760	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\Sigma =$					581.020331	445.880679
$F = (F_1) - (F_2) =$					135.339652	
計算者					$F / 2 =$	67.669826
点検者					$\times 0.3025 =$	

座標法面積計算 (28P-~~2~~²)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
39	147 - 991.718		37 - 863.398			
14	147 - 995.674	- 3.956	37 - 864.192	- 127.590	504.746040	
34	147 - 994.939	+ 0.735	37 - 846.067	- 110.259		81.040365
40	147 - 991.067	+ 3.872	37 - 846.151	- 92.218		357.068096
39	147 - 991.718	- 0.651	37 - 863.398	- 109.549	71.316399	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	576.062439	438.108461
				F = (F ₁) ~ (F ₂) =	137.953978	
計算者				F / 2 =	68.976989	
点検者				× 0.3025 =		

座標法面積計算 (253-48)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
14	147 - 995.674		37 - 864.192			
15	148 - 000.761	- 5.087	37 - 865.214	- 129.406	658.288322	
35	147 - 999.982	+ 0.729	37 - 845.957	- 111.171		86.602209
34	147 - 994.939	+ 5.043	37 - 846.067	- 92.024		464.077032
14	147 - 995.674	- 0.135	37 - 864.192	- 110.259	81.040365	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	739.328687	550.879241
				$F = [F_1] \sim [F_2] =$	188.879244	
計算者				$F / 2 =$	94.224723	
点検者				$\times 0.3025 =$		

座標法面積計算 (4-223)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
165	(47990 ^m) 147 -999.806		(37540 ^m) 37 -841.610			
166	148 -017.422	-17.616	-841.552	-3.162	55.701792	
18	148 -017.421	+0.001	-841.372	-2.924		0.002924
36	147 -999.798	+17.623	-841.430	-2.802		49.37.9646
165	147 -999.806	-0.008	-841.610	-3.040	0.024320	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					55.726112	49.382570
$F = [F_1] \sim [F_2] =$					6.343542	
計算者					$F/2 =$	3.171771
点検者					$\times 0.3025 =$	

3-64 4-271

座標法面積計算 (未指定地)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2	
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$	
36	147 -999.798		37 -841.430				
18	148 -017.421	-17.623	37 -841.372	-82.802	1459.219646		
19	148 -017.403	+9018	37 -836.099	-77.471		1.394478	
37	147 -999.585	+17.886	37 -836.161	-22.260		1287.528680	
36	147 -999.798	-0.213	37 -841.430	-77.591	16.526883		
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
-	-	-	-	-			
					$\bar{Z} =$	1475.746529	1288.923158
					$F = (F_1) - (F_2) =$	186.823371	
計算者					$F / 2 =$	93.411685	
点検者					$\times 0.3025 =$		

座標法面積計算 (253-40)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
15	148 -000.761		37 -865.214			
16	148 -009.045	*-P.284	37 -866.877	-132.091	1094.241844	
38	148 -008.619	+0.426	37 -851.361	-118.238		50.369388
17	148 -017.455	-8.936	37 -851.330	-102.691	907.377676	
18	148 -017.421	+0.034	37 -841.372	-92.702		3.151868
36	147 -999.798	+17.623	37 -841.430	-82.902		1459.219646
15	148 -000.761	-0.963	37 -865.214	-106.644	102.698172	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				$\bar{Z} =$	2104.377892	1512.740902
				$F = (F_1) \sim (F_2) =$	591.576790	
計算者				$F / 2 =$	295.788395	
点検者				$\times 0.3025 =$		

座標法面積計算 (253-38)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
16	148 -009.045		37 -866.877			
17	148 -017.455	-8.410	37 -868.577	-135.454	1147.295380	
17	148 -017.455	+0.060	37 -851.330	-119.907		7194420
38	148 -008.619	+8.836	37 -851.361	-102.691		807.277676
16	148 -009.045	-0.426	37 -866.877	-118.238	50.369388	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					1197.664768	814.572096
$F = [F_1] - [F_2] =$					283.092672	
計算者					$F / 2 =$	141.546336
点検者					$\times 0.3025 =$	

座標法面積計算 (²⁴¹ 242-1 242-2)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					Δx · Δy	Δx · Δy
33	147 - 987.015		37 - 846.239			
35	147 - 999.982	- 12.967	37 - 845.957	- 2.196	1195.505532	
37	147 - 999.585	+ 0.397	37 - 836.161	- 2.118		32.600846
19	148 - 017.403	- 17.818	37 - 836.099	- 2.260	1297.528680	
20	148 - 017.353	+ 0.050	37 - 821.771	- 57.870		2.893500
30	147 - 986.030	+ 31.323	37 - 822.750	- 44.521		1394.531283
III	147 - 986.522	- 0.492	37 - 834.206	- 56.956	28.022352	
33	147 - 987.015	- 0.493	37 - 846.239	- 80.445	39.659385	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
				Z =	2550.715949	1430.025629
				F = (F ₁) ~ (F ₂) =	1120.690320	
計算者				F / 2 =	560.345160	
点検者				× 0.3025 =		

座標法面積計算 (道路) ^{M.} 1.50

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					Δx · Δy	Δx · Δy
30	147 - 986.030		37 - 822.750			
20	147 - 017.753	- 31.223	37 - 821.771	- 44.521	1384.531283	
21	147 - 017.348	+ 0.005	37 - 820.270	- 42.041		0.210205
41	147 - 985.966	+ 31.382	37 - 821.251	- 41.521		1303.012022
30	147 - 986.030	- 0.064	37 - 822.750	- 44.001	2.816064	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
Σ =					1397.347347	1303.222227
F = (F ₁) - (F ₂) =					94.125120	
計算者					F / 2 =	47.062560
点検者					× 0.3025 =	

面積計算書

工区

8

ブロック

21-2

計測者

田

精算者

備考

197

地点	①	②	③	④	⑤	⑥	③ × ⑤		② × ⑥		
	X	X-(定数)	X _{n-1} -X _{n+1}	Y	Y-(定数)	Y _{n-1} -Y _{n+1}	+	-	+	-	
上伊福 五三	41	-147. 985.966	980.000 5.966	+ 16.772	-37. 821.251	810.000 11.251	+ 9.114	188.701772		54.88/404	
	42	985.550	5.550	- 15.907	811.546	1.546	+ 10.205	24.592222		56.637750	
	4P	-148. 001.873	2.1873	- 16.772	811.046	1.046	- 9.114		17.543512		20.100562
	50	-148. 002.322	22.322	+ 15.907	-37. 820.740	10.740	- 10.205	170.84180			227.786010
								34.542862	42.135734	111.489154	428.896372
							317.407218				
							407.628186	+ 1/2			
								158.703609			
								207.834343			
										(158.70) ^{m²}	

(確定測量用)

面積計算書

工
区

8

ブ
ロ
ック

21-2

計
算
者

福

精
算
者

備
考

197

地 番	点	①	②	③	④	⑤	⑥	③ × ⑤		② × ⑥	
		X	X-(定数)	X _{n-1} -X _{n+1}	Y	Y-(定数)	Y _{n-1} -Y _{n+1}	+	-	+	-
		-147.	980.000		-37.	800.000					
上	42	984.550	4.550	+ 5.084	811.446	11.546	+ 4.209	58.699864		23.359960	
伊	43	984.363	5.363	- 1.726	807.187	7.187	+ 6.402		12.404762	34.333926	
福	44	987.276	7.276	- 4.912	805.144	5.144	+ 2.112		25.267328	15.366912	
一	45	990.275	10.275	- 3.171	805.075	5.075	- 6.252		16.092825		64.239300
七	42	990.447	10.447	+ 4.725	811.396	11.396	- 6.471	53.846100			67.602437
五								112.544964	53.764915	73.060788	131.841837
								58.781049	× 1/2		
								29.390525			(29.39)

面積計算書

工区

8

ブロック

21-2

計取者



精算者

備考

197

地番	点	①	②	③	④	⑤	⑥	③ × ⑤		② × ⑥		
		X	X-(定数)	X _{n-1} -X _n	Y	Y-(定数)	Y _{n-1} -Y _n	+	-	+	-	
工 伊 橋 一 七 一 六	42	-147. 990.447	990.000 0.447	+ 5.250	-37. 811.396	900.000 11.396	+ 6.165	49.829000		2.755755		
	45	990.275	0.275	- 4.760	805.075	5.975	+ 6.434		24.157000	1.761350		
	46	995.207	5.207	- 5.250	804.962	4.962	- 6.165		26.050500		32.101150	
	47	995.525	5.525	+ 4.760	811.240	11.240	- 6.434	13.402400			35.447850	
								13.331400	10.207500	4.525105	67.647005	
								63.123000	x/2			
								31.561500				
											31.561500 ²	



(確定測量用)

面積計算書

工区

9

ブロック

21-2

計算者

番

精算者

備考

197

地番	点	①	②	③	④	⑤	⑥	③ × ⑤		② × ⑥		
		X	X-(定数)	X _{n-1} -X _{n+1}	Y	Y-(定数)	Y _{n-1} -Y _{n+1}	+	-	+	-	
	51	-147. PPV.525	990.000 5.525	+ 6.666	-37. 811.240	800.000 11.240	+ 6.984	74.925840			33.614100	
	46	PPV.207	5.207	- 6.05P	804.862	4.862	+ 6.424		30.064758		33.44768	
	47	-148. 001.484	11.484	- 6.666	804.816	4.816	- 6.084		32.103616			70.477056
	48	-148. 001.873	11.873	+ 6.05P	811.046	11.046	- 6.424	66.927714				76.272152
								141.853554	62.168214	67.063868	146.744228	
								79.685340	× 1/2			
									39.842670			(39.84) ^{m²}

上
伴
溜
毛
1
0

座標法面積計算 (243-19)

測点	X	Δx	Y	Δy	(+) F ₁	(-) F ₂
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
50	148 -002.322		37 -820.740			
21	148 -017.348	-15.026	37 -820.270	-41.010	616.216260	
7	148 -017.293	+0.055	37 -804.455	-24.125		1359875
47	148 -001.584	+15.109	37 -804.816	-9.271		145.638139
50	148 -002.322	-0.738	37 -820.740	-25.556	18.860328	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					635.076588	146.598014
$F = (F_1) \sim (F_2) =$					488.018574	
計算者					$F / 2 =$	244.039287
点検者					$\times 0.3025 =$	

(8 . .) 工区 (2 / - 3) BLOCK 面積集計表

計算者

精算者

備考

196 . . .

従前の土地			仮換地			
町名	地番	地積 m ²	符号	計画地積 m ²	確定地積 m ²	
	5 15-X				152,940.88	✓
	260-9				101,863.52	✓
	286-19				79,291.67	✓
	243-23				27,697.84	✓
	243-24				30,566.76	✓
	243-22				27,659.39	✓
	243-21				25,224.14	✓
			小計		465,316.01	
	隅切 I				1,999.78	
	II				1,999.23	
			小計		3,999.01	
			合計		469,315.02	
					469,323.05	465,324.04
			差		4,008.03	

座標法面積計算 (47甲 15-2)

測点	X	Δx	Y	Δy	(+) F_1	(-) F_2
					$\Delta x \cdot \Delta y$	$\Delta x \cdot \Delta y$
59	147 -985.020		37 -799.195			
58	147 -987.106	-2.086	37 -801.147	-1607.342	3338.313412	
57	147 018 -996.029	-8.912 -8.923	37 -800.942	-1602.089	14277817168 14295.440144	
68	147 -995.388	+0.630 +0.641	37 -786.748	-1587.690		1000.244700 +014.409290
60	147 -984.497	+10.891	37 -786.990	-1572.728		17139.580558
59	147 -985.020	-0.523	37 -799.195	-1586.185	829.598755	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
$\bar{Z} =$					18445.705335	18129.825258
$F = (F_1) - (F_2) =$					305.880077	308.038466
計算者					$F / 2 =$	152.940038 153.019233
点検者					$\times 0.3025 =$	

座標法面積計算 (286-19)

測点	X	△x	Y	△y	(+) F ₁	(-) F ₂
					△x · △y	△x · △y
60	147 -984.497		37 -786.990			
68	147 -995.388 <small>385</small>	-10.891 888	37 -786.748	-1573.438	1412.580558 1714.859344	
III	147 -995.050	+0.338 5	37 -779.249	-1565.997		529.306986 524.608995
62	147 -786.176	+8.874	37 -779.490	-1557.439		13832.249886
61	147 -984.263	+1.913	37 -781.542	-1561.032		2986.250216
60	147 -984.497	-0.214	37 -786.990	-1567.532	367.036488	
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
-	-	-	-	-		
Σ =					17501.895832	17343.113097
F = (F ₁) - (F ₂) =					158.805358	
計算者					F / 2 =	79.402679
点検者					× 0.3025 =	

