


面地確定計算書

BLOCK NO. 108-1

保留地分筆 156.12



17179.484800 17433.300907
 ｼﾞｲﾝｼﾞﾝｼﾞﾝ= 233.816107
 ｽﾞｼﾞﾝ= 116.908053

6 LOT

元NO. X _o Y _o	X	Y	(X-X _o)(Y _{N-1} -Y _o)	(X _{N-1} -X _o)(Y-Y _o)
	-150100.000	-38500.000		
23	-150170.358	-38572.436		
10	-150171.311	-38579.375	5165.483596	5584.666250
14	-150171.141	-38579.603	5646.816875	5676.569533
24	-150155.479	-38582.007	4416.294837	5834.059987
53	-150154.559	-38574.546	4474.219913	4135.737534
23	-150170.358	-38572.436	5244.907468	3952.035724
			24947.722689	25183.069028
			ｼﾞｲﾝｼﾞﾝｼﾞﾝ=	235.346339
			ｽﾞｼﾞﾝ=	117.673169

7 LOT

元NO. X _o Y _o	X	Y	(X-X _o)(Y _{N-1} -Y _o)	(X _{N-1} -X _o)(Y-Y _o)
	-150100.000	-38500.000		
24	-150155.479	-38582.007		
25	-150153.593	-38582.296	4395.001151	4565.699784
46	-150152.880	-38574.390	4351.812480	3986.783270
47	-150154.321	-38574.184	4040.939190	3922.849920
48	-150152.417	-38560.864	3888.502728	3306.193344
50	-150152.865	-38560.804	3217.575360	3187.163268
52	-150153.659	-38567.240	3262.681836	3554.642600
53	-150154.559	-38574.546	3668.547160	4000.063814
24	-150155.479	-38582.007	4135.737534	4474.219913
			30960.797439	30997.615913
			ｼﾞｲﾝｼﾞﾝｼﾞﾝ=	36.818474
			ｽﾞｼﾞﾝ=	18.409237

8 LOT

元NO. X _o Y _o	X	Y	(X-X _o)(Y _{N-1} -Y _o)	(X _{N-1} -X _o)(Y-Y _o)
	-150100.000	-38500.000		
26	-150151.616	-38582.599		
45	-150151.004	-38576.365	4212.879396	3941.655840
43	-150148.309	-38577.187	3460.021785	3936.845748
44	-150143.082	-38562.107	3325.370334	2814.006063

48	-150152.417	-38560.864	3255.462619	2622.142848
47	-150154.321	-38574.184	3306.193344	3888.502728
46	-150152.880	-38574.390	3922.849920	4040.939190
25	-150153.593	-38582.296	3986.783270	4351.812480
26	-150151.616	-38582.599	4247.790336	4426.728207
			29717.351004	30022.633104
			平均値=	305.282100
			最大値=	152.641050

9 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
27	-150138.264	-38584.643		
42	-150137.547	-38578.329	3178.090721	2997.180856
43	-150145.309	-38577.187	3549.008661	2898.140289
45	-150151.004	-38576.365	3936.845748	3460.021785
26	-150151.616	-38582.599	3941.655840	4212.879396
15	-150138.542	-38584.607	3183.530658	4367.074912
27	-150138.264	-38584.643	3237.402248	3262.310506
			21026.533876	21197.607744
			平均値=	171.073868
			最大値=	85.536934

10 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
27	-150138.264	-38584.643		
28	-150135.774	-38584.968	3028.018682	3251.215552
41	-150134.568	-38576.088	2937.173824	2721.972112
39	-150133.850	-38570.801	2575.578800	2447.448968
38	-150133.041	-38564.855	2339.335841	2195.341750
37	-150132.853	-38563.468	2130.681315	2097.046188
44	-150143.082	-38562.107	2734.328376	2040.401271
43	-150145.309	-38577.187	2814.006063	3325.370334
42	-150137.547	-38578.329	2898.140289	3549.008661
27	-150138.264	-38584.643	2997.180856	3178.090721
			24454.444046	24805.895557
			平均値=	351.451511
			最大値=	175.725755

11 LOT

元NO. X。Y。	X	Y	(X-X。)(YN-1-Y。)	(XN-1-X。)(Y-Y。)
	-150100.000	-38500.000		
28	-150135.774	-38584.968		
29	-150129.904	-38585.734	2540.883072	3067.048116
40	-150128.581	-38576.990	2450.363454	2302.308960
54	-150131.541	-38576.546	2428.341590	2187.761226
41	-150134.568	-38576.088	2646.042128	2399.891608
28	-150135.774	-38584.968	2721.972112	2937.173824
			12787.602356	12894.183734
			平均イマセキ=	106.581378
			イマセキ=	53.290689

12 LOT

12 LOT

元NO. X。Y。	X	Y	(X-X。)(YN-1-Y。)	(XN-1-X。)(Y-Y。)
	-150100.000	-38500.000		
16	-150123.589	-38586.557		
13	-150123.363	-38586.385	2022.231191	2037.735765
30	-150122.213	-38577.946	1918.870005	1821.052398
40	-150128.581	-38576.990	2227.774626	1710.178870
29	-150129.904	-38585.734	2302.308960	2450.363454
16	-150123.589	-38586.557	2022.379326	2588.400528
			10493.564108	10607.731015
			平均イマセキ=	114.166907
			イマセキ=	57.083453

13 LOT

元NO. X。Y。	X	Y	(X-X。)(YN-1-Y。)	(XN-1-X。)(Y-Y。)
	-150100.000	-38500.000		
30	-150122.213	-38577.946		
31	-150121.501	-38572.723	1675.916946	1615.395999
39	-150133.850	-38570.801	2461.673550	1522.292301
41	-150134.568	-38576.088	2447.448968	2575.578800
54	-150131.541	-38576.546	2399.891608	2646.042128
40	-150128.581	-38576.990	2187.761226	2428.341590
30	-150122.213	-38577.946	1710.178870	2227.774626
			12882.871168	13015.425444
			平均イマセキ=	132.554276
			イマセキ=	66.277138

14 LOT

元NO. X.Y.	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
31	-150121.501	-38572.723		
32	-150120.670	-38566.626	1503.184410	1432.525626
38	-150133.041	-38564.855	2201.387666	1340.552850
39	-150133.850	-38570.801	2195.341750	2339.335841
31	-150121.501	-38572.723	1522.292301	2461.673550
			7422.208127	7574.087867
			平均偏差=	151.879740
			偏差=	75.939870

15 LOT

元NO. X.Y.	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
32	-150120.670	-38566.626		
33	-150119.941	-38561.277	1328.589066	1266.595590
36	-150132.288	-38559.305	1978.511776	1182.601005
37	-150132.853	-38563.468	1948.347165	2049.254784
38	-150133.041	-38564.855	2097.046188	2130.681315
32	-150120.670	-38566.626	1340.552850	2201.389666
			8693.047045	8830.522360
			平均偏差=	137.475315
			偏差=	68.737657

16 LOT

元NO. X.Y.	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
33	-150119.941	-38561.277		
34	-150119.158	-38555.531	1173.944766	1107.343671
35	-150131.522	-38553.666	1750.448182	1028.133228
36	-150132.288	-38559.305	1732.767808	1869.412210
33	-150119.941	-38561.277	1182.601005	1978.511776
			5839.761761	5983.400885
			平均偏差=	143.639124
			偏差=	71.819562

スロ LOT

元NO. X.Y.	X	Y	(X-X ₀) (Y-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
12	-150125.616	-38588.108		
16	-150123.589	-38586.557	2078.379612	2217.244112
29	-150129.904	-38585.734	2588.400528	2022.379326
28	-150135.774	-38584.968	3067.048116	2540.803072
27	-150138.264	-38584.643	3251.215552	3028.018682
15	-150138.542	-38584.607	3262.310506	3237.402248
26	-150151.616	-38582.599	4367.074912	3183.530658
25	-150153.593	-38582.296	4426.728207	4247.790336
24	-150155.479	-38582.007	4565.699784	4395.001151
14	-150171.141	-38579.603	5834.059987	4416.294837
11	-150169.606	-38581.659	5540.846418	5809.302919
4	-150138.795	-38586.389	3167.960905	6013.192734
12	-150125.616	-38588.108	2212.940624	3418.149860
			44362.665151	44529.189935
			平均値=	166.524784
			標準値=	83.262392

1 スキリ

元NO. X.Y.	X	Y	(X-X ₀) (Y-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
1	-150118.544	-38551.017		
6	-150118.814	-38552.999	959.833838	982.813456
7	-150120.518	-38550.698	1087.433482	953.832172
1	-150118.544	-38551.017	940.143712	1046.766806
			2987.411032	2983.412434
			平均値=	3.998598
			標準値=	1.999299

2 スキリ

元NO. X.Y.	X	Y	(X-X ₀) (Y-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
2	-150166.358	-38543.296		
8	-150164.384	-38543.615	2787.569664	2894.204170
9	-150166.630	-38545.277	2906.067450	2915.114368
2	-150166.358	-38543.296	3004.491166	2884.812480
			8698.128280	8694.131018
			平均値=	3.997262
			標準値=	1.998631

3 スケリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
	-150100.000	-38500.000		
3	-150171.583	-38581.356		
10	-150171.311	-38579.375	5801.577716	5681.900625
11	-150169.606	-38581.659	5524.976250	5823.184949
3	-150171.583	-38581.356	5845.396197	5662.865736
			17171.950163	17167.951310
			ハイスケリ=	3.998853
			スケリ=	1.999426

5 スケリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
	-150100.000	-38500.000		
5	-150123.633	-38588.367		
12	-150125.616	-38588.108	2263.609072	2082.256364
13	-150123.363	-38586.385	2058.467204	2212.838160
5	-150123.633	-38588.367	2041.536705	2064.518221
			6363.612981	6359.612745
			ハイスケリ=	4.000236
			スケリ=	2.000118


7 LOT

FUNO. X _o Y _o	X	Y	(X-X _o)(Y _{N-1} -Y _o)	(X _{N-1} -X _o)(Y-Y _o)
	-150100.000	-38500.000		
25	-150153.593	-38582.296		
46	-150152.880	-38574.390		
100	-150154.130	-38574.211	4351.812480	3986.783270
101	-150152.226	-38560.889	4026.730700	3924.277680
50	-150152.865	-38560.804	3875.743686	3295.921570
52	-150153.659	-38567.240	3218.896985	3175.549704
53	-150154.559	-38574.546	3262.681836	3554.642600
24	-150155.479	-38582.007	3668.547160	4000.063814
25	-150153.593	-38582.296	4135.737534	4474.219913
			4395.001151	4565.699784
			30935.151532	30977.158335
			h [*] イ/セキ=	42.006803
			イ/セキ=	21.003401

8 LOT

FUNO. X _o Y _o	X	Y	(X-X _o)(Y _{N-1} -Y _o)	(X _{N-1} -X _o)(Y-Y _o)
	-150100.000	-38500.000		
26	-150151.616	-38582.599		
45	-150151.004	-38576.365		
43	-150145.309	-38577.187	4212.879396	3941.655840
44	-150143.082	-38562.107	3460.021785	3936.845748
101	-150152.226	-38560.889	3325.370334	2814.006063
100	-150154.130	-38574.211	3243.600162	2623.219898
46	-150152.880	-38574.390	3295.921570	3875.743686
25	-150153.593	-38582.296	3924.277680	4026.730700
26	-150151.616	-38582.599	3986.783270	4351.812480
			4247.790336	4426.728207
			29696.644553	29996.742622
			h [*] イ/セキ=	300.098069
			イ/セキ=	150.049034

108-17"口⇒7



全体 55.773 m²

シウケイ ヒヨウ

55.773308

1-1 LOT

19.905561

1-2 LOT

23.362619

1-3 LOT

12.504934

ゴウケイ

55.773114

0.000000

元NO. X ₀ , Y ₀ =	X	Y	(X-X ₀) (Y _{N-1} -Y ₀)	(X _{N-1} -X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
6	-150118.814	-38552.999		
7	-150120.518	-38550.698	1087.433482	953.832172
19	-150130.892	-38549.023	1566.162616	1005.853914
35	-150131.522	-38553.666	1545.303006	1657.850072
34	-150119.158	-38555.531	1028.133228	1750.448182
6	-150118.814	-38552.999	1044.760234	1015.354842
			6271.792566	6383.339182
			平均ノセキ=	111.546616
			ノセキ=	55.773308

1-1 LOT

元NO. X ₀ , Y ₀ =	X	Y	(X-X ₀) (Y _{N-1} -Y ₀)	(X _{N-1} -X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
6	-150118.814	-38552.999		
7	-150120.518	-38550.698	1087.433482	953.832172
56	-150124.574	-38550.043	1245.852652	1026.782274
58	-150125.062	-38553.629	1254.177666	1317.879046
55	-150119.023	-38554.540	1020.184467	1366.881480
6	-150118.814	-38552.999	1026.115560	1008.199977
			5633.763827	5673.574949
			平均ノセキ=	39.811122
			ノセキ=	19.905561

1-2 LOT

元NO. X ₀ , Y ₀ =	X	Y	(X-X ₀) (Y _{N-1} -Y ₀)	(X _{N-1} -X ₀) (Y-Y ₀)
	-150100.000	-38500.000		
56	-150124.574	-38550.043		
19	-150130.892	-38549.023	1545.928356	1204.691202
57	-150131.387	-38552.675	1538.684901	1627.236100
58	-150125.062	-38553.629	1320.140850	1683.253423
56	-150124.574	-38550.043	1317.879046	1254.177666
			5722.633153	5769.358391
			平均ノセキ=	46.725238
			ノセキ=	23.362619

