

画地確定計算書


BLOCK NO. 121-2

121-2 Block 12

保留地面積変更

計算書 使用不可

保留地変更 (556.12) 使用不可



* * * * * KAKUHITSU MENSEKI KESAN-SHO * * * * *

BLOCK . LOT	KAKUHITSU MENSEKI	SUMIKIRI.SUIRO MENSEKI
121-2 BLOCK	767.774574	
1 LOT	206.959774	
2 LOT	165.153661	
3 LOT	165.017094	
4 LOT	115.540103	
5 LOT	115.036180	
1 入三判		2.000187
2 入三判		2.000852
3 入三判		1.995924
4 入三判		1.994579
TOTAL =	767.706812	7.991542

* * * * * M E N S E K I K E I S A N * * * * *

121-2 BLOCK

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-5	- 150359.335	- 38757.185		
01212-6	- 150361.208	- 38755.056	+ 3500.179480	+ 3266.747760
01212-7	- 150371.401	- 38754.374	+ 3931.053456	+ 3328.123792
01212-8	- 150373.530	- 38756.237	+ 3998.120220	+ 4015.378037
01212-9	- 150376.821	- 38805.669	+ 4320.182577	+ 7769.841570
01212-10	- 150374.972	- 38807.934	+ 7922.216268	+ 8291.597814
01212-11	- 150364.537	- 38809.354	+ 6965.736558	+ 8198.488088
01212-12	- 150362.432	- 38807.627	+ 6827.188928	+ 6945.923699
01212-5	- 150359.335	- 38757.185	+ 6386.048045	+ 3570.173920
			+ 43850.725532	+ 45386.274680
		BAI MENSEKI =	1535.549148	
		MENSEKI =	767.774574	

1 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-16	- 150360.121	- 38769.957		
01212-5	- 150359.335	- 38757.185	+ 4150.898595	+ 3438.019385
01212-6	- 150361.208	- 38755.056	+ 3500.179480	+ 3266.747760
01212-7	- 150371.401	- 38754.374	+ 3931.053456	+ 3328.123792
01212-8	- 150373.530	- 38756.237	+ 3998.120220	+ 4015.378037
01212-17	- 150374.380	- 38769.014	+ 4182.908060	+ 5074.599420
01212-16	- 150360.121	- 38769.957	+ 4149.190694	+ 5203.401660
			+ 23912.350505	+ 24326.270054
		BAI MENSEKI =	413.912549	
		MENSEKI =	206.959774	

2 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-15	- 150360.827	- 38781.467		
01212-16	- 150360.121	- 38769.957	+ 4897.877507	+ 4255.274439
01212-17	- 150374.380	- 38769.014	+ 5203.401660	+ 4149.190694
01212-18	- 150375.146	- 38780.523	+ 5186.126044	+ 5989.300740
01212-15	- 150360.827	- 38781.467	+ 4897.972521	+ 6121.919182
			+ 20185.377732	+ 20515.685055
		BAI MENSEKI =	330.307323	
		MENSEKI =	165.153661	

* * * * * M E N S E K I K E I S A N * * * * *

3 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-14	- 150361.530	- 38792.928		
01212-15	- 150360.827	- 38781.467	+ 5652.531456	+ 5012.664510
01212-18	- 150375.146	- 38780.523	+ 6121.919182	+ 4897.972521
01212-19	- 150375.908	- 38791.966	+ 6112.339884	+ 6910.877036
01212-14	- 150361.530	- 38792.928	+ 5658.667980	+ 7053.978624
			+ 23545.458502	+ 23875.492691
		BAI MENSEKI =	330.034189	
		MENSEKI =	165.017094	

4 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-13	- 150362.020	- 38800.919		
01212-14	- 150361.530	- 38792.928	+ 6209.546070	+ 5763.394560
01212-19	- 150375.908	- 38791.966	+ 7053.978624	+ 5658.667980
01212-20	- 150376.440	- 38799.955	+ 7029.881040	+ 7587.384140
01212-13	- 150362.020	- 38800.919	+ 6199.209100	+ 7714.248360
			+ 26492.614834	+ 26723.695040
		BAI MENSEKI =	231.080206	
		MENSEKI =	115.540103	

5 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38800.000		
01212-12	- 150362.432	- 38807.627		
01212-13	- 150362.020	- 38800.919	+ 473.026540	+ 57.375008
01212-20	- 150376.440	- 38799.955	+ 70.248360	- 2.790900
01212-9	- 150376.821	- 38805.669	- 3.456945	+ 433.338360
01212-10	- 150374.972	- 38807.934	+ 425.016268	+ 609.497814
01212-11	- 150364.537	- 38809.354	+ 512.036558	+ 701.288088
01212-12	- 150362.432	- 38807.627	+ 583.988928	+ 492.223699
			+ 2060.859709	+ 2290.932069
		BAI MENSEKI =	230.072360	
		MENSEKI =	115.036180	

1 入替り

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-1	- 150359.212	- 38755.189		
01212-5	- 150359.335	- 38757.185	+ 3274.639315	+ 3386.038220

* * * * * M E N S E K I K E I S A N * * * * *

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
01212-6	- 150361.208	- 38755.056	+ 3500.179480	+ 3266.747760
01212-1	- 150359.212	- 38755.189	+ 3259.975872	+ 3378.008312
			+ 10034.794667	+ 10030.794292
		BAI MENSEKI =	4.000375	
		MENSEKI =	2.000187	

2 入替り

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38700.000		
01212-2	- 150373.397	- 38754.241		
01212-7	- 150371.401	- 38754.374	+ 3872.861641	+ 3990.888478
01212-8	- 150373.530	- 38756.237	+ 3998.120220	+ 4015.378037
01212-2	- 150373.397	- 38754.241	+ 4127.627089	+ 3988.340730
			+ 11998.608950	+ 11994.607245
		BAI MENSEKI =	4.001705	
		MENSEKI =	2.000852	


3 入替り

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38800.000		
01212-3	- 150376.954	- 38807.665		
01212-9	- 150376.821	- 38805.669	+ 588.832965	+ 436.252226
01212-10	- 150374.972	- 38807.934	+ 425.016268	+ 609.497814
01212-3	- 150376.954	- 38807.665	+ 610.553036	+ 574.660380
			+ 1624.402269	+ 1620.410420
		BAI MENSEKI =	3.991849	
		MENSEKI =	1.995924	

4 入替り

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150300.000	- 38800.000		
01212-4	- 150362.555	- 38809.623		
01212-11	- 150364.537	- 38809.354	+ 621.039551	+ 585.139470
01212-12	- 150362.432	- 38807.627	+ 583.988928	+ 492.223699
01212-4	- 150362.555	- 38809.623	+ 477.106985	+ 600.783136
			+ 1682.135464	+ 1678.146305
		BAI MENSEKI =	3.989159	
		MENSEKI =	1.994579	

121-2 BLOCK



3 LOT

元/NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
14	-150361.527	-38792.886	5649.605178	5009.897502
15	-150360.823	-38781.426	6120.059586	4894.609279
18	-150375.161	-38780.473	6109.671106	6909.400408
19	-150375.922	-38791.928	5656.054056	7052.090892
14	-150361.527	-38792.886		
			23535.389926	23865.998081
			平均値=	330.608155
			标准値=	165.304077

4 LOT

元/NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
13	-150362.018	-38800.879	6206.782233	5760.603948
14	-150361.527	-38792.886	7052.090892	5656.054056
19	-150375.922	-38791.928	7028.263312	7586.050318
20	-150376.454	-38799.919	6196.776542	7712.603066
13	-150362.018	-38800.879		
			26483.912979	26715.311388
			平均値=	231.398409
			标准値=	115.699204

5 LOT

元/NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
20	-150376.454	-38799.919	7677.476203	8078.741272
9	-150376.837	-38805.668	7923.831984	8293.247921
10	-150374.988	-38807.933	6965.672021	8200.237752
11	-150364.537	-38809.354	6827.188928	6945.923699
12	-150362.432	-38807.627	6674.811286	6298.077728
13	-150362.018	-38800.879	7712.603066	6196.776542
20	-150376.454	-38799.919		
			43781.583488	44013.004914
			平均値=	231.421426
			标准値=	115.710713

3 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
	-150300.000	-38700.000		
14	-150361.527	-38792.885		
15	-150360.823	-38781.426	5649.544355	5009.897502
18	-150375.161	-38780.473	6120.059586	4894.609279
19	-150375.922	-38791.928	6109.671106	6909.400408
14	-150361.527	-38792.885	5656.054056	7052.014970
			23535.329103	23865.922159
			平均値=	330.593056
			標準値=	165.296528

4 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
	-150300.000	-38700.000		
13	-150362.018	-38800.879		
14	-150361.527	-38792.885	6206.782233	5760.541930
19	-150375.922	-38791.928	7052.014970	5656.054056
20	-150376.454	-38799.919	7028.263312	7586.050318
13	-150362.018	-38800.879	6196.776542	7712.603066
			26483.837057	26715.249370
			平均値=	231.412313
			標準値=	115.706156

121-2 BLOCK

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
5	-150300.000	-38700.000		
6	-150359.335	-38757.185		
7	-150361.208	-38755.056	3500.179480	3266.747760
8	-150371.418	-38754.373	3931.989408	3328.062584
9	-150373.547	-38756.236	3998.971031	4016.262648
10	-150376.837	-38805.668	4321.005532	7771.564396
11	-150374.988	-38807.933	7923.831984	8293.247921
12	-150364.537	-38809.354	6965.672021	8200.237752
5	-150362.432	-38807.627	6827.188928	6945.923699
5	-150359.335	-38757.185	6386.048045	3570.173920
			43854.886429	45392.220680
			平均イメジキ=	1537.334251
			ズレキ=	768.667125

1 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
5	-150300.000	-38700.000		
6	-150359.335	-38757.185		
7	-150361.208	-38755.056	3500.179480	3266.747760
8	-150371.418	-38754.373	3931.989408	3328.062584
17	-150373.547	-38756.236	3998.971031	4016.262648
16	-150374.395	-38768.970	4183.677220	5072.536590
5	-150360.117	-38769.920	4146.269490	5201.698400
5	-150359.335	-38757.185	4148.703200	3437.790645
			23909.789829	24323.098627
			平均イメジキ=	413.308798
			ズレキ=	206.654399

2 LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(Y _{N-1} -Y ₀)	(X _{N-1} -X ₀)(Y-Y ₀)
16	-150300.000	-38700.000		
17	-150360.117	-38769.920		
18	-150374.395	-38768.970	5201.698400	4146.269490
15	-150375.161	-38780.473	5183.854170	5986.788835
16	-150360.823	-38781.426	4894.609279	6120.059586
16	-150360.117	-38769.920	4895.086842	4252.744160
			20175.248691	20505.862071
			平均イメジキ=	330.613380
			ズレキ=	165.306690

121-2 BLOCK

元NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
1	-150359.212	-38755.189		
2	-150373.414	-38754.240	4051.645246	3211.658880
3	-150376.970	-38807.664	4174.852800	7904.044896
4	-150362.555	-38809.623	6734.921520	8437.682310
1	-150359.212	-38755.189	6490.997076	3452.347895
			21452.416642	23005.733981
			イメセキ=	1553.317339
			メセキ=	776.658669

カチ LOT

元NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
5	-150359.335	-38757.185		
6	-150361.208	-38755.056	3500.179480	3266.747760
7	-150371.418	-38754.373	3931.989408	3328.062584
8	-150373.547	-38756.236	3998.971031	4016.262648
9	-150376.837	-38805.668	4321.003532	7771.564396
10	-150374.988	-38807.933	7923.831984	8293.247921
11	-150364.537	-38809.354	6965.672021	8200.237752
12	-150362.432	-38807.627	6827.188928	6945.923699
5	-150359.335	-38757.185	6386.048045	3570.173920
			43854.886429	45392.220680
			イメセキ=	1537.334251
			メセキ=	768.667125

1 スキリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀) (YN-1-Y ₀)	(XN-1-X ₀) (Y-Y ₀)
	-150300.000	-38700.000		
1	-150359.212	-38755.189		
5	-150359.335	-38757.185	3274.639315	3386.038220
6	-150361.208	-38755.056	3500.179480	3266.747760
1	-150359.212	-38755.189	3259.975872	3378.008312
			10034.794667	10030.794292
			イメセキ=	4.000375
			メセキ=	2.000187

2 スキリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(YN-1-Y ₀)	(XN-1-X ₀)(Y-Y ₀)
2	-150373.414	-38754.240		
7	-150371.418	-38754.373	3873.712320	3991.739422
8	-150373.547	-38756.236	3998.971031	4016.262648
2	-150373.414	-38754.240	4128.509704	3989.189280
			12001.193055	11997.191350
			平均Xの差=	4.001705
			平均Yの差=	2.000852

3 スケリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(YN-1-Y ₀)	(XN-1-X ₀)(Y-Y ₀)
3	-150376.970	-38807.664		
9	-150376.837	-38805.668	588.878768	436.265960
10	-150374.988	-38807.933	425.031984	609.547921
3	-150376.970	-38807.664	610.603010	574.708032
			1624.513762	1620.521913
			平均Xの差=	3.991849
			平均Yの差=	1.995924

4 スケリ

元NO. X ₀ Y ₀	X	Y	(X-X ₀)(YN-1-Y ₀)	(XN-1-X ₀)(Y-Y ₀)
4	-150362.555	-38809.623		
11	-150364.537	-38809.354	621.039551	585.139470
12	-150362.432	-38807.627	583.988928	492.223699
4	-150362.555	-38809.623	477.106985	600.783136
			1682.135464	1678.146305
			平均Xの差=	3.989159
			平均Yの差=	1.994579