


画地確定計算書

BLOCK NO. 65



BLOCK . LOT	KAKUHITSU MENSEKI	SUMIKIRI.SUIRO MENSEKI
65 BLOCK	5464.049757	
1 LOT	652.577528	
2 LOT	131.171817	
3 LOT	190.689895	
4 LOT	386.883432	
5 LOT	182.937254	
6 LOT	178.477088	
7 LOT	839.470876	
8 LOT	528.692992	
9 LOT	227.262045	
10 LOT	474.478070	
11 LOT	422.508072	
23 LOT	15.194007	
13 LOT	15.084391	
14 LOT	508.145652	
15 LOT	710.334628	
1 ㄨㄨㄨ		1.999290
2 ㄨㄨㄨ		4.490900
3 ㄨㄨㄨ		1.996630
4 ㄨㄨㄨ		1.999034
TOTAL =	5463.907747	10.485854

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

65 BLOCK

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-5	- 150408.640	- 39132.635		
OS65-6	- 150406.507	- 39130.703	+ 863.055945	+ 1129.273920
OS65-7	- 150401.126	- 39050.355	+ 147.171578	+ 327.659985
OS65-8	- 150403.926	- 39047.348	+ 197.693730	+ 53.313848
OS65-9	- 150463.901	- 39047.062	+ 3025.584548	+ 184.765412
OS65-10	- 150466.027	- 39049.048	+ 3107.362674	+ 3134.216248
OS65-11	- 150471.033	- 39128.623	+ 3484.026584	+ 8492.590821
OS65-12	- 150469.160	- 39130.683	+ 8895.566680	+ 9282.805539
OS65-5	- 150408.640	- 39132.635	+ 1129.101120	+ 9173.036600
			+ 20849.562859	+ 31777.662373
		BAI MENSEKI =	10928.099514	
		MENSEKI =	5464.049757	

1 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-7	- 150401.126	- 39050.355		
OS65-8	- 150403.926	- 39047.348	+ 197.693730	+ 53.313848
OS65-18	- 150427.035	- 39047.238	+ 1280.053180	+ 185.456388
OS65-40	- 150428.651	- 39071.577	+ 1353.415938	+ 1935.084195
OS65-17	- 150402.666	- 39073.353	+ 190.824282	+ 2101.636803
OS65-7	- 150401.126	- 39050.355	+ 82.595478	+ 134.246430
			+ 3104.582608	+ 4409.737664
		BAI MENSEKI =	1305.155056	
		MENSEKI =	652.577528	

2 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-18	- 150427.035	- 39047.238		
OS65-19	- 150432.461	- 39047.212	+ 1533.392718	+ 1276.376420
OS65-39	- 150434.054	- 39071.208	+ 1607.757448	+ 2311.482888
OS65-40	- 150428.651	- 39071.577	+ 2040.180408	+ 2437.483158
OS65-18	- 150427.035	- 39047.238	+ 1935.084195	+ 1353.415938
			+ 7116.414769	+ 7378.758404
		BAI MENSEKI =	262.343635	
		MENSEKI =	131.171817	

3 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-19	- 150432.461	- 39047.212		
OS65-20	- 150440.490	- 39047.174	+ 1911.613880	+ 1531.315214

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS65-37	- 150442.050	- 39070.661	+ 1983.666700	+ 2861.063890
OS65-39	- 150434.054	- 39071.208	+ 2406.289694	+ 2994.296400
OS65-19	- 150432.461	- 39047.212	+ 2311.482888	+ 1607.757448
			+ 8613.053162	+ 8994.432952
		BAI MENSEKI =	381.379790	
		MENSEKI =	190.689895	

4 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-20	- 150440.490	- 39047.174		
OS65-21	- 150453.224	- 39047.113	+ 2510.788976	+ 1907.605370
OS65-41	- 150454.241	- 39062.105	+ 2555.456233	+ 3305.476520
OS65-22	- 150466.798	- 39061.310	+ 4148.489790	+ 3325.515710
OS65-23	- 150467.268	- 39068.784	+ 4124.201080	+ 4594.633632
OS65-38	- 150442.040	- 39070.504	+ 2891.679360	+ 4742.663072
OS65-20	- 150440.490	- 39047.174	+ 2854.706960	+ 1983.194960
			+ 19085.322399	+ 19859.089264
		BAI MENSEKI =	773.766865	
		MENSEKI =	386.883432	

変更後の資料なし

5 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-21	- 150453.224	- 39047.113		
OS65-9	- 150463.901	- 39047.062	+ 3010.567813	+ 2504.827888
OS65-10	- 150466.027	- 39049.048	+ 3107.362674	+ 3134.216248
OS65-22	- 150466.798	- 39061.310	+ 3276.308304	+ 4048.115370
OS65-41	- 150454.241	- 39062.105	+ 3325.515710	+ 4148.489790
OS65-21	- 150453.224	- 39047.113	+ 3305.476520	+ 2555.456233
			+ 16025.231021	+ 16391.105529
		BAI MENSEKI =	365.874508	
		MENSEKI =	182.937254	

変更後の資料なし

6 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-23	- 150467.268	- 39068.784		
OS65-24	- 150467.711	- 39075.831	+ 4657.433424	+ 5100.999708
OS65-36	- 150442.508	- 39077.551	+ 3223.424148	+ 5251.055761
OS65-38	- 150442.040	- 39070.504	+ 3260.244040	+ 2996.984032
OS65-23	- 150467.268	- 39068.784	+ 4742.663072	+ 2891.679360

\*\*\*\*\* MENSEKI KEISAN \*\*\*\*\*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
			+ 15883.764684	+ 16240.718861
		BAI MENSEKI =	356.954177	
		MENSEKI =	178.477088	変更後の資料なし

7 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-24	- 150467.711	- 39075.831		
OS65-25	- 150469.802	- 39109.072	+ 5293.155462	+ 7385.374192
OS65-33	- 150444.716	- 39110.788	+ 4877.263552	+ 7733.223976
OS65-36	- 150442.508	- 39077.551	+ 4709.376304	+ 3467.770516
OS65-24	- 150467.711	- 39075.831	+ 5251.055761	+ 3223.424148
			+ 20130.851079	+ 21809.792832
		BAI MENSEKI =	1678.941753	
		MENSEKI =	839.470876	変更後の資料なし

8 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-25	- 150469.802	- 39109.072		
OS65-11	- 150471.033	- 39128.623	+ 644.411376	+ 1997.942646
OS65-12	- 150469.160	- 39130.683	+ 1979.566680	+ 2179.505539
OS65-26	- 150446.087	- 39131.426	+ 1414.087421	+ 2173.422160
OS65-33	- 150444.716	- 39110.788	+ 1405.245016	+ 497.186556
OS65-25	- 150469.802	- 39109.072	+ 753.023976	+ 405.663552
			+ 6196.334469	+ 7253.720453
		BAI MENSEKI =	1057.385984	
		MENSEKI =	528.692992	

9 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-26	- 150446.087	- 39131.426		
OS65-27	- 150438.482	- 39131.671	+ 1209.335332	+ 1459.621377
OS65-32	- 150436.512	- 39101.985	+ 1156.371552	+ 76.386770
OS65-34	- 150444.097	- 39101.466	+ 87.532545	+ 53.526592
OS65-26	- 150446.087	- 39131.426	+ 67.563542	+ 1385.792322
			+ 2520.802971	+ 2975.327061
		BAI MENSEKI =	454.524090	
		MENSEKI =	227.262045	

\* \* \* \* \* M E N S E K I K E I S A N \* \* \* \* \*

10 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-27	- 150438.482	- 39131.671		
OS65-28	- 150422.375	- 39132.190	+ 708.638625	+ 1238.735580
OS65-31	- 150420.445	- 39103.083	+ 658.124550	+ 68.982125
OS65-32	- 150436.512	- 39101.985	+ 112.566496	+ 40.583325
OS65-27	- 150438.482	- 39131.671	+ 76.386770	+ 1156.371552
			+ 1555.716441	+ 2504.672582
		BAI MENSEKI =	948.956141	
		MENSEKI =	474.478070	

11 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-28	- 150422.375	- 39132.190		
OS65-5	- 150408.640	- 39132.635	+ 278.121600	+ 730.208125
OS65-6	- 150406.507	- 39130.703	+ 212.355945	+ 265.273920
OS65-13	- 150404.857	- 39106.068	+ 149.124471	+ 39.484476
OS65-29	- 150420.572	- 39105.008	+ 124.830896	+ 24.323856
OS65-28	- 150422.375	- 39132.190	+ 112.054000	+ 662.212680
			+ 876.486912	+ 1721.503057
		BAI MENSEKI =	845.016145	
		MENSEKI =	422.508072	

23 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-13	- 150404.857	- 39106.068		
OS65-14	- 150404.793	- 39105.113	+ 29.083924	+ 24.833841
OS65-30	- 150420.508	- 39104.038	+ 104.857404	+ 19.354134
OS65-29	- 150420.572	- 39105.008	+ 83.069736	+ 102.704064
OS65-13	- 150404.857	- 39106.068	+ 24.323856	+ 124.830896
			+ 241.334920	+ 271.722935
		BAI MENSEKI =	30.388015	
		MENSEKI =	15.194007	

13 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-14	- 150404.793	- 39105.113		
OS65-15	- 150404.729	- 39104.157	+ 24.179377	+ 19.924501

\*\*\*\*\* M E N S E K I K E I S A N \*\*\*\*\*

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
OS65-31	- 150420.445	- 39103.083	+ 84.989865	+ 14.579507
OS65-30	- 150420.508	- 39104.038	+ 63.226164	+ 82.556910
OS65-14	- 150404.793	- 39105.113	+ 19.354134	+ 104.857404
			+ 191.749540	+ 221.918322
		BAI MENSEKI =	30.168782	
		MENSEKI =	15.084391	

14 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-15	- 150404.729	- 39104.157		
OS65-16	- 150403.869	- 39091.310	+ 402.983433	+ 431.804990
OS65-35	- 150443.243	- 39088.617	+ 3948.518330	+ 342.859173
OS65-34	- 150444.097	- 39101.466	+ 3907.743849	+ 4387.694238
OS65-15	- 150404.729	- 39104.157	+ 479.832714	+ 4593.011229
			+ 8739.078326	+ 9755.369630
		BAI MENSEKI =	1016.291304	
		MENSEKI =	508.145652	

15 LOT

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-16	- 150403.869	- 39091.310		
OS65-17	- 150402.666	- 39073.353	+ 243.432460	+ 283.802757
OS65-37	- 150442.050	- 39070.661	+ 3084.493650	+ 188.382226
OS65-35	- 150443.243	- 39088.617	+ 3055.593623	+ 3726.344850
OS65-16	- 150403.869	- 39091.310	+ 342.859173	+ 3948.518330
			+ 6726.378906	+ 8147.048163
		BAI MENSEKI =	1420.669257	
		MENSEKI =	710.334628	

1 入三ナ

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-1	- 150406.641	- 39132.699		
OS65-5	- 150408.640	- 39132.635	+ 282.519360	+ 216.729035
OS65-6	- 150406.507	- 39130.703	+ 212.355945	+ 265.273920
OS65-1	- 150406.641	- 39132.699	+ 203.898623	+ 212.772393
			+ 698.773928	+ 694.775348
		BAI MENSEKI =	3.998580	
		MENSEKI =	1.999290	



\*\*\*\*\* MENSEKI KEISAN \*\*\*\*\*

2 入出

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-2	- 150400.926	- 39047.362		
OS65-7	- 150401.126	- 39050.355	+ 53.329612	+ 46.628730
OS65-8	- 150403.926	- 39047.348	+ 197.693730	+ 53.313848
OS65-2	- 150400.926	- 39047.362	+ 43.844248	+ 185.943212
			+ 294.867590	+ 285.885790
		BAI MENSEKI =	8.981800	
		MENSEKI =	4.490900	

3 入出


TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39000.000		
OS65-3	- 150465.901	- 39047.052		
OS65-9	- 150463.901	- 39047.062	+ 3006.669852	+ 3101.432862
OS65-10	- 150466.027	- 39049.048	+ 3107.362674	+ 3134.216248
OS65-3	- 150465.901	- 39047.052	+ 3232.312248	+ 3106.702404
			+ 9346.344774	+ 9342.351514
		BAI MENSEKI =	3.993260	
		MENSEKI =	1.996630	

4 入出

TENMEI	X	Y	(X-X0)*(YN-1-Y0)	(XN-1-X0)*(Y-Y0)
X0.Y0	- 150400.000	- 39100.000		
OS65-4	- 150471.159	- 39130.619		
OS65-11	- 150471.033	- 39128.623	+ 2174.959427	+ 2036.784057
OS65-12	- 150469.160	- 39130.683	+ 1979.566680	+ 2179.505539
OS65-4	- 150471.159	- 39130.619	+ 2183.371597	+ 2117.610040
			+ 6337.897704	+ 6333.899636
		BAI MENSEKI =	3.998068	
		MENSEKI =	1.999034	



65BL



4-3 LOT

元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
104	-150448.936	-39073.232		
106	-150447.203	-39047.143	3456.770096	2306.989848
108	-150450.208	-39047.129	2366.955744	2224.630187
107	-150451.929	-39073.033	2447.361841	3666.840864
104	-150448.936	-39073.232	3573.942888	3802.864528
			11845.030569	12001.325427
			バ イ の セ キ =	156.294858
			ス の セ キ =	78.147429

変更後の資料なし

4-4 LOT

元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
107	-150451.929	-39073.033		
108	-150450.208	-39047.129	3666.840864	2447.361841
102	-150450.409	-39047.127	2375.725761	2366.152416
101	-150452.129	-39073.020	2456.683383	3680.865180
107	-150451.929	-39073.033	3791.855580	3807.137257
			12291.105568	12301.516694
			バ イ の セ キ =	10.411106
			ス の セ キ =	5.205553

変更後の資料なし

4-1 LOT

元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
20	-150440.490	-39047.174		
105	-150443.847	-39047.158	2068.438378	1909.427420
103	-150445.594	-39073.454	2150.121852	3220.737538
100	-150442.251	-39073.676	3103.504954	3359.183544
20	-150440.490	-39047.174	2983.141240	1993.148674
			10305.206424	10482.497176
			ハイムセキ=	177.290752
			ズセキ=	<del>88.645376</del>

88.65 按分により

4-2 LOT

変更後の資料なし

元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
105	-150443.847	-39047.158		
106	-150447.203	-39047.143	2225.999074	2067.079121
104	-150448.936	-39073.232	2306.989848	3456.770096
103	-150445.594	-39073.454	3338.939808	3594.544944
105	-150443.847	-39047.158	3220.737538	2150.121852
			11092.666268	11268.516013
			ハイムセキ=	175.849745
			ズセキ=	87.924872

4-3 LOT

変更後の資料なし

元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
106	-150447.203	-39047.143		
102	-150450.409	-39047.127	2376.431487	2224.535781
101	-150452.129	-39073.020	2456.683383	3680.865180
104	-150448.936	-39073.232	3573.306720	3817.510928
106	-150447.203	-39047.143	3456.770096	2306.989848
			11863.191686	12029.901737
			ハイムセキ=	166.710051
			ズセキ=	<del>83.355025</del>

83.36 按分により

4-4 LOT


元NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		

102	-150450.409	-39047.127		
21	-150453.224	-39047.113	2508.287448	2374.919217
41	-150454.241	-39062.105	2555.456233	3305.476520
22	-150466.798	-39061.310	4148.489790	3325.515710
24	-150467.711	-39075.831	4151.361410	5065.359138
36	-150442.508	-39077.551	3223.424148	5251.055761
100	-150442.251	-39073.676	3276.607301	3131.819408
101	-150452.129	-39073.020	3840.656204	3085.168020
102	-150450.409	-39047.127	3680.865180	2456.683383
			27385.147714	27995.997157
			ノ イ ン セ キ =	610.849443
			ノ セ キ =	305.424721

65 BL

381-2

381-1



4-1 LOT

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
20	-150400.000	-39000.000		
105	-150440.490	-39047.174		
103	-150443.847	-39047.158	2068.438378	1909.427420
100	-150445.594	-39073.454	2150.121852	3220.737538
20	-150442.251	-39073.676	3103.504954	3359.183544
20	-150440.490	-39047.174	2983.141240	1993.148674
			10305.206424	10482.497176
			ハイムセキ#	177.290752
			ズセキ#	<del>88.645376</del>
				88.65 按分により

4-2 LOT

変更後の資料なし

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
105	-150400.000	-39000.000		
106	-150443.847	-39047.158		
104	-150447.203	-39047.143	2225.999074	2067.079121
103	-150448.936	-39073.232	2306.989848	3456.770096
105	-150445.594	-39073.454	3338.939808	3594.544944
105	-150443.847	-39047.158	3220.737538	2150.121852
			11092.666268	11268.516013
			ハイムセキ#	175.849745
			ズセキ#	87.924872

4-3 LOT

変更後の資料なし

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
106	-150400.000	-39000.000		
102	-150447.203	-39047.143		
101	-150450.409	-39047.127	2376.431487	2224.535781
104	-150452.129	-39073.020	2456.683383	3680.865180
104	-150448.936	-39073.232	3573.306720	3817.510928
106	-150447.203	-39047.143	3456.770096	2306.989848
			11863.191686	12029.901737
			ハイムセキ#	166.710051
			ズセキ#	<del>83.355025</del>
				83.36 按分により

4-4 LOT

変更後の資料なし


元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
	-150400.000	-39000.000		

102	-150450.409	-39047.127		
21	-150453.224	-39047.113	2508.287448	2374.919217
41	-150454.241	-39062.105	2555.456233	3305.476520
22	-150466.798	-39061.310	4148.489790	3325.515710
24	-150467.711	-39075.831	4151.361410	5065.359138
36	-150442.508	-39077.551	3223.424148	5251.055761
100	-150442.251	-39073.676	3276.607301	3131.819408
101	-150452.129	-39073.020	3840.656204	3085.168020
102	-150450.409	-39047.127	3680.865180	2456.683383
			27385.147714	27995.997157
			メ ン セ ー =	610.849443
			キ ャ イ =	305.424721


変更後の資料なし



65 PL



65 PL



**A LOT**

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> ) (YN-1-Y <sub>0</sub> )	(XN-1-X <sub>0</sub> ) (Y-Y <sub>0</sub> )
	-150400.000	-39000.000		
108	-150450.208	-39047.129		
21	-150453.224	-39047.113	2508.393896	2365.449504
41	-150454.241	-39062.105	2555.456233	3305.476520
22	-150466.798	-39061.310	4148.489790	3325.515710
120	-150467.676	-39075.281	4149.215560	5028.620238
121	-150460.488	-39075.771	4553.597128	5127.878196
124	-150451.936	-39073.133	3935.242656	4423.668904
108	-150450.208	-39047.129	3671.861664	2447.691744
			25522.256927	26024.300816
			変更後の資料なし	変更後の資料なし
			元イメジセキ=	502.043889
			メジセキ=	251.021944

**B LOT**

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> ) (YN-1-Y <sub>0</sub> )	(XN-1-X <sub>0</sub> ) (Y-Y <sub>0</sub> )
	-150400.000	-39000.000		
120	-150467.676	-39075.281		
24	-150467.711	-39075.831	5097.351791	5131.938756
127	-150449.251	-39077.091	3734.752581	5219.908701
125	-150449.062	-39073.324	3782.238642	3611.280324
124	-150451.936	-39073.133	3808.155264	3588.051246
121	-150460.488	-39075.771	4423.668904	3935.242656
120	-150467.676	-39075.281	5127.878196	4553.597128
			25974.045378	26040.018811
			変更後の資料なし	変更後の資料なし
			元イメジセキ=	65.973433
			メジセキ=	32.986716
				32.99 按分による

**C LOT**

元NO. X <sub>0</sub> Y <sub>0</sub>	X	Y	(X-X <sub>0</sub> ) (YN-1-Y <sub>0</sub> )	(XN-1-X <sub>0</sub> ) (Y-Y <sub>0</sub> )
	-150400.000	-39000.000		
100	-150442.251	-39073.676		
107	-150451.929	-39073.033	3825.921004	3085.717283
124	-150451.936	-39073.133	3793.041888	3797.723557
122	-150442.258	-39073.776	3090.454314	3831.630336
100	-150442.251	-39073.676	3117.109776	3113.400408
			13826.526982	13828.471584
			変更後の資料なし	変更後の資料なし
			元イメジセキ=	1.944602
			メジセキ=	0.972301

D LOT

順NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
122	-150442.258	-39073.776		
125	-150449.062	-39073.324	3619.598112	3098.525592
127	-150449.251	-39077.091	3611.280324	3782.238642
36	-150442.508	-39077.551	3276.984228	3819.464301
122	-150442.258	-39073.776	3277.150158	3136.070208
			13785.012822	13836.298743
			平均値=	51.285921
			最大値=	25.642960

25.65 検分1.83

E LOT

順NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
36	-150442.508	-39077.551		
127	-150449.251	-39077.091	3819.464301	3276.984228
126	-150449.753	-39087.055	3835.508523	4287.545805
123	-150443.171	-39087.534	3758.251405	4355.079102
36	-150442.508	-39077.551	3720.895272	3347.954221
			15134.119501	15267.563356
			平均値=	133.443855
			最大値=	66.721927

変更後の資料なし

F LOT

順NO.	X	Y	(X-X <sub>0</sub> )(Y <sub>N-1</sub> -Y <sub>0</sub> )	(X <sub>N-1</sub> -X <sub>0</sub> )(Y-Y <sub>0</sub> )
X <sub>0</sub> Y <sub>0</sub>	-150400.000	-39000.000		
24	-150467.711	-39075.831		
25	-150469.802	-39109.072	5293.155462	7385.374192
33	-150444.716	-39110.788	4877.263552	7733.223976
123	-150443.171	-39087.534	4782.828748	3914.170344
126	-150449.753	-39087.055	4355.079102	3758.251405
127	-150449.251	-39077.091	4287.545805	3835.508523
24	-150467.711	-39075.831	5219.908701	3734.752581
			28815.781370	30361.281021
			平均値=	1545.499651
			最大値=	772.749825

変更後の資料なし

772.75 検分1.83